Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





PRINCETON NURSERIES

PRINCETON N. J.

FALL & SPRING 1929–1930



A COMPLETE ALPHA-BETICAL LISTING UNDER BOTANICAL NAMES OF



FOR CLASSIFIED LISTS OF TREES, EVERGREENS, ETC., OR INDEX OF BOTH COM-MON AND BOTANICAL NAMES REFER TO PAGES IN BACK OF CATALOGUE.



Office and grounds, Princeton Nurseries.

FOREWORD

HE Fall season is the beginning of the Nurserymen's year. Stock developed through the summer months is now ready, and the best selections are to be had during this season.

We have at the present time nearly 700 acres of carefully grown nursery stock and invite you most cordially to call at our nursery and look at our ornamentals which comprise over 1100 hardy varieties.

A visit and personal inspection is much more satisfactory than any description we could give you, and we sincerely hope you will arrange to come early this Fall. Detailed instructions and map will be found on the last page of this booklet.

Princeton Nurseries.


₹

MEMBERS

AMERICAN ASSOCIATION OF NURSERYMEN EASTERN NURSERYMEN'S ASSOCIATION NEW JERSEY ASSOCIATION OF NURSERYMEN

HORTICULTURAL STANDARDS

AS ADOPTED BY THE A.A.N. JUNE 1923, USED AS A BASIS FOR GRADING AND QUOTATIONS.



A part of our fleet of White Trucks.

TRUCK DELIVERY

We can make deliveries by auto truck within 100 miles of our nurseries. There are several marked advantages of truck deliveries which are obvious; boxing, freight and cartage are eliminated and the stock arrives with the minimum of exposure and handling. Our charge for this service is very moderate and we feel sure you will find this method satisfactory if located within the radius mentioned. WRITE FOR FOLDER.

PACKING

Bales and Boxes charged at cost. No packing charge is made for stock packed in full carlots. Boxes are made in the following sizes:

31	in.	x	36	in.—10	ft.	long	 \$5.25
28	in.	х	32	in.—10	ft.	long	 4.75
23	in.	х	28	in.—10	ft.	long	 4.25
12	in.	x	15	in.—10	ft.	long	 2.00

Add 50 cents for each additional 2 feet of length.

Decreases are in the same proportion, 50 cents for each 2 feet.

CREDIT AND TERMS

We are glad to extend credit on the basis of our regular terms to established nurserymen who are known to us, or are rated satisfactorily. Cash before shipment is required from parties unknown to us, who have no commercial rating.

Terms, 2% 10 days, 1% 30 days from date of invoice, 60 days net. Interest at 6% will be charged on overdue accounts, Spring accounts from July 1, Fall accounts from January 1.

LIABILITY AND CLAIMS

We are not liable for injury to stock from frost, hail, fire or other causes beyond our control, and book all orders with this understanding. Errors made by us will be gladly corrected, but complaints must be made within ten days after receipt of stock.

Plants become your property upon delivery to transportation company, and we cannot be responsible for loss, damage, or delay in transit.

PRICES

Prices are F.O.B. Kingston, N.J., packing extra, and are as low as is consistent with the market, taking into consideration that the stock offered is of the best quality, carefully grown, with ample room for full development. "Princeton Products" should not be compared with poorly grown plants frequently offered. Prices are for Fall 1929.

Deciduous Trees, Shrubs, Evergreens and Vines

(See Index in Back of Book)

NOTE-The figures following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitat greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

We recommend that all varieties marked with an asterisk be lifted with a ball of earth and burlapped. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve an extra charge per plant, as follows:

2'-4', 25c 4'-6', 40c 6'-8', 6oc 8'-10', 75c Larger sizes in proportion. In all instances where varieties are marked B. & B., these charges are included in the printed price.

RESERVATIONS—SPECIMEN PLANTS

For an additional 25% customers will be permitted to select and reserve specimen plants in the nursery blocks for future delivery.

	Each	Per 10	Per 100
ABELIA grandiflora, 3'-4'		Glossy	Abelia
Evergreen. Choice small shrub,	with w	hite tint	ed lilac
flowers, produced throughout the	e entire :	summer	months.
12 to 15 in., B. & B	.65	5.00	
15 to 18 in., B. & B	.80 1.00	7.00 8.50	
2 to 3 ft., B. & B	1.50	12.00	110.00
3 to 4 ft., B. & B	2.00	17.00	160.00
ABIES concolor, 70'-80'		W	nite Fir
Evergreen. Grows quickly and fo		metrical,	, beauti-
ful specimen. Large, gray-green i	needles.		
18 to 24 in., B. & B	4.50		
2 to 2½ ft., B. & B	5.75		
3 to 4 ft., B. & B	7.25 10.75		
4 to 5 ft., B. & B	15.25		
douglasi (See PSEUDOTSUGA	A dougla	ısi)	
fraseri			
2 to 3 ft., B. & B	5.75		
Spruce (See PICEA)			
veitchi		Vei	tch Fir
Very hardy specimen in the No young one of the most beautiful			d when
2 to 2½ ft., B. & B	6.25	50.00	
2½ to 3 ft., B. & B	7.25	62.50	
3 to 4 ft., B. & B	9.00	75.00	
4 to 5 ft., B. & B	10.75	95.00	900.00
5 to 6 ft., B. & B	13.50		

Each Per 10 Per 100

	Each	Per 10	Per 100
ACANTHOPANAX pentaphyllum	ı. 7'-8'		
		ve Leaf	Aralia
Graceful, arching habit; splendid			
able; good foliage for smoky expe		mo, very	adapt-
		0.70	2 # 00
18 to 24 in	·45	3.50	25.00
2 to 3 ft	.65 .70	5.00 6.00	35.00 40.00
3 to 4 tt	./0	0.00	40.00
ACER campestre, 25'-30'		Hedge	Maple
Useful for dry locations in underg	rowth.		_
grows slowly.	, IOW LII .	nas corr	Ly Daik,
2 to 3 ft	1.25	10.00	
3 to 4 ft	1.50	12.00	
0 4	5 -		
dasycarpum, 6o'-8o'		Silver	Maple
Quick growing, graceful shade tree	e: leav	es silvery	under-
neath.			
6 to 8 ft	1.35	10.00	70.00
8 to 10 ft	2.25	17.00	130.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.75	21.00	170.00
10 to 12 ft.—1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in 10 to 12 ft.—1 $\frac{3}{4}$ to 2 in 12 to 13 ft.—2 to 2 $\frac{1}{4}$ in	3.50	30.00	260.00
10 to 12 ft.—19/4 to 2 in	4.50	37.50	
12 to 13 ft.—2 to $2\frac{1}{4}$ fin	5.75	50.00 60.00	
12 to 14 ft —2½ to 2½ in	6.7 <i>5</i> 8.00	72.50	
13 to 14 ft.—2½ to 2¾ in	10.00	90.00	
14 10 10 11. 3 11	10.00	90.00	
—wieri, 60'-80'	Wier	· Cutlea:	f Maple
Graceful, drooping form; very de	esirable		
6 to 8 ft	1.75	13.00	
8 to 10 ft	2.25	17.00	145.00
8 to 10 ft	3.25	26.00	210.00
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	32.50	300.00
11 to 12 ft.—1¾ to 2 in	5.50	42.50	
		т.	1.1
negundo, 60'			oxelder
Will grow where other trees fail;	especia	lly good	for dry,
barren places and seashore.			
4 to 6 ft	.70	5.00	40.00
6 to 8 ft	.90	7.00	60.00
8 to 10 ft	1.45	12.00	100.00
10 to 12 ft.—1½ to 1¾ in	1.75 2.50	15.00 21.00	
10 to 12 ft. 1/2 to 1/4 in	2.75	24.00	
		-4.00	
palmatum (polymorphum), 12'-1			3.5 1
	_	apanese	
Develops into a splendid specimen	for la	wn plan	ting.
18 to 24 in	2.25	17.00	130.00
2 to 2½ ft	2.75	21.00	170.00
3 to 4 ft	4.00	32.50	300.00
4 to 5 ft	5.50	45.00	
5 to 6 ft	7.25		
-dissectum, 4'-6' Green Cu	tleaf I	ananese	Maple
A good dwarf tree with finely cut			
attractive throughout the summe			
Fall when frest tints the leaves in	orang	e shades	
12 to 15 in., B. & B	5.50	42.50	
15 to 18 in., B. & B	7.25	60.00	
,,	1.25		

ACER—continued	Each	Per 10	Per 100
palmatum atropurpureum, 6'-8'			3.6 1
		apanese	
A good dwarf tree with rich pur	ple-red	leaves a	ill sum-
mer. Best in sun. These plants are strain imported. Carefully selections.	graftea cted for	r rich (constant
12 to 15 in., B. & B	4.00	32.50	250.00
15 to 18 in., B. & B	6.00	50.00	100.00
18 to 24 in., B. & B	8.00	70.00	600.00
2 to $2\frac{1}{2}$ ft.—Extra Bushy, B. & B	12.50	—	
2½ ft.—Extra Bushy Specimen, B. & B	17.50		
- dissectum, 4'-6' Purple Cu		200000	Monte
More dwarf than the above with			
leaves, giving the plant a very gra			
for rock work.			
12 to 15 in., B. & B	5.50	42.50	
15 to 18 in., B. & B	7.25	60.00	
pennsylvanicum (striatum), 20'-3	o′	Striped	Maple
Green bark, striped with white; th			
3 to 4 ft	1.35	11.00	
4 to 5 ft	1.75	15.25	
5 to 6 ft	2.50	21.00	Nr 1.
platanoides, 50'-75'		Norway	маріе
The most popular street tree; runtil late autumn.	etains i	ts greer	leaves
NOTE—These trees are Princeton heads, heavier caliper and well-far superior to western irrigated what we ask for them.	develop	ed root.	s, being
6 to 8 ft	3.25	26.00	210.00
8 to 10 ft	4.00	32.50	300.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.50	45.00	425.00
10 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.75	60.00	550.00
10 to 12 ft.—13/4 to 2 in	7.75	70.00	
12 to 14 ft.—2 to 2½ in	9.00		
—schwedleri, 40'-60' Schwedle Probably the best large growing p as lawn specimen.	_		_
5 to 6 ft	3.50	20.00	250.00
6 to 8 ft	5.00	30.00 42.50	375.00
8 to 10 ft	6.25	50.00	373.03
8 to 10 ft.—1¼ to 1½ in	8.00		
rubrum, 50'-75'	Red or	Scarlet	Maple
Best in moist locations; also thrivered autumn coloring.	ves in u	pland;	brilliant
8 to 10 ft	4.00	25.00	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.75	35.00	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.50		
saccharum, 50'-75'		Sugar	Maple
Most popular in northern states; has rich yellow autumn coloring.	best pla		
6 to 8 ft	2.50	20.00	155.00
8 to 10 ft	2.50 3.50	20.00 30.00	175.00 250.00
10 to 11 ft.—1½ to 1½ in	4.50	40.00	
11 to 12 ft.—1½ to 1¾ in	5.75	50.00	
		,	

ACER—continued	Each	Per 10	Per 100
tataricum ginnala, 10'-12'	Ta	artarian	Maple
Graceful and valuable for bright Is of twiggy habit of growth.	red a	utumn c	oloring.
18 to 24 in	.65	5.00	42.50
2 to 3 ft	.90	7.50	50.00
3 to 4 ft	1.25 1.75	10.00	75.00
ACTINIDIA arguta, 20'-30'		ower A	
Greenish white, July. Rich, dark berries.	green	foliage.	Yellow
2 yr	.70	5.50	50.00
3 yr	.90 1.10	7.50 9.50	67.50 85.00
AESCULUS hippocastanum, 60'-80	, F		_
A beautiful symmetrical shade tre			
panicles of white flowers against t			
3 to 4 ft	1.75	14.50	
4 to 5 ft	2.25 2.75	18.50	_
AILANTHUS glandulosa, 50'-60'		ree of	Heaven
Succeeds under most adverse cit co			
grows rapidly.			,
8 to 10 ft	2.25	20.00	
AKEBIA quinata, 15'-20'			Akebia
Dainty beautiful vine, purple flo leaves—persisting till winter.	wer. N	Iay. Dee	p green
2 yr	.90	6.75	
AMELANCHIER canadensis (bot	ryapiu Do	m), 12' wny Sh	-15' adblow
White flowers in early spring be-	fore le	aves; fr	uits are
relished by birds. Also called June	e Berry	•	
18 to 24 in	.70	6.00	50.00
2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.10		
AMORPHA canescens, 2'-3'		Lea	d Plant
Bluish purple flowers in June.			
15 to 18 in	·55 ·70	4.2 <i>5</i> 6.00	32.50 50.00
fruticosa, 8'-10'	.,-		o Bush
Deep purple flowers, June, spreadi	ng hab		,
18 to 24 in	.45	3.50	25.00
2 to 3 ft	.55	4.00	35.00
3 to 4 ft	.70	5.00	40.00
4 to 5 ft	.90	7.00	60.00
AMPELOPSIS heterophylla, 25'-30	0′		
		ain Amı	
A good sturdy vine with good foli turquoise colored fruit.	age and	i very a	ttractive
2 year	.65	5.00	40.00
3 year	.90	7.00	60.00
humulifolia, 25'-30'		op Amp	
Similar to above, not quite so robu			foliage.
2 year	.70	5.00	

AMPELOPSIS—continued	Each	Per 10	Per 100
quinquefolia, 30'-50'	Vir	ginia (Creeper
Valuable for rich, fiery autumn	coloring	Quick	grower.
1 year 18 to 24 in	.25	2.00	
2 year 2 to 3 ft	·3 <i>5</i>	2.50	
3 year	.50	3.50	
—engelmanni, 30'-40'			Creeper
A good, self-clinging woodbine; coloring.	very ha	rdy. Go	ood fall
1 year 18 to 24 in	.30	2.50	
2 year 2 to 3 ft	.40 .60	3.00 5.00	
3 year	.00	_	т.
tricuspidata (veitchi), 40'-50'			ton Ivy
Brilliant autumn coloring, blue closely self-clinging. Also called	Japanese	turning Creep	black;
2 year 1st class			40.00
2 year extra heavy	·7 <i>5</i>	6.00	50.00
	rf Cutle		
A good variety of the type, with s age. Very graceful and distinct.	smaller, o	deeply o	cut foli-
3 inch pots	.65	4.00	
AMYGDALUS nana (See Prunus	glandu	losa)	
persica (Prunus), 8'-10'			
Pink, Red a	and Whi	te Flg.	Peach
Very decorative double flowering			
leaves.			
3 to 4 ft	1.00	8.50	
4 to 5 ft	1.20	10.00	
ANDROMEDA aborea (See OXY	DEND	RUM)	
catesbaei (See LEUCOTHOE)			
japonica (See PIERIS)			
· · · · · · · · · · · · · · · · · · ·	NITTIO	DA NTA '	V\
ARALIA pentaphyllum (See ACA			
spinosa, 18'-20'			es Club
Useful for tropical effects and single July.	hadows;	white	flowers,
18 to 24 in	·45	3.50	25.07
2 to 3 ft	.70 .80	5.00 6.00	35.00 40.00
4 to 5 ft	.90	7.50	65.00
ARISTOLOCHIA sipho	Dut	chman	's Pipe
2 year 2 to 3 ft	.90	7.50	60.00
3 year	1.10		
ARONIA arbutifolia, 6'-8'	Rea	1 Chok	eberry
Valuable because of its red berr			
Fall.	100, 101	manas	onic m
18 to 24 in	.90	7.00	50.00
2 to 3 ft	1.10	8.50	70.00
3 to 4 ft	1.25	9.50	75.00
4 to 5 ft	-1.35	11.00	
brilliantissima			
18 to 24 in	.90	7.00	50.00
2 to 3 ft	1.10	8.50	

ARONIA—continued	Each	Per 10	Per 100			
melanocarpa (nigra), 8'-10'		ck Chok				
Delicate white flowers in May; black berries persist until late.						
18 to 24 in	.70	6.00	40.00			
2 to 3 ft	.90	7.00	50.00			
3 to 4 ft	1.10	8.50 9.50	70.00 85.00			
AZALEA amoena, 3'-4'	1.20	9.30	05.40			
Evergreen. Conspicuous purple-re	ed flow	ers An	ril_Max			
Leaves turn a rich, bronze-green in			ili-iviay.			
6 to 8 ft	1.50	12.50	100.00			
8 to 10 in	2.00	17.50	125.00			
10 to 12 in., B. & B	2.50 3.00	22.50 27.50	175.00			
15 to 18 in	3.50					
arborescens, 10'-12'		Sweet	Azalea			
Fragrant white flowers, June.						
18 to 24 in., B. & B	3.50	30.00	250.00			
2 to 2½ ft., B. & B	4.50	37.50	325.00			
2½ to 3 ft., B. & B	5.00	42.50				
calendulacea, 4'-5'			Azalea			
The great flame Azalea of Care showy; burnt orange flowers.	olina N	Iountain	s; very			
18 to 24 in., B. & B	4.00	32.50	300.00			
2 to 3 ft., B. & B	5.50	45.00	375.00			
3 to 4 ft., B. & B	6.00	55.00	500.00			
4 to 5 ft., B. & B	7.50					
hinodegiri, 3'-4'						
Evergreen. Larger leaves and loos	er grov	vth than	above;			
flowers very bright carmine-pink; with Rhododendron.	effecti	ve in m	asses or			
6 to 8 in	1.75	15.00	125.00			
8 to 10 in	2.75	22.50	175.00			
10 to 12 in., B. & B	3.25	27.50				
12 to 15 in., B. & B	4.00					
indica alba						
Evergreen. Large single white flo Makes a striking background f	wers, f	reely pr	oduced.			
blooming at the same time.	OI AZ	irca IIII	ouegiii,			
12 to 15 in., B. & B	3.25	27.50				
15 to 18 in., B. & B	3.50	30.00				
18 to 24 in., B. & B	4.50	37.50				
indica lilacina, 3'-4'	., .	11	*.1			
Evergreen. A beautiful addition t very large individual flowers of p	ure lila		pe with			
12 to 15 in., B. & B	3.25 3.50					
18 to 24 in., B. & B	4.50	_				
kaempferi, 4'-5'		Torch	Azalea			
Warm brick-red flowers, May. Ver	y hard	y and de	esirable.			
12 to 15 in., B. & B	2.75	24.00	210.00			
15 to 18 in., B. & B	1.00	32.50	300.00			
18 to 24 in., B. & B	4.50	37.50				
2 to 272 It., b. & B	5.50					

AZALEA—continued	Each	Per 10	Per 100
macrantha, $2\frac{1}{2}'-3'$	Red S	Salmon	Azalea
Evergreen. A beautiful plant, with	h large	flowers	that ap-
pear at intervals, and not at one Single and double varieties.	time lik	e the pr	eceding.
8 to 10 in., B. & B	1.75	15.00	137.50
10 to 12 in., B. & B	2.25	20.00	175.00
12 to 15 in., B. & B	2.75	25.00	
15 to 18 in., B. & B	3.25		
mollis, 4'-6'	(Chinese	Azalea
Large showy flowers in shades of June. Large hairy leaves. Likes su	f orange		
9 to 12 in	2.25	17.50	130.00
12 to 15 in., B. & B	2.75	22.50	200.00
15 to 18 in., B. & B	4.00	32.50	300.00
18 to 24 in., B. & B	4.50	40.00	
vaseyi, 5'-6'			Azalea
Delicate pink, April and May. Verbest hardy azaleas.	ry attra	ctive, or	e of the
12 to 15 in., B. & B	3.25	27.50	260.00
15 to 18 in., B. & B	4.00	32.50	300.00
18 to 24 in., B. & B	5.00	42.50	
2 to 2½ ft., B. & B	5.75	50.00	
viscosa, 4'-5'		Swamp	Azalea
White, very fragrant, June. July.			
18 to 24 in., B. & B	3.25	25.00	
2 to 2½ ft., B. & B	4.00	32.50	
2½ to 3 ft., B. & B	5.00	42.50	
3 to 3½ ft., B. & B	6.00	50.00	
yodogawa, 3'-4'	You	dogawa	Azalea
Double pinkish-lavender flowers, exceptional merit.			
12 to 15 in., B. & B	2.75	22.50	
15 to 18 in., B. & B	3.50	30.00	
18 to 24 in., B. & B	4.50	40.00	
2 to 2½ ft., B. & B	6.00		
BACCHARIS halimifolia, 9'-10'	C	Frounds	el Bush
		_	
Conspicuous fluffy seed pods in Sashore planting.	eptembe	er. Good	for sea-
18 to 24 in	.65		
2 to 3 ft	.75	6.00	
3 to 4 ft	.85	7.00	
BENZOIN aestivale (LINDERA	benzoi		12' oicebush
Flowers yellow, April. Scarlet be coloring, leaves aromatic.	rries, be	autiful	Autumn
15 to 18 in	.50	4.00	30.00
18 to 24 in	.75	6.50	50.00
2 to 3 ft	1.00	8.50	
3 to 4 ft	1.25	10.00	
BERBERIS dielsiana			
A new introduction similar in caulialata.	general	habit	to sub-
2 years, 12 to 15 in., bushy	.90	7.00	
3 years, 15 to 18 in	1.75	14.00	

BERBERIS—continued	Each	Per 10	Per 100			
ilicifolia, 5'-6'	I	Holly Ba	arberry			
Evergreen. Holly-like leaves, persisting until new foliage appears; flowers yellow. Semi-evergreen.						
12 to 15 in., B. & B	1.35	11.00				
15 to 18 in., B. & B	1.75	15.00				
subcaulialata, 5'-6'	2.2)					
A new Chinese introduction simil	ar in h	abit to V	Wilsonii			
but stronger grower. Especially a months, with its mass of pink ber	ttractiv					
2 years, 12 to 18 in., bushy	.90	7.00				
Each	Per 10	Per 100]	Per 1000			
thunbergii, 4'-5'	Japa	anese Ba	arberry			
A splendid low hedge plant, or Autumn coloring; scarlet berries.	for ma	issing; l	orilliant			
9 to 12 in	1.20	9.00	70.00			
12 to 15 in	2.00	15.00	100.00			
15 to 18 in	2.50	20.00	150.00 200.00			
18 to 24 in	3.50 4.00	25.00 35.00	200.00			
$2\frac{1}{2}$ to 3 ft	5.00					
,- 0	Each	Der 10	Per 100			
atropurpurea Re		nese Ba	-			
Should be planted in sun for best		y or the	above.			
9 to 12 in	.65	5.00	40.00			
12 to 15 in	.70	6.00	50.00			
15 to 18 in	.90	7.50	70.00			
-minor, 2'-3'		Box Ba	arberry			
A dwarf, compact form of Jap sparingly. Used for edging where	anese I Box is	Barberry not hard	; fruits			
9 to 12 in	.45	3.50	30.00			
12 to 15 in	.55	4.00	35.00			
15 to 18 in	.65	5.00	40.00			
verruculosa, 2'-3'		arty Ba				
Evergreen. Dwarf spreading type its dense dark green and lustrous			ne with			
2 years, 6 to 12 in	2.75	20.00	175.00			
vulgaris, 7'-8'	Euro	pean Ba	arberry			
Yellow flowers, May; fruit red, poupright habit.	ersisting	g to mid-	winter;			
18 to 24 in	.4.5	3.50	25.00			
2 to 3 ft	.55	4.00	35.00			
3 to 4 ft	.65	5.00				
		Eur. Ba	arberry			
Has pleasing soft purplish foliage		2.70	25.00			
2 to 3 ft	·45 ·55	3.50 4.00	25.00 35.00			
3 to 4 ft	.65	5.00				
•						

BERBERIS—continued

NEW HARDY EVERGREEN BERBERIS

We have a good assortment of these new varieties which are very attractive in both dark green holly-like foliage and showy flowers. We consider this class of stock one of the most valuable additions to the broad leaved evergreens.

greens.			
	Each	Per 10	Per 100
2 year 12 to 15 in	1.75 2.75	15.00 22.50	
acuminata			
gagnepaini			
julianae			
sargenti			
triacanthophora			
*BETULA alba, 30'-50' Known by its white bark.	Europe	an Whit	e Birch
4 to 6 ft	2.00 2.75 3.50	15.00 22.50	125.00 175.00
*—laciniata, 30'-40'	Cutleaf	Weeping	g Birch
Excellent tree for lawn planting	g. Very g	raceful.	
3 to 4 ft		15.00	
4 to 5 ft	2.25	17.50	
6 to 8 ft	2.75 3.25	22.50 27.50	
8 to 9 ft			
	Pyramid		
Very desirable small pyramidal and columnar.	tree, rar	ely listed	l. Dense
4 to 5 ft	4.50		
	Toungs		
A dwarf, spreading, pendulous t looking.		ue form.	Rugged
4 to 5 ft	9.00		
*lenta, 40'-60'			t Birch
Has attractive, smooth, reddiscatkins in Spring.		and cons	
4 to 6 ft	1.75	15.00	
6 to 8 ft	2.50 3.00	22.50 27.50	175.00 225.00
10 to 12 ft	4.00	32.50	
12 to 14 ft	5.00		
*lutea, 50'-70' Makes fine windbreak.		Yellov	v Birch
4 to 6 ft	1.75	15.00	125.00
6 to 8 ft	2.75	22.50	175.00
*nigra, 50′-60′			r Birch
Thrives in moist places; its to unique.	rn, ragg	ed bark	is quite
3 to 4 ft	1.50		
4 to 6 ft	1.75	15.00	125.00

10 to 12 ft.

4.50

BETULA—continued	Each	Per 10	Per 100
*papyrifera, 40'-50'	Paper o	r Canoe	Birch
Picturesque paper bark, very whi	te when	older.	
4 to 6 ft	1.75	15.00	125.00
6 to 8 ft	2.50	22.50	175.00
8 to 10 ft	3.25	27.50	225.00
10 to 12 ft	4.50		
populifolia, 30'-40'		Gray	y Birch
Will grow in poor soil and dry native in New Jersey.	places. C	ommonly	found
4 to 6 ft	1.75	15.00	125.00
6 to 8 ft	2.50	22.50	175.00
8 to 10 ft	3.25	27.50	225.00
10 to 12 ft	4.00		
BIGNONIA radicans, 20'-30'		Trumpe	et Vine
Showy, trumpet-shaped flowers, Roots as it climbs.	scarlet a	nd orang	ge, July.
1 year 9 to 12 in	-35	2.50	17.00
2 year 12 to 18 in	.45	3.50	25.00
3 year 18 to 24 in	.55	4.00	35.00
—grandiflora, 10'-20'	Chines	e Trum	petvine
One of the handsomest of flow trusses of orange yellow flowers	wering v	ines wit	h large
2 yr. grafts	.60	5.00	40.00
3 yr, grafts	.90	7.00	60.00
4 yr. grafts	1.25	10.00	
Mad. Gallen, 10'-20'			
An improved variety better than red. Very handsome and a valual	ble addit	ion to ou	darker ir list.
2 yr. grafts	.60	5.00	40.00
3 yr. grafts	.90	7.00	60.00
BUDDLEIA davidi magnifica, 5'-	6′	Butterfl	y Bush
Very effective with gray-green		and de	ep lilac
flowers; likes sun. June, Septem			
12 to 18 in	.20	1.20	10.00
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.45	3.50	25.00
3 to 4 ft	.55	4.00	
-nanhoensis, 3'-4'			
A good new variety recently	introduc	ed from	China.
Bloom similar to the type but habit.	of good	dwarf	compact
2 yr	.70	5.00	35.00
BUXUS arborescens			
15 in	3.25		
18 in	5.00		
2 ft	5.50		
handsworthi	H	andswor	th Box
An excellent hardy variety—lar virens and of very upright habi		ge than	semper-
12 to 15 in	2.25	20.00	
15 to 18 in	3.25	25.00	

BUXUS—continued	Each	Per 10	Per 100
sempervirens (bush form), 12'-15		_	boowzc
Evergreen. Useful for formal he			
8 to 10 in	1.00	7.50	70.00
10 to 12 in	1.50	12.50	100.00
12 to 15 in	1.75	15.00	135.00
15 to 18 in., B. & B	2.75	22.50	175.00
18 to 24 in., B. & B	4.50	37.50	Dor 1000
			Per 1000
suffruticosa, 3'-4'			Edging
Evergreen. Extensively used for lot to offer this season.		we nav	e a nne
3 to 4 in	2.50	17.00	-
1 to 6 in	4.50 7.00	35.00 50.00	250.00
0 to 0 m	Each	_	Per 100
CALLICARPA japonica, 2'-5'			tyberry
Flowers, light pink and violet fru		sc Deau	ty octry
18 to 24 in	.70	6.00	
2 to 3 ft	.70 .80	7.00	
purpurea, 3'-4'			tyberry
Lilac-violet berries, especially			
Graceful habit.	are are		
15 to 18 in	.45	3.50	
18 to 24 in	·55	4.00 5.00	35.00
3 to 4 ft	.65 .75	6.00	40.00 50.00
CALLUNA, I'-2'	-75		Heather
Evergreen. These excellent everg masses and may be planted to adv slopes. Plants offered are first cla 2 year	vantage ss bush	on well specim	drained
vulgaris alba minor, bright green			
-alporti, bright green foliage, redo			
-aurea, yellow green foliage, mau	ve colo	red flor	
-humilis, bright green foliage, wh	hite flor	vers.	
—pilosa, bright green foliage, white —rosea, bright green foliage, rose			
—rubra, spreading habit, purplish-			٥.
-tomentosa, gray green leaves, ma	auve col	ored flo	wers.
CALYCANTHUS floridus, 4'-5'			etshrub
18 to 24 in	.75	6.50	
2 to 3 ft		8.50	
CARAGANA arborescens, 10'-12'	Sib	erian P	ea-Tree
Yellow pea-shaped flowers, May-	June.		
18 to 24 in	.50		
2 to 3 ft	.60		
CARPINUS betulus, 60'-70'	Europ	ean Ho	rnbeam
Leaves like Caroliniana but stron			
2 to 3 ft	1.35	11.00	
3 to 4 ft	1.75	15.00	rnbeam
Bushy, low and often pendulous			
green foliage with fine Autumn of	coloring		Diuloll
18 to 24 in	1.00	7.50	50.00
2 to 3 ft	1.35	11.00	85.00
3 to 4 ft	1.75	15.00	130.00
4 to 5 ft	2.50		

CARYOPTERIS incana (mastaca	Each ntha),		Per 100
		Blue	Spirea
Lavender-blue flowers, September massing. Requires protection. Also	-Octobe	er. Splen Bluebea	did for rd.
12 to 15 in	.45	3.50	25.00
15 to 18 in	-55	4.00	30.00
18 to 24 in	.65	5.00	40.00
CATALPA bungei, 10'-15'	Un	nbrella (Catalpa
Useful in formal planting.			
Light Heads, 1 yr., 5 to 6 ft.,			0
1 in	1.75	13.00	85.00
Med. Heads, 1 yr., 5 to 6 ft.,			
1½ in	2.25	17.50	110.00
First Class Heads, 2 yr., 5 to	0.55	22.50	1 70 00
6 ft., 1½ in.	2.75	22.50	150.00
Large Heads, 2 yr., 5 to 6 ft.,	0.25	27.50	22 / 00
	3.25	27.50	225.00
Extra Large Heads, 2 in	4.00	32.50	300.00
speciosa, 30'-35'	W	estern (Catalpa
4 to 6 ft	.90	7.00	50.00
6 to 8 ft	1.10	8.50	70.00
8 to 10 ft 8 to 10 ft., 1 1/4 in., branched	1.25 1.55	10.00 13.00	05.00
9 to 10 ft., 1½ in., branched	2.25	13.00	
CEANOTHUS americanus, 3'-4'	,	Jers	sey-Tea
Very attractive, dwarf native shru	ib; wh	ite flower	rs.
12 to 18 in	.70	5.00	40.00
18 to 24 in	.80	6.00	50.00
We are offering for the first tim These are hardy from Princeton ommended farther north. When they are a valuable addition to th	south the cli	but are mate is	not rec-
CEDRUS atlantica		Atla:	s Cedar
Large pyramidal tree with uprigh rigid habit giving unique appeara	t leadir nce.	ng shoots	. Leaves
18 to 24 in., B. & B	4.00		
2 to 3 ft., B. & B	5.50	-	
3 to 4 ft., B. & B	6.75		
—glauca	, B1	ue Atlas	Cedar
Similar to above but with handso			
18 to 24 in., B. & B		c romage	•
10 to 24 m., в. а в	5.50		
deodara		Deodai	Cedar
Tall tree of pyramidal habit w	rith lie	ht bluis	h green
needles—more graceful in appears	ance, no	ot quite s	o hardy.
18 to 24 in., B. & B	3.25		
	ر		
libani	Ce	dar of L	ebanon
A large tree with wide spreading	ng hor	izontal ł	ranches
forming broad head. Dark or blui			
18 to 24 in., B. & B	5.50	45.00	



Catalna hungei. We grow the finest Catalna	a hung	ei in the co	untry
Catalpa bungei. We grow the finest Catalp which this photo plainly	shows.	er in the co	unita y
	Each	Per 10	Per 100
CELASTRUS scandens, 20'-25'	Ameri	can Bitte	rsweet
Most adaptable vine with orange retain color when cut and dried.	e and	red berri	es that
1 year 18 to 24 in	·45 ·55	3.50 4.00	25.00 35.00
CELTIS occidentalis, 50'-60'		Hac	kberry
Similar foliage and habit as Elm.			
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.70 .90 1.10	5.00 7.00 8.50	_
CEPHALANTHUS occidentalis, 5	5'-6'	Butto	nbush
Round heads of creamy white fl Good foliage; likes moisture.		July-Sep	tember.
18 to 24 in	.65	5.00	40.00
2 to 3 ft	.90 1.25	7.00 8.50	50.00 70.00
CERASUS (See Prunus)	,		,
*CERCIDIPHYLLUM japonicum	. 20'-3	o' Katsur	a Tree
Develops into a nice symmetrical and Autumn colors.	_		
3 to 4 ft	1.75 2.50		130.00
CERCIS canadensis, 12'-15'	Ar	nerican F	Redbud
Rosy-pink, April, very effective w wood; good foliage. Also called J	hen pl Judas '	lanted wit Tree.	h Dog-
2 to 3 ft	.75	6.00	50.00
3 to 4 ft	1.00	9.00	75.00

CERCIS—continued	Each	Per 10	Per 100
chinensis, 10'-12'	С	hinese l	Redbud
Flowers a little larger and darker compact habit of growth.		_	
12 to 18 in	.55	4.00	35.00
18 to 24 in	.70	6.00	40.00
2 to 3 ft	.90	7.50	60.00
CHAMAECYPARIS ericoides (Re			
		th Retir	-
Evergreen. Has heather-like leaves Forms a round, broad bush.			
12 to 15 in., B. & B	1.25	10.00	85.00
15 to 18 in., B. & B	1.60	14.00 18.50	125.00
	2.25		_ '
obtusa compacta, 2½'-4'		otball (
Evergreen. Almost spherical in throughout winter. Very useful in work.			
12 to 15 in., B. & B	2.00	17.50	125.00
15 to 18 in., B. & B	3.00	27.50	200.00
18 to 24 in., B. & B	4.00	32.50	300.00
2 ft., B. & B	5.00	42.50	
		Hinoki (
Narrow irregular pyramid, rich da grower—picturesque.	ırk gre	en foliag	ge. Slow
15 to 18 in	3.50	30.00	
18 to 24 in	4.00	35.00	
pisifera, 25'-35'	S	awara (ypress
Evergreen. Quick grower. Loosely	pyram	idal.	
15 to 18 in., B. & B	2.25	17.50	125.00
18 to 24 in., B. & B	2.75	22.50	175.00
2 to 2½ ft., B. & B	3.50	30.00	250.00
$2\frac{1}{2}$ to 3 ft., B. & B 3 to $3\frac{1}{2}$ ft., B. & B	4.50 6.00	37.50 50.00	325.00
3½ to 4 ft., B. & B	7.50	67.50	
		awara (voress
Evergreen. Foliage bright yellow,			
15 to 18 in., B. & B	2.00	17.50	135.00
18 to 24 in., B. & B	3.00	27.50	225.00
2 to 2½ ft., B. & B	4.00	35.00	300.00
2½ to 3 ft., B. & B	5.00	42.50	
3 to $3\frac{1}{2}$ ft., B. & B	6.50		
—filifera, 15'-20' Threa	d Bra	nched (Cypress
Evergreen. Has long, stringy, d bright green foliage. Graceful and			nes and
12 to 15 in., B. & B	2.00	17.50	135.00
15 to 18 in., B. & B	2.75	22.50	185.00
18 to 24 in., B. & B	3.50	30.00	260.00
2 to 2½ in., B. & B	4.7 <i>5</i> 6.00	42.50	375.00
$2\frac{1}{2}$ to 3 ft., B. & B 3 to $3\frac{1}{2}$ ft., B. & B	8.00	52.50 67.50	
	10.00		
aurea, 10'-12' Golden Threa		nched (Cypress
Evergreen. Very bright, conspic Grows more slowly than precedin	uous,		
9 to 12 in., B. & B	2.75		
12 to 15 in., B. & B	3.50	30.00	
15 to 18 in., B. & B	4.75	42.50	



Chamaecyparis (Retinospora). The variety squarrosa shows in the foreground with pisifera next. In the background is a row of Juniper Hibernica. Note how well shaped and compact these evergreens are because of careful, frequent pruning.

or careful, frequent	pruning.		
CHAMAECYPARIS—continued	Each	Per 10	Per 100
—plumosa, 25'-35'		Plume	Cypress
Evergreen. Forms a dense cone o	f fine tex	kture. U	seful for
shearing into formal shapes.			
12 to 15 in., B. & B	1.75	15.00	100.00
15 to 18 in., B. & B	2.00	17.50	125.00
18 to 24 in., B. & B	2.50	22.50	175.00
2 to 2½ ft., B. & B	3.50	30.00	250.00
2½ to 3 ft., B. & B	5.00	45.00	375.00
3 to 3½ ft., B. & B	6.50	60.00	
3½ to 4 ft., B. & B	8.00		
— aurea, 20'-25'	Golden	plume	Cypress
Evergreen.			
12 to 15 in., B. & B	2.00	17.50	125.00
15 to 18 in., B. & B	2.50	22.50	175.00
18 to 24 in., B. & B	3.50	27.50	225.00
2 to 2½ ft., B. & B	4.50	35.00	
2½ to 3 ft., B. & B	5.50		
lutescens, 2½'-3' Dwarf	Yellow 1	Plume	Cypress
Evergreen. Forms a low, bro		d-toppe	d bush;
bright yellow tipped branchlets.			
9 to 12 in., B. & B	1.75	15.00	100.00
12 to 15 in., B. & B	2.25	17.50	150.00
15 to 18 in., B. & B	3.25	27.50	225.00
18 to 24 in., B. & B	4.50	37.50	325.00
2 to 2½ ft., B. & B	5.50		
squarrosa nana			
Evergreen. A very attractive d	warf eve	ergreen	of slow
growth, very desirable for roo	ck work.	Color	same as
Squarrosa.			
6 to 9 in., B. & B	1.75	15.00	130.00
9 to 12 in., B. & B	2.25	18.50	
—sulphurea, 20'-25'	Sulphur	Mose	Cunress
Has light yellow tips.	Surphur	111033	Cypress
15 to 18 in., B. & B	2.25	17.50	125.00
18 to 24 in., B. & B.	2.75	22.50	
2 to 2½ ft., B. & B	3.50		
	0 0		

CHAMAECYPARIS—continued	Each	Per 10	Per 100
-veitchi, 25'-30'	Veitch	Moss C	ypress
Evergreen. Foliage blue-gray, for soft woolly appearance. Broad young.	athery a	nd dense,	, giving
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	1.75 2.25 2.75 3.50 5.00	15.00 17.50 22.50 30.00	100.00 125.00 175.00
CHIONANTHUS virginica, 15'-1	8′	White	Fringe
Fragrant tassel-like white flowe plum-like fruits follow.	rs. May-	June. Blı	1e-black
18 to 24 in	1.35 1.50 2.25 2.75	11.00	=
CLADRASTIS lutea (tinctoria),	30'-40'	Yellow	-Wood
A striking tree with long panicle ers in June.	es of frag	grant whi	
2 to 3 ft	1.75 2.75 3.50	13.00 22.50 30.00	
CLEMATIS jackmani, 10'-15'	Jac	kman C	lematis
Large, very showy, rich purple 2 year No. 1			
paniculata, 20'-25' S White, fragrant flowers, Septer also attractive.	weet Au nber. W		
White, fragrant flowers, Septer			
White, fragrant flowers, Septer also attractive. 2 year medium 2 year first class 3 year	35 .50 .70	2.50 3.50 5.00	20.00 25.00 35.00
White, fragrant flowers, Septer also attractive. 2 year medium	35 .50 .70 Swee , July-Se	2.50 3.50 5.00 et Peppe	20.00 25.00 35.00 er Bush
White, fragrant flowers, Septer also attractive. 2 year medium 2 year first class 3 year CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers moist, shady places. Also called 12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.	35 .50 .70 Swee , July-Se	2.50 3.50 5.00 et Peppe ptember. sweet. 4.00 6.00 7.50 9.50 11.00	20.00 25.00 35.00 er Bush Prefers 35.00 50.00 70.00
White, fragrant flowers, Septer also attractive. 2 year medium 2 year first class 3 year CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers moist, shady places. Also called 12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. COLUTEA arborescens, 8'-10'	35 .50 .70 Swee, July-Se Summer .50 .70 .90 1.10	2.50 3.50 5.00 et Peppe ptember. sweet. 4.00 6.00 7.50 9.50 11.00	20.00 25.00 35.00 er Bush Prefers 35.00 70.00 85.00
White, fragrant flowers, Septer also attractive. 2 year medium 2 year first class 3 year CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers moist, shady places. Also called 12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.	35 .50 .70 Swee, July-Se, Summer .50 .70 .90 1.10 1.25	2.50 3.50 5.00 et Peppe ptember. sweet. 4.00 6.00 7.50 9.50 11.00	20.00 25.00 35.00 er Bush Prefers 35.00 70.00 85.00
White, fragrant flowers, Septer also attractive. 2 year medium 2 year first class 3 year CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers moist, shady places. Also called 12 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 4 ft. COLUTEA arborescens, 8'-10' Yellow flowers, June-August. Usual to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft	35 .50 .70 Swee, July-Se Summer .50 .70 .90 1.10 1.25 seful for .45 .50 .60 .75 1.00	2.50 3.50 5.00 et Peppe ptember. sweet. 4.00 6.00 7.50 9.50 11.00 Bladder dry pla 3.50 4.00 5.00 6.00 7.50	20.00 25.00 35.00 er Bush Prefers 35.00 50.00 70.00 85.00 • Senna ces.
White, fragrant flowers, Septer also attractive. 2 year medium 2 year first class 3 year CLETHRA alnifolia, 4'-5' Spikes of very fragrant flowers moist, shady places. Also called 12 to 18 in	35 .50 .70 Swee, July-Se. Summer .50 .70 .90 1.10 1.25 seful for .45 .50 .60 .75 1.00 ted Bran .45 .45 .45 .45 .45 .45 .45 .45 .45 .45	2.50 3.50 5.00 et Peppe ptember. sweet. 4.00 6.00 7.50 9.50 11.00 Bladder dry pla 3.50 4.00 5.00 6.00 7.50 ched Do	20.00 25.00 35.00 er Bush Prefers 35.00 50.00 70.00 85.00 — 35.00 40.00 — 29.00 er Senua ces.

CORNUS—continued		Per 10	
-elegantissima, 5'-6' White	Varieg	ated Do	gwood
Silver and green leaves; red b Blotch Dogwood.			
18 to 24 in	.55	4.00	35.00
2 to 3 ft	.70	6.00	50.00
3 to 4 ft	.95	7.50	60.00
alternifolia, 15'-18'		Blue Do	-
Branches spread horizontally; r black fruit, Also called Pagoda D	nost pic ogwood	cturesque	
2 to 3 ft	.90	7.00	50.00
3 to 4 ft	1.10	8.50 11.00	75.00 100.00
4 to 5 ft	1.35 1.75	13.00	100.00
amomum (sericea), 8'-9'		Silky Do	awood
Pale blue fruits; young twigs		-	
places.			
18 to 24 in	·35 ·50	2.50 3.50	20.00
3 to 4 ft	.60	4.50	35.00
*florida, 15'-25' White	Flowe		
Among the best of the Spring			
Nursery grown, well-formed stoo		ng sinar	i trees.
2 to 3 ft	1.25	8.50	75.00
3 to 4 ft	1.75	12.50	100.00
4 to 5 ft	2.25	17.50	
5 to 6 ft	3.25		
10 to 12 ft. specimens	10.75	95.00	
		ring Do	
The pink flowers are more persist	ent than		
18 to 24 in	3.50	30.00	260.00
2 to 2½ ft	4.00	35.00 42.50	300.00
3 to 4 ft	5.00 6.75	60.00	550.00
4 to 5 ft	9.00		
kousa, 16'-18'	K	ousa Do	gwood
White flowers in June. Conspict fruits, attractive to birds.			_
18 to 24 in	1.10	8.50	
2 to 3 ft	1.55	13.00	
mascula	Со	rnelian (Cherry
Handsome large shrub. Small yo Shining scarlet fruit in Fall.	ellow fl	owers in	April.
18 to 24 in	1.25	10.00	
2 to 3 ft	1.50	12.50	
3 to 4 ft	1.75	15.00	
paniculata, 10'-12'		Gray Do	
Numerous small white flowers in	May, fo	llowed b	y white
fruits on red stems.		4.00	20.00
18 to 24 in	.50 .60	4.00 5.00	30.00 40.00
3 to 4 ft	.75	6.50	
4 to 5 ft	1.10	8.50	
sanguinea	Blood	twig Do	gwood
18 to 24 in	.50	3.50	25.00
2 to 3 ft	.65	4.50	35.00
3 to 4 ft	.80	6.00	40.00

CORNUS—continued	Each	Per 10	Per 100
stolonifera, 7'-8'	Red-	Osier Do	ogwood
Spreading habit, dark red bark, in moisture.			
18 to 24 in	.40 .50 .60	3.00 4.00 5.00	20.00 30.00 40.00
—lutea, 6'-7'	olden	Bark Do	ogwood
Has distinct yellow bark; fine for	r Wint	er effects	
18 to 24 in	-45	3.50	25.00
2 to 3 ft	.60	4.00	30.00
3 to 4 ft	.75 .90	5.00 7.00	40.00
CORYLUS americana, 8'-9'		Ha	zel-Nut
Useful for natural plantings, deli	ights in	n half-sh	ade.
18 to 24 in	.60	5.00	
2 to 3 ft	1.00	7.50 10.00	
atropurpurea		ole Leaf	Filbert
2 to 3 ft	3.50	30.00	
3 to 4 ft	4.50 5.50	40.00 50.00	
COTONEASTER acutifolia, 5'-6'		_	nonstan
Red flowers—black fruit.	гек	ing Coto	measter
18 to 24 in	.75		
2 to 3 ft	1.00		
francheti, 5'-6'	Franc	het Coto	neaster
Evergreen. Upright growing v branches. Leaves dark green, w neath. Berries bright orange, freel	hite t	omentum	oreading under-
12 to 15 in	.75		
horizontalis (davidiana), $1'-1\frac{1}{2}'$	Ro	ck Coto	neaster
Evergreen. Small box-like leave effective among rocks.	s; bri	ght red	berries;
6 to 9 in	1.00	7.50	50.00
9 to 12 in	1.25 1.75	10.00	75.00 125.00
lemoine			
Slender branching shrub, dark gr	reen le	aves; red	fruits.
6 to 9 in	1.00	7.50	
9 to 12 in	1.25	10.00	
microphylla, $1\frac{1}{2}$ '-2'	1.75		ckspray
Evergreen. Very small leaves, vo	erv de		
more bushy than the Rock Cotone		cp green	Rather
6 to 9 in	1.00	7.50	50.00
9 to 12 in	1.25	10.00	75.00 125.00
thymifolia, 1½'-2'		me Coto	
Evergreen.			
9 to 12 in	1.35	10.00	75.00
12 to 15 in	1.75		

COTONEASTER—continued	Each	Per 10	Per 100
rotundifolia (buxifolia), 1½'-2'			
Evergreen. Prostrate growing. Se small round green foliage and b	mi-everg right red	reen shr berries	ub with
6 to 9 in	.90	7.00	
9 to 12 in	1.10	8.50 14.50	
simonsi, 5'-6' Almost evergreen. Good grower			neaster •
9 to 12 in	1.25	8.50	70.00
12 to 15 in	1.75	14.50	
*CRATAEGUS coccinea, 15'-20'	Thic	ket Ha	wthorn
Shrubby habit with long curved leaves. Has large white flowers a in Autumn.			
2 to 3 ft	1.35	11.00	85.00
3 to 4 ft	1.75	15.00	130.00
4 to 5 ft	3.25	26.00	210.00
•	Vashing		
Berries are small, brilliant red, Winter. Brilliant Autumn foliage		sist nea	ırly all
2 to 3 ft		12.50	
3 to 4 ft	2.00	17.50	
*crusgalli, 15'	Со	ckspur	Thorn
Deep green, shiny leaves make thi white flowers are also conspicuo		orn disti	inctive;
2 to 3 ft	1.50	12.50	
3 to 4 ft	2.00	17.50 25.00	
		_	
*Charles Tenth, 12'-15'	_	le Red	
Similar to Pauls Scarlet except a lighter shade with yellow cent lection.			
3 to 4 ft	2.50		
*mollis, 15'	Dow	ny Hav	ythorn
Vigorous, large leaves, red berries		,	
2 to 3 ft	1.35	11.00	
3 to 4 ft	1.75	15.00	
4 to 5 ft	2.75	22.50	
*oxycantha, 12'-15' Single white flowers.	Eng1	ish Hav	wthorn
2 to 3 ft	.75	6.00	40.00
3 to 4 ft	1.25	8.50	70.00
4 to 5 ft	1.50	12.00	100.00
Double scarlet flowers.	uls Scar		vthorn
2 to 3 ft	1.75	15.00	
4 to 5 ft	2.25 2.75	17.50	
double white or double pink, 12	-	1 7 6 5	
3 to 4 ft	1.75 2.50	15.00 17.50	
4 to 5 ft	3.00		

*pyracantha lalandi (See PYRACANTHA)

Each Per 10 Per 100 CRYPTOMERI lobbi compacta, 15'-20' Cave Cryptomeria Forms narrow irregular column, compact and picturesque, rich bronze winter color. Prefers moist but well drained location. 2 to 2½ ft. 5.50 42.50 6.25 55.00 7.25 3½ to 4 ft. 8.00 CYDONIA japonica, 4'-5' Flowering Quince Scarlet flowers in April, May. 15 to 18 in.50 3.50 5.00 .65 2 to 3 ft.80 cathayensis, 8'-10' Chinese Quince A much more upright and stronger grower with larger fruits and smaller foliage of deeper green. 2 to 3 ft. 6.00 50.00 .90 7.50 70.00 1.10 10.00 85.00 CYTISUS scoparius, 4'-6' Scotch Broom Thin, green branches, covered with yellow flowers. 3 year trsp.80 6.00 40.00 DAPHNE cneorum, 1' Rose Daphne Evergreen. Gray-green foliage, low spreading. Pretty pink flowers in April-May. Delightful fragrance. 6 to 8 in. 1.35 8 to 10 in. 15.00 1.75 10 to 12 in. 2.75 22.50 DAVIDIA involucrata, 40'-60' Dovetree Pyramidal tree introduced from western China, upright or ascending branches, bright green, strongly veined, handsome foliage with large white, very showy flowers. Dr. E. H. Wilson considers this one of the foremost aristocrats of the garden. 3 yr. 12 to 15 in. 7.25 62.50 3 yr. 15 to 18 in. 9.00 80.00 DESMODIUM (See LESPEDEZA) DEUTZIA gracilis, 3' Slender Deutzia Profuse bloomer, pure white, May. Useful "facing" shrub. .45 2.50 20.00 .55 3.50 25.00 .70 2 to 2½ ft.80 Rose Panicle -rosea, 3' Similar in growth to above but with pinkish flowers. 25.00 12 to 15 in.55 4.00 15 to 18 in.65 5.00 35.00 .70 6.00 40.00 .90 7.00 50.00 Lemoine Deutzia lemoinei, 4'-5' Large white flowers, June, graceful.

.45

.65

.70

3.50

5.00

6.00

25.00

35.00

40.00



Oriental Planes. A general view of our ten to twelve foot block in which there are approximately 18,000. They are good straight well grown trees and will please your most exacting customers. See page 47.

DEUTZIA—continued	Each	Per 10	Per 100
longifolia veitchii, 3'-4'	Long L	eaved I	Deutzia
Beautiful variety with large light ers produced in large corymbs.			
2 year	.90	7.00	50.00
mont rose Very desirable new shrub of for dium grower with attractive pink	oreign in k flowers	troductio	on. Me-
15 to 18 in	1.25	10.00	85.00
18 to 24 in	1.50	12.50	110.00
2 to 2½ ft	1.75	15.00	
parviflora, 3' Semi-erect habit, white, June. Dis		golian I	Deutzia
18 to 24 in	.60	5.00	40.00
2 to 2½ ft	.75	6.50	50.00
scabra candidissima, 9'-10' Graceful habit, double white, Ju		wflake I	Deutzia
18 to 24 in	-35	2.50	20.00
2 to 3 ft	.50	3.50	25.00
3 to 4 ft	.65	4.00	35.00
—crenata fl. pl., 6'-8' Pink, slightly fragrant, June.	Double	e Pink l	Deutzia
18 to 24 in	-35	2.50	20.00
2 to 3 ft	.45	3.50	25.00
3 to 4 ft	.65	4.00	35.00
4 to 5 ft	.80	6.00	
— —magnifica			
One of the most desirable newer and very showy panicles of larg			
2 to 3 ft	.75	6.00	50.00
3 to 4 ft	1.00	7.50	70.00
ب to 5 ft	1.25	8.50	
5 to 6 ft	1.50	10.00	

DEUTZIA—continued	Each	Per 10	Per 100
-Pride of Rochester, 9'-10'	Large	Flwd.	Deutzia
Vigorous, large flower tinged pink	, June		
2 to 3 ft	.6o	4.00	
3 to 4 ft	.75	5.00	
4 to 5 ft	1.00	7.50	
DIERVILLA trifida, 3' Dwa	rf Bus	sh Hone	eysuckle
Yellow, June-July. A good low shi	rub to		
18 to 24 in	.70 .90	5.00 7.00	40.00 50.00
2 to 2 ½ ft	1.00	8.50	
sessilifolia (lutea), 4'-5' Souther	n Bus	h Hone	
Yellow, more vigorous than prece			
2 to 3 ft	.75	6.50	
3 to 4 ft	1.00	8.50	
DIOSPYROS virginiana, 15'		Per	simmon
Handsome foliage.			
2 to 3 ft	1.00	7.00	
3 to 4 ft	1.35	11.00	
4 to 5 ft	1.75	13.00	_
ELAEAGNUS angustifolia, 15'-18'			an-Olive
Silver-gray leaves and branchlets	, oran	ge berri	es; good
for massing.	6-	7.00	25.00
2 to 3 ft	.65 .75	5.00 6.00	
longipes, 6'-8' Silvery leaves, fragrant yellow fl			aeagnus
berries ripe in July.	10 W C 1 3.	May. L	aigt itu
18 to 24 in	.75	6.50	50.00
2 to 3 ft	1.00	8.50	
3 to 4 ft	1.25		
umbellata, 8'-10'	Aut	umn E1	aeagnus
Attractive silvery foliage and ye	llowisl	white	fragrant
flowers in May or June, followed	l by o	val scarl	let fruits
in September.			
12 to 18 in	.70	5.00	40.00
18 to 24 in	.90 1.10	7.00 8.50	
	1.10	0.50	
ELSHOLTZIA stauntoni, 4'-5'	1 1	1.1	1 .
Very attractive late Summer shr	ub, de	nse Illa	c purple
flowers. Very showy. 2 year field grown	1.00	7.50	65.50
	1.00	1.30	
ERICA	i	مع المعملية	Heath
Evergreen. Low growing plants clo but of characteristic foliage; sir	osery r milar	enatea to cultural	require.
ments. See Calluna.	IIIIai	cuituiai	require-
2 year	1.10	8.50	75.00
stricta		_	n Heath
EUONYMUS alatus, 9'-10'	Wir	ged En	onymus
Interesting corky bark, warm crit			
Makes fine specimen shrub.			
18 to 24 in	-75	6.50	50.00
2 to 3 ft	1.00	8.50	75.00
3 to 4 ft	1.50	12.00	100.00
americanus, 7'-8'		ook Eu	ionymus
Pink fruits; prefers moist location		4.00	2.5.00
18 to 24 in	.55 .75	4.00 6.00	35.00 50.00
3 to 4 ft	1.00	7.50	
0 7	1.50	7.50	

EUONYMUS—continued	Each	Per 10	Per 100
bungeanus, 12'-14'	Winterbe		
Fruits profusely. The orange a on bush for a long time. Good			persist
2 to 3 ft		5.00	40.00
3 to 4 ft		7.50 10.00	70.00 90.00
5 to 6 ft		12.50	
europaeus, 12'-14' Pink fruits on long stalks, per	Europea:		gbush
2 to 3 ft		6.00	40.00
3 to 4 ft		7.50	70.00
4 to 5 ft	. 1.25	10.00	90.00
	Evergree		_
Evergreen. Lustrous, deep gro habit; needs winter protection	here.	; upright	bushy
12 to 15 in	. 1.35	10.00	
patens (sieboldianus), 6'-8'	_	ing Euo	-
Evergreen. Grows vigorously,	forming bro	oad, rathe	r loose
shrub; leaves persist until fruits. Effective among denser free from all insect attacks.	conifers,	and parti	cularly
12 to 15 in		7.00	50.00
15 to 18 in		10.00	85.00
		17.50	125.00
microphyllus (pulchellus), 6"	-9" Box Lea	ved Euo	nymus
Evergreen. Low growing vari suitable for edging. Hardy ir cinity of Philadelphia. Perfect south.	ety, with b	ox like :	foliage,
3 inch pots	50	3.50	25.00
radicans, climbing to 15'		Winterd	reeper
Evergreen. Self-clinging vine walls, also useful for under p		r coveri	ng low
9 to 12 in., 2 year	50	3.50 4.00	25.00 35.00
—acutus, 6"-12"	Sharpleaf	Winterd	reeper
Evergreen. A graceful form, white veins, purplish underne		narrow	leaves,
2 year	60	4.00	35.00
—carrieri, 3'-4'	Glossy	Winterd	reeper
Evergreen. Has large, shiny, p	ointed leav	es; bush;	y habit.
12 to 15 in., 2 year	65	5.00	40.00
15 to 18 in., 3 year		6.00 7.00	50.00
—colorata, 6'-12'	1	,	. ,
Evergreen. Long narrow leave purple above. Very effective i	n Winter.		
2 year		5.00	40.00
minimus (kewensis), 6"-12"		Winter	
Evergreen. Has tiny evergreen habit. Charming rock subject.			
3 inch pots	65	4.00	35.00

EUONYMUS—continued	Fach	Per 10	Der 100
-variegatus, 12"-15" Variegated			
Evergreen. Leaves veined and rand pink. Clinging vine.			
9 to 12 in., 2 year	.50 .60	3.50 4.00	
—vegetus, 3'-4'	Bigleaf	Winter	creeper
Evergreen. Bushy, interesting g dull green. Bright scarlet fruits, some among evergreens. Also c sweet.	freely	produced	. Hand-
9 to 12 in., 2 year	.65 .90	5.00 9.00	40.00 50.00
EXOCHORDA grandiflora, 6'-9'		Pea	arlbush
Dazzling white flowers, May. Is i	mprove	d by pru	ning.
2 to 3 ft	.70 .90 1.10 1.35	5.00 7.00 8.50 10.00	40.00 60.00 75.00 85.00
*FAGUS sylvatica, 75'-100'	E	European	Beech
Slow growing but makes a large,	handso	me tree.	
18 to 24 in	2.25 3.25 4.00	27.50	=
FORSYTHIA intermedia, 6'-8'	Boro	ler Gold	en Bell
Bright yellow flowers in April be fuse and beautiful.	efore lea	aves unfo	old. Pro-
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.45 .60 .75 .90	3.50 4.00 5.00 7.00	25.00 35.00 40.00
—spectabilis, 6'-8' Show	y Bor	der Gold	en Bell
Most profuse of all, with large ers.	rich gol	den yello	ow flow-
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.55 .70 .90 1.10	4.00 5.00 7.00 8.50	35.00 40.00 50.00
suspensa, 4'-6'	Weepi	ing Gold	en Bell
Graceful drooping habit; excelle	ent for i	massing o	r banks.
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.55 .65 .80 .90	4.00 5.00 7.00 7.50	35.00 40.00 50.00
—fortunei, 7'-8'	Forti	ıne Gold	en Bell
Good habit, arching branches, vi	igorous	grower.	
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.45 .60 .75	3.50 4.00 5.00 7.00	25.00 35.00 40.00

FORSYTHIA—continued	Each	Per 10	Per 100
viridissima, 7'-8'	Green S	tem Fo	rsythia
Most vigorous; has green bard leaves. Last to flower.	k and th	ick, darl	green
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.45 .60 .75	3.50 4.00 5.00	25.00 35.00 40.00
FRAXINUS americana, 70'-80'		Whi	ite Ash
Fairly rapid grower; assumes a Autumn; good in moist soils.	pleasing	golden t	ones in
6 to 8 ft	1.75 2.25 2.75 3.50	15.00 18.50 24.00 31.50	130.00 170.00 210.00 300.00
GALAX aphylla, 6"-8"			Galax
Beautiful heart-shaped leaves an 10 to 12 inches high. Leaves tur Splendid ground cover for Rhoo Strong transplanted clumps	n brillian lodendroi	t scarlet	
GENISTA scoparia (See CYTIS		4.00	33.00
GINKGO biloba (Salisburia), 50	'-75'	. : .1 1 i	Т
Disturbance interesting quite di		aidenhai	
Picturesque, interesting, quite di maidenhair fern; immune from	insects.		
6 to 8 ft	3.50 4.50	30.00 37.50	260.00
10 to 12 ft., 13/4 to 2 in	8.00		
12 to 14 ft., 2 in	10.75		
GLEDITSIA triacanthos, 60'-70'		Hone	ylocust
Thorny tree with fragrant whit for gravelly soil. Not affected by		in May	; good
3 to 4 ft	.90	7.50	70.00
4 to 6 ft	1.25 1.50	10.00	75.00
8 to 10 ft	1.75	15.00	
GYMNOCLADUS dioica, 40'-50' Light blue-green foliage of sl			
outline.			
2 to 3 ft	.90 1.10	7.00 7.50	
	1.10	• -	
HALESIA tetraptera, 12'-15'	i M		verbell
Snow-white, bell-shaped flowers along the branchlets. Can be gro massed.	wn as sin	gle speci	men or
2 to 3 ft	1.00	7.50	60.0c
3 to 4 ft	1.20	9.50 11.00	75.00 100.00
5 to 6 ft	1.55	13.00	
6 to 8 ft	1.75	15.00	
HAMAMELIS japonica, 15'-20'	Japanes	e Witch	-Hazel
Yellow, ribbon like flowers, pu One of the best flowering forms prominently veined leaves.	rplish to of the w	yellow vitch-haz	inside. el with
15 to 18 in	2.75	21.00	

HAMAMELIScontinued	Each	Per 10	Per 100
virginiana, 10'-12'		Witch	n-Hazel
Yellow, ribbon-like flowers, Octobe habit, good foliage. Succeeds best places.	er to N t in m	ovembe oist, ha	r. Bushy lf-shady
18 to 24 in	.70	5.00	40.00
2 to 3 ft	1.00	7.00	60.00
3 to 4 ft	1.25	9.50 12.00	75.00
vernalis, 5'-6'	_	1 Witch	ı-Hazel
Has fine foliage, neat compact ha grant flowers in January. Quite ran	ibit. Li re.	ght yell	low fra-
2 to 3 ft		10.00	
3 to 4 ft		12.50	
HEDERA colchica dentata, 20'-50' Evergreen. Strong growing climber heart-shaped leaves, very decorati	r, with	nt Engl large e	ish Ivy vergreen
2 year, 3 inch pots	.80	6.00	40.00
gracilis, 8'-10'	iniatu	re Engl	ish Ivy
Evergreen. Similar to English Ivy, foliage. A most graceful vine.		mall da	rk green
2 year, field grown	.70	5.00	40.00
helix, 20'-50'		Eng	lish Ivy
Evergreen. Good ground cover is ideal wall cover.	n shad	y locati	ons. An
1 year, field grown	.45 .70	3.50 5.00	25.00 40.00
HIBISCUS syriacus (Althea), 10'-1	2' I	Rose of	Sharon
Rather formal in outline, flowering tember. Pink, purple, red, and wh	ng in A	August a	ind Sep-
18 to 24 in	.45	3.50	25.00
2 to 3 ft	.65 .80	4.00 6.00	35.00 50.00
variegated, 6'-8' Variegated Le Leaves striped yellow; compact g	aved I		_
12 to 18 in	·55 ·70	4.00	
18 to 24 in	.,0	5.00	40.00
HIBISCUS	. 11		Mallow
The Marshmallow is especially des places where few plants thrive.			
1 year, field grown Crimson eye, moscheutos, militaris	.30 , mallo	2.00 ow marv	17.00 rel.
HYDRANGEA arb. grandiflora alb		S	nowhill
Large double white flower panicle	s, very	showy.	August.
12 to 18 in	-45	2.50	20.00
18 to 24 in	·55	4.00 5.00	25.00
2 to 3 ft	.70 .90	6.00	35.00 40.00
paniculata (type), 8'-9'			lrangea
Bears long, loose panicles of white			_
18 to 24 in	.65	5.00	40.00
2 to 3 ft	.85	6.00	50.00
3 to 4 ft	1.00	7.50	70.00

HYDRANCEA	n l.	D 10	D 100
HYDRANGEA—continued		Per 10	
—grandiflora, 8'-9'	Peeg	gee Hyd	rangea
Very showy, blooming in August.	.45	3.50	20.00
18 to 24 in	.55	4.00	25.00
2 to 3 ft	.75	6.00	40.00
3 to 4 ft	1.00	7.50	60.00
4 ft	1.35	11.00	
——standard		ee Hyd	rangea
First Class, 3 to 4 ft Extra, 4 to 5 ft	1.75 2.00	_	
quercifolia, 3'-4'	Oakle	ai Hyd	rangea
Leaves shaped like an oak leaf. Be		Autumr	color-
ing; succeeds in shade. Very desira		7.00	50.00
15 to 18 in	1.00	8.50	
HYPERICUM aureum, 3'-4' Go	olden	St. John	nswort
Yellow. July-August. Blue-green fo	liage;	dense ha	abit.
18 to 24 in	.70	5.00	40.00
densiflorum, 4'-5' Dense Flow			
Yellow, July-Sept. Free flowering; g	good fo	or sandy	soil.
18 to 24 in	.65	5.00	
			50.00
kalmianum, 4'-5'	Kalm	St. John	iswort
Blue green leaves, glaucous une	der sie	de. With	nstands
drought and shade. July-September	, yello	W.	
drought and shade. July-September 18 to 24 in 2 to $2\frac{1}{2}$ ft	·55	5.00	
moserianum, 2'	., -		flower
Large waxy yellow flowers. July	August		
herbaceous, splendid mass plant.			,
12 to 15 in	.70	5.00	
	_		
ILEX crenata, 8'-10'	_	apanese	
Evergreen. Box-like leaves, rich, dee	p gree	n. Stiff b	oranch-
ing, makes a good hedge. Black ber 18 to 24 in., B. & B			
-microphylla, 6'-8' Small-L			LT 011++
Evergreen. Smaller leaves and moring.	e nard	y man p	oreced-
	1.75	15.00	
15 to 18 in., B. & B	2.75		
18 to 24 in., B. & B	3.50		
glabra, 5'-6'			cherry
Evergreen. Shining, dark green leav	ves, pu	rplish in	n Win-
ter; black berries. Useful for shad	y spots	, also su	icceeds
in sun. 12 to 15 in., B. & B		1500	
- ·	1.75 2.75	15.00	
opaca		nerican	Holly
Evergreen. Does best in moist, pa			•
Rather difficult to transplant.	,		p
12 to 18 in., B. & B 2	25	17.50	
	.00	32.50	
2 to 3 ft., B. & B	1.75	50.00	

ILEX—continued	Each	Per 10	Per 100
verticillata (primos), 6'-8'		Winte	rberry
Bright red berries persisting to mi birds. Prefers moist soil. Also call		er, not ea	ten by
15 to 18 in. 18 to 24 in. 2 to 2½ ft. ½ to 3 ft.	.65 .80 1.00 1.25	4.00 6.00 7.50 10.00	35.00 50.00 70.00 85.00
INDIGOFERA potanini	Pota	nin Indi	gofera
Profuse bloomer with small flower ing from deepest purplish pink to spike. Flowers in early June.	s in spi	kes. Colo	r rang-
3 year	1.35	8.50	
ITEA virginica, 3'-4'		Swe	etspire
Spikes of fragrant white flowers, places; brilliant Autumn coloring.			_
18 to 24 in	.70 .90	6.00 7.50	50.00 70.00
JASMINUM nudiflorum, 3'	Ţ	Winter Ja	smine
Yellow. April-May. Seeds protecti One of the first to bloom in the S	on in		
12 to 15 in	.45	3.50	25.00
15 to 18 in	.55	4.00	35.00
18 to 24 in	.65	5.00	40.00
JUNIPERUS Chinensis, 15'-20' Formal columnar outline, gray gre hardy evergreen.		Chinese J age. A sp	_
18 to 24 in., B. & B	4.00	35.00	
2 to 2½ ft., B. & B	5.00 6.00	45.00 55.00	
—columnaris (pyramidalis), 15'-20'		33	
Evergreen. Grows rapidly, formin of gray-green foliage. Spire-like evergreen planting.			
2 to 2 ¹ / ₂ ft., B. & B	5.50	45.00	
2½ to 3 ft., B. & B	7.00 8.50	62.50 75.00	
—viridis	- 3-	• • •	
A light green form of the abo growth.	ve slig	htly slo	wer in
2 to 2½ ft., B. & B	5.50	45.00	
2½ to 3 ft., B. & B	7.00 8.50	62.50 75.00	
	_		
		Chinese J	
Evergreen. Very formal, narrow p	yramıd	. Prickly	leaves.
Useful accent plant. 18 to 24 in., B. & B	3.50	30.00	
—oblonga, 7'-8' Evergreen. Forms a broad, irregula	ar pyra	mid with	feath-
ery branches. Grayish foliage.			
15 to 18 in., B. & B	2.75	21.00 26.00	
2 to 2½ ft., B. & B.	3.25 4.50		



Juniperus canadensis. Our spreading Juniper same type by cuttings which produces the uni 2½ ft. block.	s are al	l grown shown in	from the this 2 to
JUNIPERUS—continued	Each	Per 10	Per 100
—pfitzeriana, 5'-6'		Pfitzer .	Juniper
Evergreen. Broad, bushy habit. G ing feathery appearance. A most green; highly recommended.			
15 to 18 in., B. & B	2.50	22.50	200.00
18 to 24 in., B. & B	4.00	35.00	300.00
2 to 2½ ft., B. & B	5.50 7.75	50.00 70.00	450.00
3 to 3½ ft., B. & B	9.00		
—sargenti (green), 1½'	- S	argent	Inniner
Evergreen. Prostrate habit, grass-g A valuable ground cover and rock	green fo		Jumper
12 to 15 in., B. & B	3.50 4.50	30.00	
communis, 2'-2½'	Co	mmon	Juniper
Evergreen. Forms a vase-shaped by	ush.		
12 to 15 in., B. & B	1.35	10.00	85.00
15 to 18 in., B. & B	1.75	14.00	100.00
18 to 24 in., B. & B	2.50 3.50	20.00 30.00	175.00 250.00
2½ to 3 ft., B. & B	5.00		
		mmon	
Evergreen. Low spreading habit. (larly bright in Spring	Golden	foliage,	particu-
12 to 15 in., B. & B	1.75	16.00	145.00
15 to 18 in., B. & B	2.25 3.50	20.00	170.00
—canadensis, 2½'-3'	(Canada	Luniper
Evergreen. Forms a low vase-sha green above, bluish underneath.			
15 to 18 in., B. & B	1.50	12.50	100.00
18 to 24 in., B. & B	2.25	20.00	170.00
2 to 2½ ft., B. & B	3.00	27.50	

JUNIPERUS—continued	Each	Per 10	Per 100
-cracovica, 4'-5'		Polish J	uniper
Evergreen. Upright, branching fron narrow column.	m grou	nd, maki	ng very
15 to 18 in., B. & B	1.75 2.25	14.00 17.50	100.00 150.00
-depressa (prostrata), 1'-11/2'	Pr	ostrate J	uniper
Evergreen. Branches spread almost ful ground cover and rock plant.			
12 to 15 in., B. & B	1.50 1.75	12.50 15.00	
-depressa plumosa Plum	ed Spr	eading J	uniper
New exceedingly hardy, assumes a color in winter. Transplants readi	a very		
15 to 18 in., B. & B	3.50 4.50	30.00 40.00	_
—hibernica, 7'-8'		Irish J	uniper
Evergreen. A very narrow pyram like effect.	id. Uses		
15 to 18 in., B. & B	1.75	15.00	100.00
18 to 24 in., B. & B	2.25	17.50	150.00
2 to 2½ ft., B. & B	3.00	26.00	225.00
2½ to 3 ft., B. & B	4.00	32.50	
suecica, 4'-5'	S	wedish]	luniper
Quick growing. Narrow, upright f	orm.		
15 to 18 in., B. & B	1.75	15.00	100.00
18 to 24 in., B. & B	2.25	17.50	150.00
2 to $2\frac{1}{2}$ ft., B. & B	3.00	26.00	225.00
excelsa stricta, 4'-5'	Spiny	Greek J	Juniper
excelsa stricta, 4'-5' Evergreen. Compact, well-shaped green. Most useful for formal eff	pyram		
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B	pyram		
Evergreen. Compact, well-shaped green. Most useful for formal eff	pyrami fects.	id. Foliag	e gray-
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B	pyrami fects. 2.25	id. Foliag	130.00 225.00 300.00
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B	pyrami fects. 2.25 3.25 4.00 5.00	17.50 26.00 32.50 42.50	130.00 225.00 300.00 375.00
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B	pyrami fects. 2.25 3.25 4.00 5.00 5.75	17.50 26.00 32.50 42.50 50.00	130.00 225.00 300.00
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	pyrami fects. 2.25 3.25 4.00 5.00 5.75 7.00	17.50 26.00 32.50 42.50 50.00 60.00	130.00 225.00 300.00 375.00 450.00
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g	pyram fects. 2.25 3.25 4.00 5.00 5.75 7.00	17.50 26.00 32.50 42.50 50.00 60.00	130.00 225.00 300.00 375.00 450.00
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering.	pyram fects. 2.25 3.25 4.00 5.00 5.75 7.00 '-1½' round.	17.50 26.00 32.50 42.50 50.00 60.00 Creeping	130.00 225.00 300.00 375.00 450.00
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g	pyram fects. 2.25 3.25 4.00 5.00 5.75 7.00	17.50 26.00 32.50 42.50 50.00 60.00	130.00 225.00 300.00 375.00 450.00
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. —glauca, 1'-1½'	pyram: fects. 2.25 3.25 4.00 5.00 5.75 7.00 '-I½' round. 1.75 2.25 Blue	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted	130.00 225.00 300.00 375.00 450.00 g Savin
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. —glauca, I'-I½' 15 to 18 in., B. & B.	pyram: fects. 2.25 3.25 4.00 5.05 5.75 7.00 '-1½' round. 1.75 2.25 Blue 2.75	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted	130.00 225.00 300.00 375.00 450.00 g Savin
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. —glauca, 1'-1½'	pyram: fects. 2.25 3.25 4.00 5.00 5.75 7.00 '-I½' round. 1.75 2.25 Blue	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted	130.00 225.00 300.00 375.00 450.00 g Savin
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. —glauca, I'-1½' 15 to 18 in., B. & B. 18 to 24 in., B. & B. —douglasi, I'-1½'	2.25 3.25 4.00 5.75 7.00 '-1½' round. 1.75 2.25 Blue 2.75 3.25 4.00 Wa	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted 15.00 Creeping 22.50	130.00 225.00 300.00 375.00 450.00 g Savin to rock-
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. —glauca, I'-1½' 15 to 18 in., B. & B. 18 to 24 in., B. & B. —douglasi, I'-1½'	2.25 3.25 4.00 5.75 7.00 '-1½' round. 1.75 2.25 Blue 2.75 3.25 4.00 Wa	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted 15.00 Creeping 22.50	130.00 225.00 300.00 375.00 450.00 g Savin to rock-
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 3 ft., B. & B. 2½ to 3 ft., B. & B. Horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. —glauca, I'-I½' 15 to 18 in., B. & B. 2 ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hue	2.25 3.25 4.00 5.00 5.75 7.00 '-I ¹ / ₂ ' round. 1.75 2.25 Blue 2.75 3.25 4.00 Wa' g along d cover in Win	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted 15.00 Creeping 22.50 ulkegan J	130.00 225.00 300.00 375.00 450.00 g Savin to rock-
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 3 ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. —glauca, 1'-1½' 15 to 18 in., B. & B. 2 ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hue 12 to 15 in., B. & B.	2.25 3.25 4.00 5.75 7.00 '-I½' round. 1.75 2.25 Blue 2.75 4.00 Wa' g along d cover in Win	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted 15.00 Creeping 22.50 ————————————————————————————————————	130.00 225.00 300.00 375.00 450.00 g Savin to rock-
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 3 ft., B. & B. 2½ to 3 ft., B. & B. Horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. —glauca, I'-I½' 15 to 18 in., B. & B. 2 ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hue 12 to 15 in., B. & B. 15 to 18 in., B. & B.	2.25 3.25 4.00 5.00 5.75 7.00 '-I ¹ / ₂ ' round. 1.75 2.25 Blue 2.75 3.25 4.00 Wa' g along d cover in Win	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted 15.00 Creeping 22.50 ulkegan J	130.00 225.00 300.00 375.00 450.00 g Savin to rock-
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 3 ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. —glauca, 1'-1½' 15 to 18 in., B. & B. 2 ft., B. & B. —douglasi, 1'-1½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hue 12 to 15 in., B. & B.	2.25 3.25 4.00 5.00 5.75 7.00 '-I ¹ / ₂ ' round. 1.75 2.25 Blue 2.75 3.25 4.00 War galong d cover in Win 1.75 2.75	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted 15.00 Creeping 22.50 ————————————————————————————————————	130.00 225.00 300.00 375.00 450.00 g Savin to rock-
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. 15 to 18 in., B. & B. —glauca, I'-I½' 15 to 18 in., B. & B. 2 ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hue 12 to 15 in., B. & B. 15 to 18 in., B. & B. hudsoni Excellent trailing plant useful	2.25 3.25 4.00 5.00 5.75 7.00 '-I½' round. 1.75 2.25 Blue 2.75 3.25 4.00 Wa' g along d cover in Win 1.75 2.75	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted 15.00 22.50 ukegan J ground. ;; also eter. 15.00 22.50 Hudson J	130.00 225.00 300.00 375.00 450.00 g Savin to rock-
Evergreen. Compact, well-shaped green. Most useful for formal eff 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 21 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 24 in., B. & B. 21 to 3 ft., B. & B. 2½ to 3 ft., B. & B. Horizontalis (sabina prostrata), I Evergreen. Branches trail along g work and ground covering. 12 to 15 in., B. & B. —glauca, I'-I½' 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 ft., B. & B. —douglasi, I'-I½' Evergreen. Long branches trailing blue foliage. A splendid ground among rocks. Distinct purple hue 12 to 15 in., B. & B. 15 to 18 in., B. & B. 15 to 18 in., B. & B.	2.25 3.25 4.00 5.00 5.75 7.00 '-I½' round. 1.75 2.25 Blue 2.75 3.25 4.00 Wa' g along d cover in Win 1.75 2.75	17.50 26.00 32.50 42.50 50.00 60.00 Creeping Adapted 15.00 22.50 ukegan J ground. ;; also eter. 15.00 22.50 Hudson J	130.00 225.00 300.00 375.00 450.00 g Savin to rock-

18 to 24 in	nac rac- ith- 0.00
Clusters of small yellow flowers, April-May. Most attitive in June when covered with coral-red fruits. W stands drought. Aromatic foliage. 15 to 18 in	rac- ith- 0.00 0.00 —
Clusters of small yellow flowers, April-May. Most attrive in June when covered with coral-red fruits. W stands drought. Aromatic foliage. 15 to 18 in	rac- ith- 0.00 0.00 —
stands drought. Aromatic foliage. 15 to 18 in	0.00 0.00 ——
18 to 24 in	0.00 na c
2 to 3 ft	na c
Showy crimson fruits; good Autumn coloring. Mashow in poor arid situations; good for massing. 18 to 24 in	
show in poor arid situations; good for massing. 18 to 24 in	akes
2 to 3 ft	
3 to 4 ft 1.00 —— -	
*cotinus, 10'-12' Smoke T Also called Purple Fringe.	'ree
2 to 3 ft 1.50 12.50 -	
3 to 4 ft 1.75 15.00 -	
4 to 5 ft 2.25 — -	
glabra, 10'-12' Smooth Sur	nac
Crimson fruits in bunches; rich Autumn coloring; thrin poor soils.	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	
—laciniata, 4'-5' Cutleaf Smooth Sur Delicately cut leaves; grows slowly.	nac
	0.00
	0.00
typhina, 15'-18' Staghorn Sun	mac
Picturesque habit; brilliant Autumn effect.	
	5.00
	5.00
5 to 6 ft	
-laciniata, 14'-15' Cutleaf Staghorn Sur	mac
Leaves are finely cut, giving attractive feathery app ance.	ear-
	0.00
	5.00
3 to 4 ft	
4 to 5 ft	rant
Fragrant yellow flowers in May. Useful for under pl	
ing.	
	25.00
	()()
	5.00
2 to 3 ft	
2 to 3 ft	acia
2 to 3 ft	acia
2 to 3 ft	acia
2 to 3 ft	acia lops

	- 1		D
ROBINIA—continued	Eacn	Per 10	
pseudo acacia, 60'-80'			Locust
Has fragrant white flowers in Ma	ıy.		
4 to 6 ft	.90	7.00	50.00
6 to 8 ft	1.25	10.00	75.00
8 to 10 ft	1.75	15.00	125.00
10 to 12 ft	2.75 3.50	22.50 27.50	
	3.30	Meadov	y Rose
ROSA blanda, 4'-5'	13:-L L.		VICOSC
Pink, May. Almost thornless; rec			25.00
18 to 24 in	.65 .75	4.00 6.00	35.00 50.00
	Golden		_
A very desirable border rose wit			
flowers.	ii very a	ittactive	yellow
18 to 24 in	1.10	8.50	
2 to 3 ft	1.25		
humilis		Pastur	e Rose
15 to 18 in		4.00	35.00
18 to 24 in	.55 .65	5.00	40.00
2 to 3 ft	.70	6.00	
multiflora, 9'-10'		Japanes	e Rose
White, June. Vigorous, free flow	ering an		
2 to 3 ft	.55	4.00	35.00
3 to 4 ft	.70	5.50	
4 to 5 ft	.80	7.00	
nitida, 3'-4'		Brist	ly Rose
Deep pink, June. Good for hol	ding has		•
mass planting; good Autumn co		ins and	Beneral
15 to 18 in	.55	4.00	35.00
18 to 24 in	.70	5.00	40.00
2 to 2½ ft	.85		
rubiginosa, 5'-6'		Sw	eetbrier
Bright pink flowers, June. Goo	d foliag	e with	aromatic
odor.			
18 to 24 in	.55	4.00	35.00
2 to 3 ft	.75	6.00	45.00
3 to 4 ft	1.00		
4 to 5 ft	1.25		
rubrifolia (ferruginea), 5'-6'		Red!e	af Rose
Has distinct purplish-red leaves subject.	and ba	rk; good	Winter
18 to 24 in	.65	5.00	40.00
2 to 3 ft	.90	7.00	60.00
rugosa, 4'-5'	Re	d Rugos	sa Rose
Handsome shrub, large pink	flowers,	June-Sej	ptember.
Rich green foliage and large rec shrubbery border or as hedge.	d fruits;	useful	in either
18 to 24 in	.60	5.00	40.00
2 to 3 ft	.75	6.50	
3 to 4 ft	1.00		
—alba, 4'-5'	Whit		sa Rose
18 to 24 in	.75	6.50	50.00
2 to 3 ft	1.00	8.00	_
3 10 4 11	1.25		



Juniperus excelsa stricta, A beautiful lot of visitor said, "This is the best lot I have seen	good unifo n in any n	rm plants ursery in	. A recent the East,"
JUNIPERUS—continued	Each	Per 10	Per 100
japonica, 3'-4'	Ja	panese	Juniper
Evergreen. Low grower, spreadi leaves. Adapted to rock planting	ng brand . Grows	ches, dan slowly.	k green
12 to 15 in., B. & B	2.25	17.50	150.00
15 to 18 in., B. & B	2.7 <i>5</i> 4.00	22.50 35.00	
sabina, 6'-7'		Savin	Juniper
Evergreen. Dense, dark green fol forming irregular vase-shaped b		eading b	ranches,
15 to 18 in., B. & B	3.25	27.50	225.00
18 to 24 in., B. & B 2 to $2\frac{\tau}{2}$ ft., B. & B	3.50 4.00	30.00	_
squamata meyeri, 3'-4'		Meyer	Juniper
A beautiful deep blue evergree desirable.	n of dw	rarf hab	it, very
10 to 12 in., B. & B	4.50	40.00	
12 to 15 in., B. & B	5.50	50.00	
15 to 18 in., B. & B	6.50	60.00	
virginiana, 25'-30'			edcedar
Evergreen. Forms a dense colum purplish in Winter. Useful in plantings.	mn, deer formal	green work, o	foliage, mixed
2 to 3 ft., B. & B	4.50	32.50	300.00
3 to 4 ft., B. & B	5.75	50.00	450.00
4 to 5 ft., B. & B 5 to 6 ft., B. & B	7.75 10.00	67.50 90.00	625.00 850.00
6 to 7 ft., B. & B	11.75	105.00	
-cannarti, 12'-15'		Cannar	t Cedar
Very deep rich blackish green columnar form. An aristocrat.	foliage.	Dense	growing
2½ to 3 ft., B. & B	6.00	55.00	
3 to 4 ft., B. & B	8.00	7	

·			
JUNIPERUS—continued	Each	Per 10	Per 100
— glauca, 15'-20'	S	ilver Re	dcedar
2 to 2½ ft., B. & B	5.00	45.00	
2½ to 3 ft., B. & B	6.00	52.50	
3 to 3½ ft., B. & B	7.25 8.50	67.50	
4 to 5 ft., B. & B	11.00	75.00 102.50	
—keteleeri, 15'-18'	11.00	102.50	
A splendid evergreen of pyramid	al form	al outlin	e Deen
green scale-like leaves. Compact			
2½ to 3 ft., B & B			
-kosteriana, 3'-4'	,	Koster	Cedar
Spreading bushy form similar in	color		
pearance to Pfitzer juniper, but l	ower.		
12 to 15 in., B. & B	2.7 <i>5</i> 3.50	22.50 30.00	_
—schotti, 12'-15'	S	chott Re	dcedar
Has fresh green foliage. Compact Good Winter color, quite hardy.	formal	columna	r habit.
2 to 2½ ft., B. & B	5.50		
2½ to 3 ft., B. & B	6.50		
—tripartita, 4'-5'		ntain Re	edcedar
Evergreen. A bushy, half uprigh branches.			
18 to 24 in., B. & B	3.25 4.50	27.50	
waukegan (See horizontalis dou			
Wallkegall (See Hollzontalls doll			
			т 1
KALMIA latifolia, 5'-7'	М	ountain	
	M ie when	the clu	sters of
KALMIA latifolia, 5'-7' Evergreen. Most effective in Jun pink flowers open. This stock is	M ie when	the clu	sters of
KALMIA latifolia, 5'-7' Evergreen. Most effective in Jun pink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B	Me when s nurser	the clu ry grown 17.50 22.50	sters of n. Good 125.00 175.00
KALMIA latifolia, 5'-7' Evergreen. Most effective in Jun pink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B	Me when s nurser	the clu ry grown 17.50	sters of n. Good
KALMIA latifolia, 5'-7' Evergreen. Most effective in Jun pink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5'	Me when s nurser 2.00 2.50 3.00 Single J	the clury grown 17.50 22.50 25.00 apanese	125.00 175.00 200.00 Kerria
KALMIA latifolia, 5'-7' Evergreen. Most effective in Jun pink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B.	Me when s nurser 2.00 2.50 3.00 Single J	the clury grown 17.50 22.50 25.00 apanese	sters of n. Good 125.00 175.00 200.00 Kerria
KALMIA latifolia, 5'-7' Evergreen. Most effective in Jun pink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sep useful for Winter effects. 18 to 24 in.	Me when s nurser 2.00 2.50 3.00 Single J	the clury grown 17.50 22.50 25.00 apanese	125.00 175.00 200.00 Kerria
KALMIA latifolia, 5'-7' Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sepuseful for Winter effects. 18 to 24 in. 2 to 2½ ft.	More when a nurser 2.00 2.50 3.00 Single J tember.	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50	125.00 175.00 200.00 Kerria
KALMIA latifolia, 5'-7' Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sepuseful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	2.00 2.50 3.00 Single J tember.	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00	125.00 175.00 200.00 Kerria
KALMIA latifolia, 5'-7' Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sepuseful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5'	2.00 2.50 3.00 Single J tember. .75 1.00 1.25 puble J:	17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00	125.00 175.00 200.00 Kerria oranches
KALMIA latifolia, 5'-7' Evergreen. Most effective in Jun pink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sep useful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above stocks.	Male when s nurser 2.00 2.50 3.00 Single J tember	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00 apanese onger gro	sters of a. Good 125.00 175.00 200.00 Kerria oranches Kerria ower.
Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sepuseful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above: 18 to 24 in.	Male when s nurses 2.00 2.50 3.00 Single J tember. 75 1.00 1.25 buble J: and street 75	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00 apanese onger gro 6.50	125.00 175.00 200.00 Kerria oranches Kerria
Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sep useful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above 18 to 24 in. 2 to 3 ft.	2.00 2.50 3.00 Single J tember. -75 1.00 1.25 buble J: and stro	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00 apanese onger gro 6.50 8.50	125.00 175.00 200.00 Kerria oranches Kerria
KALMIA latifolia, 5'-7' Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sep useful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	Male when s nurses 2.00 2.50 3.00 Single J tember. 75 1.00 1.25 buble J: and street 75	the clury grown 17.50 22.50 25.00 apanese Green t 6.50 8.50 10.00 apanese onger gro 6.50 8.50 10.00	125.00 175.00 200.00 Kerria oranches Kerria 070.00 70.00 85.00
KALMIA latifolia, 5'-7' Evergreen. Most effective in Jun pink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sep useful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above 18 to 24 in. 2 to 3 ft. 3 to 4 ft. —variegata, 3'-4'	2.00 2.50 3.00 Single J tember. -75 1.00 1.25 buble J: and stro- 1.00 1.25	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00 apanese onger gro 6.50 8.50 10.00 Silver	125.00 175.00 200.00 Kerria oranches Kerria 50.00 70.00 85.00
KALMIA latifolia, 5'-7' Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sep useful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	2.00 2.50 3.00 Single J tember. -75 1.00 1.25 buble J: and stro- 1.00 1.25	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00 apanese onger gro 6.50 8.50 10.00 Silver	125.00 175.00 200.00 Kerria oranches Kerria 50.00 70.00 85.00
Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sepuseful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above 18 to 24 in. 2 to 3 ft. 3 to 4 ft. —variegata, 3'-4' Similar to type but variegated habit. 12 to 18 in.	Male when s nurser 2.00 2.50 3.00 Single J tember75 1.00 1.25 buble J: and stro75 1.00 1.25 leaves a .70	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00 apanese onger gro 6.50 8.50 10.00 Silver and more	125.00 175.00 200.00 Kerria oranches Kerria ower. 50.00 70.00 85.00 Kerria e dwarf
KALMIA latifolia, 5'-7' Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sepuseful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above: 18 to 24 in. 2 to 3 ft. 3 to 4 ft. —variegata, 3'-4' Similar to type but variegated habit. 12 to 18 in. 18 to 24 in.	Male when s nurser 2.00 2.50 3.00 Single J tember75 1.00 1.25 buble J: and stro75 1.00 1.25 leaves a .70 .80	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00 apanese onger gr 6.50 8.70 10.00 Silver and more	sters of a. Good 125.00 175.00 200.00 Kerria oranches Kerria ower. 50.00 70.00 85.00 Kerria e dwarf
KALMIA latifolia, 5'-7' Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sepuseful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above 18 to 24 in. 2 to 3 ft. 3 to 4 ft. —variegata, 3'-4' Similar to type but variegated habit. 12 to 18 in. 18 to 24 in. KOELREUTERIA paniculata, 25	Male when a nurser 2.00 2.50 3.00 Single J tember75 1.00 1.25 Duble J: and stro75 1.00 1.25 leaves a .70 .80 '-30'	the clury grown 17.50 22.50 25.00 apanese Green 1 6.50 8.50 10.00 apanese onger gro 6.50 8.50 10.00 Silver and more 5.00 6.00 Varnis	125.00 175.00 175.00 200.00 Kerria oranches Kerria ower. 50.00 70.00 85.00 Kerria dwarf 40.00 50.00
KALMIA latifolia, 5'-7' Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sepuseful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above: 18 to 24 in. 2 to 3 ft. 3 to 4 ft. —variegata, 3'-4' Similar to type but variegated habit. 12 to 18 in. 18 to 24 in.	Male when a nurser 2.00 2.50 3.00 Single J tember75 1.00 1.25 Duble J: and stro75 1.00 1.25 leaves a .70 .80 '-30' ly; is a	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00 apanese onger gro 6.50 8.50 10.00 Silver and more 5.00 6.00 Varnis	125.00 175.00 175.00 200.00 Kerria oranches Kerria ower. 50.00 70.00 85.00 Kerria dwarf 40.00 50.00
KALMIA latifolia, 5'-7' Evergreen. Most effective in Junpink flowers open. This stock is foliage; likes shade. 12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. KERRIA japonica, 4'-5' Golden yellow flowers, June-Sepuseful for Winter effects. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. —fl. pl., 4'-5' Desirable double form of above 18 to 24 in. 2 to 3 ft. 3 to 4 ft. —variegata, 3'-4' Similar to type but variegated habit. 12 to 18 in. 18 to 24 in. KOELREUTERIA paniculata, 25 Has bright yellow flowers in Ju	Male when a nurser 2.00 2.50 3.00 Single J tember75 1.00 1.25 Duble J: and stro75 1.00 1.25 leaves a .70 .80 '-30' ly; is a	the clury grown 17.50 22.50 25.00 apanese Green b 6.50 8.50 10.00 apanese onger gro 6.50 8.50 10.00 Silver and more 5.00 6.00 Varnis	125.00 175.00 200.00 Kerria oranches Kerria ower. 50.00 70.00 85.00 Kerria e dwarf

	Each	Per 10	Per 100
LABURNUM vulgare, 20'-25' Beautiful clusters of yellow flower	ers in S		enchain
2 to 3 ft	1.25	10.00	
3 to 4 ft	1.50		
LARIX europaea (decidua), 50'-60 Especially good for Spring effects	s; grow	aropean s rapidly	Larch
18 to 24 in	1.35 1.75		
leptolepsis (kaemferi), 50'-60' Fast growing, handsome tree, sim	J: ilar to	apanese above.	Larch
18 to 24 in	1.35 1.75	8.50 12.50	
3 to 4 ft	2.25	17.50	_
LEIOPHYLLUM buxifolium, 18"		Sand	Myrtle
Small pale pink flower in June. F a good ground cover or rock plan	łas sma t.		
9 to 12 in	2.50	22.50	
Prostrate form of the preceding.		y Sand	Myrtle
6 to 9 in	2.50		
LESPEDEZA bicolor, 5'-6' Rose and white flower, July-Au shrub, attractive clover-like folia;	ge.	lender g	
2 to 3 ft formosa (Desmodium penduliflor		6.50	50.00
Tormosa (Desmodium pendumor	Purj	ple Busi	hclover
Rosy purple flower conspicuous in tive herbaceous shrub.	n Septer	nber. An	attrac-
2 year 3 year	·55	4.00 6.50	35.00 50.00
LEUCOTHOE catesbaei, 3'-4'		-	_
Evergreen. Attractive white flow lustrous leaves, rich Autumn color planting in shade.	vers, M	lay. Hai	ndsome,
12 to 15 in., B. & B	1.75		
15 to 18 in., B. & B	2.50 3.25	22.50 27.50	175.00 250.00
LIBOCEDRUS decurrens, 80'-100'		Incense	
Evergreen, Erect or spreading bra			
row feathery head. Bright deep gr	een foli	age.	
18 to 24 in., B. & B	4.00		
Half evergreen; very hardy.		Amur	Privet
12 to 18 in	.25	1.50	10.00
18 to 24 in	.30 .40	2.00	15.00
3 to 4 ft	.50	3.50	25.00
ibota, g'-10'		Ibota	Privet
Good dense habit; flowers and fi black berries. Very hardy.	ruits fro	eely. Dec	corative
18 to 24 in	-40	3.00	20.00
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.60	5.00	40.00

LIGUSTRUM—continued	Each	Per 10	Per 100
-regelianum (cuttings), 5'-6'			
True S	_		
Makes a splendid, low, dense hed bery or evergreen plantings. Ver	lge; also y desira	good in	n shrub-
15 to 18 in	·3 <i>5</i>	2.50	- 17.00
18 to 24 in	.50 .60	3.50	20.00
2½ to 3 ft	.75	4.50 5.50	35.00 45.00
3 ft	.85		
lodense, 2½'		Dwar	f Privet
Very compact, dwarf form.			
12 to 15 in	.50		
15 to 18 in	.60		
	.75	Class	D
lucidum (macrophyllum), 6'-8'		•	Privet
Evergreen. Very attractive privet Hardy in the North in sheltered Wax Leaf Privet.	d locatio	n, grossy ons. Also	called
9 to 12 in	1.75	15.00	
12 to 15 in	2.25	20.00	
18 to 24 in	2.75	lifornia	Privet
, -			
Most popular hedge plant. We of stock well worth the price.		·	Per 1000
12 to 18 in	1.00	5.00	35.00
18 to 24 in	1.50	7.00	40.00
2 to 3 ft	1.8o	10.00	70.00
3 to 4 ft	3.00	15.00	
4 to 5 ft	3.50		
—globes			
Compact shapely specimens.	Each	Der 10	Per 100
12 to 15 in., B. & B	2.00	17.50	150.00
15 to 18 in., B. & B	2.50	20.00	
-standard, Tree Form			
Sheared round hedge, straight ste	ms.		
2 year, 12 in. heads	1.75	13.00	
3 year, 15 in. heads	2.25	17.50	
3 year, 18 in. heads	2.75		
—aureum, 8'-9'		Golden	Privet
Grows rather slowly.			
12 to 15 in	.50	3.50	25.00
15 to 18 in	.60 .75	4.00 6.00	35.00
2 to 2½ ft	.90	7.00	50.00
2½ to 3 ft	1.10	8.50	70.00
vulgare, 10'-12'		ıropean	Privet
Creamy-white flowers. June-July.	Black b	erries.	
18 to 24 in	.40	2.50	22.00
2 to 3 ft	.50 .60	3.50 4.00	30.00
5 00 4 10	•00	4.00	37.00


	Each	Per 10 P	er 100
*LIQUIDAMBAR styraciflua, 50'-	-6o′	Sweet	Gum
One of the best trees for Autum			
moist places; has corky bark; raplant.			
4 to 6 ft	3.00	25.00	
5 to 6 ft	3.50	30.00	
6 to 8 ft	4.00	35.00	
	. 0-1	T 1	
*LIRIODENDRON tulipifera, 60			iptree
A quick grower; the yellow tuli duced in June.	p-like f	lowers are	e pro-
4 to 6 ft	1.50	12.50	100.00
6 to 8 ft	2.25	20.00	175.00
8 to 10 ft	3.25	30.00	250.00
10 to 12 ft	4.00	35.00	
LONICERA bella albida, 8'-9' Wh Grows vigorously.	ite Bell	e Honeys	uckle
2 to 3 ft	.45	4.00	30.00
3 to 4 ft	.65	4.50	35.00
fragranticsima 6/ 9/	Winto	. Uonorr	
fragrantissima, 6'-8'		r Honeys	
Fragrant white flower, April-May	7. Half	evergreen	•
18 to 24 in	-35	2.50	20.00
2 to 3 ft	.60	4.50	35.00
3 to 4 ft	.75	6.00	50.00
4 to 5 ft	.90	7.50	
heckrotti, 15'-20' Everb Flowers purple outside, yellow in		g Honeys	
2 year	.75	6.50	50.00
japonica (brachypoda), 15'-20' J Rapid grower and blooms freely ber. Useful for covering steep ba	from	June to Se	eptem-
2 year	.50	4.00	30.00
3 year	.6э	5.00	40.00
-reticulata aurea, 15'-20'			
	: Golde	n Honey:	suckle
2 year	.50	3.00	25.00
3 year	.60	4.00	30.00
—halliana, 15'-25' Hall]	Iananes	e Honey	enckle
Grows rampantly. Blooms freely,	_		
2 year	.60	4.00	35.00
3 year	.70	5.00	40.00
maacki podocarpa, 8'-9'	Lat	e Honey	suckle
Smaller pinkish flowers, better			
holds leaves longer, vigorous.			
2 to 3 ft	.60	4.00	35.00
	.75	5.00	40.00
4 to 5 ft	.90	7.50	
morrowi, 7'-8'	Morro	w Honey	suckle
Spreading habit, white, May-J foliage.			
18 to 24 in	-35	2.50	20.00
2 to 3 ft	.50	4.00	25.00
3 to 4 ft	.65	5.00	35.00
-		,	0,5

ONICERA—continued	Each	Per 10	Per 100
morrowi (upright)			
18 to 24 in	·35	2.50	20.00
2 to 3 ft	.50	4.00	25.00
3 to 4 ft	.65	5.00	35.00
pileata, 2'	Prive	t Hone	ysuckle
Evergreen. Dwarf evergreen shr	ub; nee	ds prote	ection in
9 to 12 in., bushy, B. & B	1.00		
12 to 15 in., bushy, B. & B	1.25		_
ruprechtiana, 8'-9' Mar	nchuriar	1 Hone	vsuckle
Creamy white flowers, June. orange.			-
18 to 24 in	.50	4.00	25.00
2 to 3 ft	.70	5.00	35.00
3 to 4 ft	.75	6.00	_
	Trumpe		ysuckl
Bright, scarlet, showy flowers, J		ember.	
2 year	.65	4.00	35.0
spinosa alberti, 2'		t Hone	-
Rose-pink fragrant flowers. I leaves. Dwarf in habit.	May-June	e. Blui	sh-gree
15 to 18 in	.90 1.20	7.00	
18 to 24 in		10.00	
syringantha, 4'-5'	Lila	e Hone	ysuckl
Attractive, but little known, slo			
grant pale rosy lilac flowers.	ow grow	ing shr	ub. Fra
grant pale rosy lilac flowers. 18 to 24 in	1.00	7.50	ub. Fra ——
grant pale rosy lilac flowers. 18 to 24 in	1.00 1.25	_	ub. Fra
grant pale rosy lilac flowers. 18 to 24 in 2 to 3 ft tatarica, Pink, Red and White, 9	1.00 1.25	7.50 10.00	
grant pale rosy lilac flowers. 18 to 24 in	1.00 1.25 '-10' Γartaria:	7.50 10.00 n Hone	ysuckl
grant pale rosy lilac flowers. 18 to 24 in	1.00 1.25 γ'-10' Γartaria:	7.50 10.00 n Hone most ac	ysuckl daptabl
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in.	1.00 1.25 γ'-10' Γartaria: uced. A	7.50 10.00 In Hone most ac 3.00	ysuckl daptabl
grant pale rosy lilac flowers. 18 to 24 in	1.00 1.25 γ'-10' Γartaria:	7.50 10.00 n Hone most ac	ysuckl daptabl 20.00 25.00
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	1.00 1.25 7'-10' Fartaria: aced. A .40 .50 .65	7.50 10.00 In Hone most ac 3.00 4.00 5.00	ysuckl daptabl 20.0 25.0 35.0
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft.	1.00 1.25 7'-10' Fartaria: aced. A .40 .50 .65	7.50 10.00 In Hone most ac 3.00 4.00 5.00	ysuckledaptable 20.00 25.00 35.00 ysuckled
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub.	1.00 1.25 /-10' Fartaria. 1.00 40 .50 .65 Tibetar	7.50 10.00 In Hone most ac 3.00 4.00 5.00	ysuckledaptable 20.00 25.00 35.00 ysuckled
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragran	1.00 1.25 7'-10' Fartaria: aced. A .40 .50 .65	7.50 10.00 in Hone most ac 3.00 4.00 5.00 in Hone flowers	ysuckledaptable 20.00 25.00 35.00 ysuckled
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub. 15 to 18 in. 18 to 24 in.	1.00 1.25 '-10' Fartaria; aced. A .40 .50 .65 Tibetar at purple	7.50 10.00 in Hone most ad 3.00 4.00 5.00 in Hone flowers 6.00 7.50	ysuckl daptabl 20.0 25.0 35.0 ysuckl
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub. 15 to 18 in.	1.00 1.25 /-10' l'artaria 1.00 1.25 /-10' l'artaria 1.00 .50 .65 Tibetar 1.00 .85 rbary M 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	7.50 10.00 in Hone most ad 3.00 4.00 5.00 in Hone flowers 6.00 7.50 atrimot red fru	ysuckl- 20.00 25.00 35.00 ysuckl A mos
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub. 15 to 18 in. 18 to 24 in. YCIUM barbarum, 10'-12' Bar Violet flowers in June, followed by	1.00 1.25 /-10' l'artaria 1.00 1.25 /-10' l'artaria 1.00 .50 .65 Tibetar 1.00 .85 rbary M 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	7.50 10.00 in Hone most ad 3.00 4.00 5.00 in Hone flowers 6.00 7.50 atrimot red fru	ysuckledaptable 20.00 25.00 35.00 ysuckled. A mos
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub. 15 to 18 in. 18 to 24 in. YCIUM barbarum, 10'-12' Bar Violet flowers in June, followed by ful for banks or hanging over	1.00 1.25 '-10' Fartaria: aced. A .40 .50 .65 Tibetar at purple .70 .85 rbary M by bright retaining	7.50 10.00 In Hone most ad 3.00 4.00 5.00 In Hone flowers 6.00 7.50 atrimor red fru	ysuckledaptable 20.00 25.00 35.00 ysuckled. A mos
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub. 15 to 18 in. 18 to 24 in. YCIUM barbarum, 10'-12' Bat Violet flowers in June, followed by ful for banks or hanging over 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	1.00 1.25 /-10' Cartaria. uced. A .40 .50 .65 Tibetar ut purple .70 .85 rbary M by bright retaining .35 .45 .65	7.50 10.00 In Hone most ad 3.00 4.00 5.00 Hone flowers 6.00 7.50 atrimor red fru walls. 2.50 3.50 4.00	ysuckl-daptable 20.00 35.00 ysuckl-laptable 25.00 ysuckl-laptable 25.00 25.00 25.00
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub. 15 to 18 in. 18 to 24 in. YCIUM barbarum, 10'-12' Bat Violet flowers in June, followed by ful for banks or hanging over 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	1.00 1.25 /-10' Cartaria uced. A 40 .50 .65 Tibetar at purple .70 .85 rbary M by bright retaining .35 .45	7.50 10.00 In Hone most ad 3.00 4.00 5.00 Hone flowers 6.00 7.50 atrimor red fru walls. 2.50 3.50 4.00	ysuckl-daptable 20.00 35.00 ysuckl-laptable 25.00 ysuckl-laptable 25.00 25.00 25.00
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub. 15 to 18 in. 18 to 24 in. YCIUM barbarum, 10'-12' Bat Violet flowers in June, followed by ful for banks or hanging over 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	1.00 1.25 /-10' Cartaria uced. A .40 .50 .65 Tibetar ut purple .70 .85 rbary M by bright retaining .35 .45 .65 inese M	7.50 10.00 In Hone most ad 3.00 4.00 5.00 In Hone flowers 6.00 7.50 atrimor red fru walls. 2.50 3.50 4.00 atrimor ad fru	ysuckl-daptable 20.00 35.00 ysuckl-laptable 25.00 ysuckl-laptable 25.00 25.00 25.00
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub. 15 to 18 in. 18 to 24 in. YCIUM barbarum, 10'-12' Bay Violet flowers in June, followed by ful for banks or hanging over 18 to 24 in. 2 to 3 ft. 3 to 4 ft. chinense, 12'-15' Che More vigorous and fruitful than	1.00 1.25 /-10' Cartaria aced. A .40 .50 .65 Tibetar at purple .70 .85 rbary M by bright retaining .35 .45 .65 inese M a precedi	7.50 10.00 In Hone most as 3.00 4.00 5.00 In Hone flowers 6.00 7.50 atrimot red fru walls. 2.50 3.50 4.00 atrimot mg.	ysuckledaptable 20.00 25.00 35.00 ysuckle A mos 17.00 20.00 25.00 ny-Vino
grant pale rosy lilac flowers. 18 to 24 in. 2 to 3 ft tatarica, Pink, Red and White, 9 Flowers and fruit freely produshrub. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. thibetica, 3'-4' Small gray green foliage, fragrandesirable small shrub. 15 to 18 in. 18 to 24 in. YCIUM barbarum, 10'-12' Bay Violet flowers in June, followed by ful for banks or hanging over 18 to 24 in. 2 to 3 ft. 3 to 4 ft. chinense, 12'-15' Ch	1.00 1.25 /-10' Cartaria uced. A .40 .50 .65 Tibetar ut purple .70 .85 rbary M by bright retaining .35 .45 .65 inese M	7.50 10.00 In Hone most ad 3.00 4.00 5.00 In Hone flowers 6.00 7.50 atrimor red fru walls. 2.50 3.50 4.00 atrimor ad fru	ysuckledaptable 20.00 25.00 35.00 ysuckle . A mosi its; use 17.00 20.00 25.00

	Each	Per 10	Per 100
MAGNOLIA acuminata, 70'-80'	C	ucumb	er Tree
Pyramidal habit, vigorous growth greenish yellow; pink fruit.	n; large	leaves;	flowers
3 to 4 ft	2.25 3.00	17.50 22.50	_
5 to 6 ft	4.00	32.50	
6 to 8 ft	5.00	42.50	
glauca, 15'-20' Delightfully fragrant creamy flo	word in		eet Bay
leaves, nearly evergreen. Prefers	moist le	cation.	raucous
18 to 24 in., B. & B	3.25		
3 to 4 ft., B. & B	4.50 5.50		
soulangeana, 15'-18'	Sa	icer M	agnolia
Large purplish-pink and white transplanted in early Spring.	flowers	in Ma	y. Best
18 to 24 in., B. & B	7.25	62.50	600.00
2 to 3 ft., B. & B	9.50 13.00	85.00	_
stellata, 8'-10'	_	Star M	agnolia
Spreading shrubby habit, fragr	ant sem		-
flowers appearing long before the		65.00	
12 to 15 in., B. & B	10.00	80.00	
tripetala, 30'-40'	Umbi	ella M	agnolia
Very large leaves; flowers white,		_	
3 to 4 ft	2.75 3.25	21.00 26.00	170.00
5 to 6 ft	3.50	30.00	260.00
6 to 8 ft	4.00	32.50	
MAHONIA aquifolium, 4'-5' Evergreen shining green leaves t	Oregoi urn rich		
tumn; striking in May when y blue-black fruits. Best in half-sha	vellow f	lowers	appear;
12 to 15 in., B. & B	2.00 2.50	17.50 22.50	135.00 175.00
18 to 24 in., B. & B	3.00	25.00	
bealei (japonica), 6'-7' Lea	atherlea	f Holly	Grape
Large holly-like leaves, bluish right branches. Yellow flowers	underne	ath; th	ick up-
blue-black fruits. Succeeds best in	half-sh	ade.	арс•пкс
12 to 15 in	2.00 2.50	17.50	
MALUS arnoldiana, 8'-10' White flowers. Compact habit.		Arnol	d Crab
3 to 4 ft	1.50		
4 to 5 ft	2.00 2.50		
atrosanguinea, 10'-15'	,0	Carmin	e Crab
Single red flowers freely borne.		Carmin	CIAD
3 to 4 ft	1.50	12.50	100.00
4 to 5 ft	1.75 2.25	15.00 17.50	125.00 150.00

MALUS—continued	Each	Per 10 I	Per 100
coronaria, 15'-20'	W	ild Sweet	Crab
Fragrant blush pink flowers in ea			
3 to 4 ft	1.25	10.00	
4 to 5 ft	1.50	12.50	
5 to 6 ft	1.75	15.00	
floribunda, 10'-15' Japa	nese 1	Flowering	Crab
Literally covered with single rearly Spring. Yellow fruits.	ose-col	ored flow	ers in
3 to 4 ft	1.35	11.00	
4 to 5 ft	1.75	15.00	
5 to 6 ft	2.25	17.50	
—purpurea, 10'-15'		Purple	Crab
A very attractive purple foliaged	type o	of the abo	ve.
3 to 4 ft	1.35	11.00	·
4 to 5 ft	1.75	15.00	
5 to 6 ft	2.25	17.50	
halliana parkmani, 10'-15'		Parkman	
Semi-double pink; flowers on lo pact habit, and grows rather slow		ems; good	com-
2 to 3 ft	1.75	15.00	
3 to 4 ft	2.25	17.50	
4 to 5 ft	3.2 <i>5</i> 3.50	26.00 30.00	
	3.50	Bechte:	Crob
ioensis plena, 10'-15' Large double pure pink flowers			
grance; vigorous growers-last to	flowe		
2 to 3 ft	1.25	8.50	70.00
3 to 4 ft	1.50 2.25	11.00 17.50	85.00
5 to 6 ft	3.50	30.00	
prunifolia rinki, 12'-15'	0,5	Chinese	Apple
Large red or yellow fruits, white	flower		
5 to 6 ft	2.50		
6 to 8 ft	3.25		
sargenti, 5'-6'		Sargen	
Pure white; very compact and dw hang on almost till Spring. Distin		nall scarle	t fruit,
2 to 3 ft	2.50	20.00	
3 to 4 ft	3.00 3.50	25.00	
		1 1 1	<u> </u>
scheideckeri, 10'-15'		heidecker	
Lasting double pink flowers in ha yellow fruits.	ındsom	ie clusters.	. Large
2 to 3 ft	1.35	11.00	
3 to 4 ft	1.50	13.00	
	1.75	15.00	<u> </u>
sieboldi, 15'-18' Pale pink flowers, showy red frui	ts.	Toringo	Crab
3 to 4 ft	2.00		
4 to 5 ft	2.50		
5 to 6 ft	3.00		<u> </u>
		Flowering	g Crab
Beautiful double pink flowers; sw		ented.	
3 to 4 ft	1.75	13.00	
4 to 5 ft	2.25	17.50	

MALUS-continued	Each	Per 10	Per 100
theifera, 15'-20'		Те	a Crab
Sturdy spreading tree with entire flowers which are white or tinte of the finest.	branch d with	es cover pale pii	ed with nk. One
3 to 4 ft	3.00 3.50	25.00 30.00	
MITCHELLA repens, 4"-6"	F	artridge	Berry
Delicate pink flower in April-Ma Thick green leaves. Good for gro			
Pot grown	.60	5.00	35.00
MORUS alba pendula, 8'-10' Tea		eping M	ulberry
Medium Grade, 1 yr. heads First Class, 2 yr. heads Extra, 3 yr. heads 3 yr. heads XX	3.25 4.00 5.50 7.25	26.00 32.50 42.50 60.00	170.00 260.00 375.00 500.00
MYRICA carolinensis (cerifera),		hern Ba	ıyberry
Does well in poor, gravelly soil. I ries, and glossy green foliage. Go		seashore	
12 to 15 in	.60 .75	5.00 6.00	40.00 50 00
18 to 24 in	1.00	8.50	75.00
NANDINA domestica, 4'-6'		N	landina
Evergreen. One of the handsom greens in the South. Foliage is li Fall coloring. Has large trusses of	ight in	effect. Be	
5 inch pots	1.50	12.00	
NYSSA sylvatica, 40'-60'		Sou	r Gum
One of our finest ornamental tree age, assuming brilliant Autumn to places.			
2 to 3 ft	1.35	11.00	
3 to 4 ft	1.75 2.75	15.00 21.00	
OSMANTHUS aquifolium, 3'-4'	Но	lly Osm	anthus
Evergreen shrub, with holly-like glossy. Suitable for protected loca	leaves,	-	
12 to 15 in	2.00 2.50		_
15 to 18 in	2.00 2.50 H	op Hori	
OSTRYA virginiana, 25'-30' Slender spreading branches; hand clear yellow in Autumn. Smooth like fruits. Useful for dry location	2.00 2.50 H some be h blue-	eech-like gray bar	foliage,
OSTRYA virginiana, 25'-30' Slender spreading branches; hand clear yellow in Autumn. Smooth like fruits. Useful for dry location 2 to 3 ft.	2.00 2.50 H Isome be n blue- ons. 2.00	eech-like gray bar 15.00	foliage,
OSTRYA virginiana, 25'-30' Slender spreading branches; hand clear yellow in Autumn. Smooth like fruits. Useful for dry location	2.00 2.50 H some be h blue-	eech-like gray bar	foliage,
OSTRYA virginiana, 25'-30' Slender spreading branches; hand clear yellow in Autumn. Smootl like fruits. Useful for dry location 2 to 3 ft	2.00 2.50 H Isome be a blue- ons. 2.00 2.50 3.00	15.00 20.00 25.00	foliage,
OSTRYA virginiana, 25'-30' Slender spreading branches; hand clear yellow in Autumn. Smootl like fruits. Useful for dry location 2 to 3 ft.	2.00 2.50 H Isome be a blue- ons. 2.00 2.50 3.00	15.00 20.00 25.00	foliage, k, hop-
OSTRYA virginiana, 25'-30' Slender spreading branches; hand clear yellow in Autumn. Smootl like fruits. Useful for dry locatic 2 to 3 ft	2.00 2.50 H Isome be a blue- ons. 2.00 2.50 3.00	15.00 20.00 25.00	foliage, k, hop-



Evergreen. One of the best bedding plants for green effect in shady places.

Pot grown

PAULOWNIA tomentosa (imperalis), 30'-40'

Empress Tree

Grows rapidly; very large leaves; purple flowers; not quite hardy in North.


		Each	Per 10	Per 100
4 to	6 ft.	 1.75		
8 to	10 ft.	 3.50		
10 to	12 ft.	 5.50		

PHELLODENDRON chinense, 50'-60'

Chinese Corktree

A rapid growing, tropical appearing small tree.

4 to	6 ft.	 1.75	13.00	
6 to	8 ft.	 2.75	22.50	
8 to	10 ft.	 4.00	32.50	



PHILADELPHUS avalanche, 3'-4' Dwarf Mockorange Graceful arching habit.

Gracerur arching nabit.			
	Each	Per 10	Per 100
18 to 24 in	.60	5.00	40.00
2 to 3 ft	.70	6.00	50.00
3 to 4 ft	.80	7.00	
bouquet blanc, 4'-5' White	Bouque	t Mocl	orange
Low, dense habit. Blooms freely.	May-Ju	ne.	
18 to 24 in	.60	4.00	35.00
2 to 3 ft	.70	6.00	50.00
3 to 4 ft	.90	7.00	
coronarius, 9'-10'	Swee	t Mock	corange
White fragrant flowers profusely	borne in	n May-	June.
18 to 24 in	.40	3.00	25.00
2 to 3 ft	.50	7.00	35.00
3 to 4 ft	.75	6.00	50.00
—aurea, 4'-5' Gol	den Lea	f Mocl	corange
Dwarf compact form. Yellow leav	ves.		
12 to 15 in	.60	5.00	40.00
15 to 18 in	.75	6.50	50.00
18 to 24 in	1.00		
2 to 2½ ft	1.25		

PHILADELPHUS—continued	Each	Per 10	Per 100
—grandiflorus, 7'-8' Large	Flowered	Mock	corange
Has no fragrance.			0
18 to 24 in	-35	2.50	20.00
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.65	5.00	40.00
lemoine, 4'-5'	Lemoine		korange
Good compact habit. Flowers sw	reetly scen	ted.	
15 to 18 in	-45	3.50	
18 to 24 in	.55 .65	4.00 5.00	35.00 40.00
nivalis, 4'-5'	Snowbank	Mock	corange
Free flowering, fragrant.			
2 to 3 ft	.65	4.00	35.00
3 to 4 ft	.70	5.00	40.00
sericanthus	Sill	Mocl	korange
An attractive, but very little moderate growth.	known P	hiladel;	phus of
2 to 3 ft	.90 1.10	7.00	=
virginalis, 7'-8'	Virgina	1 Mocl	corange
Beautiful semi-double flowers all Summer.	produced	intern	nittently
18 to 24 in	.70	5.00	40.00
2 to 3 ft	.90	7.00	50.00
3 to 4 ft	1.10	8.50	70.00
PHOTINIA glabra, 6'-8'			
Similar to villosa but not such a		rower.	
3 to 4 ft	1.20	9.50	
4 to 5 ft 5 to 6 ft	1.35 1.55	11.00	
			11
villosa, 12'-15'			Photinia
Flowers white, June. Rich scarle in Autumn. Splendid foliage for	r color and	d textu	re.
2 to 3 ft	1.00	7.50	60.00
3 to 4 ft	1.25 1.50	10.00	75.00 100.00
5 to 6 ft		15.00	
PHYSOCARPUS opulifolius, 9'-	10'	N	inebark
Creamy white, June. Vigorous. C	Good for sl	nade.	
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.60	5.00	40.00
4 to 5 ft	.75	6.00	
—aureus, 9'-10'	Gold	leaf N	inebark
Golden-leaved variety; white flo	owers in ea	arly Ju	ne.
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.60	5.00	40.00
PICEA canadensis (alba), 50'-60'			Spruce
Evergreen. Silvery foliage; dev men of close texture.	elops into	shapel	y speci-
15 to 18 in., B. & B	2.25	17.50	130.00
18 to 24 in., B. & B	2.75	20.00	175.00
2 to 2½ ft., B. & B	3.50 4.50	30.00 37.50	
3 to 3½ ft., B. & B	5.50	45.00	

PICEA—continued	Each	Per 10	Per 100
excelsa, 80'-100'	N	orway S	Spruce
Evergreen. Has dark green folia Makes a good windbreak, and al trimmed hedges. SPECIAL NOTE—Our Norway Spruce a symmetrical plants as they are shaped	so lend: are all e up every	s itself v xceptionall year. Do i	y dense
pare these plants with those grown by t	пе отагна	iy meino u .	3.
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B. 5 to 6 ft., B. & B.	1.25 1.75 2.25 3.00 3.50 5.00 6.75 9.00	10.00 15.00 20.00 26.00 30.00 42.50 60.00 75.00	85.00 125.00 150.00 240.00 260.00
kosteri, 60'-80'	Koste	r Blue	Spruce
Our own stock now offered in l unusually good. It was carefully every plant is well shaped.	imited	quantity	and is
12 to 15 in., B. & B. 15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 3½ ft., B. & B. 3½ to 4 ft., B. & B.	7.50 9.00 12.00 15.00 18.00 22.00 26.00		
pungens, 60'-80'	Co	lorado	Spruce
Evergreen. Branches in distinct some lawn specimen.			
12 to 15 in., B. & B	2.25 2.75 4.00 5.00	18.50 24.00 32.50 42.25	170.00 210.00 260.00 325.00
		in Andı	
Evergreen. Waxy white flowers in foliage, best in half shady places	May. (Good dee	
12 to 15 in., B. & B	4.00 5.00 6.00	37.50 42.50	325.00
japonica (ANDROMEDA), 5'-6'	Japane	ese Andı	romeda
Evergreen. Thick, shiny leaves, ter. Drooping clusters of small May. Grows slowly. Best in moist	white	flowers (open in
12 to 15 in., B. & B	2.75 3.50 4.25 7.00	25.00 30.00 37.50	200.00 250.00 ——
mariana, 5'-6' Waxy white flowers, May-June.	,	Stagge	er Bush
15 to 18 in., B. & B	1.25 1.50 1.75	10.00 12.50 15.00	=
PINUS banksiana, 60'-70'		Jac	ck Pine
Most northern of all Pines and exposed locations.	very h		
3 to 4 ft., B. & B 4 to 5 ft., B. & B	5.50 7.25	45.00 62.50	_


P



Mugho Pines. These are seven years old, several times transplanted and raised ourselves from seed. A mighty fine lot of this desirable dwarf evergreen.

INUS—continued	Each	Per 10	Per 100
densiflora	Јара	nese Re	d Pine
Evergreen. Foliage dark green. A	good d	esirable	variety.
2 to 3 ft., B. & B	3.50	9	250.00
3 to 4 ft., B. & B	5.50		
excelsa		imalaya	
Silvery gray-green needles. Grawhite pine. A very handsome vari	ceful h ety.	abit sim	ilar to
12 to 18 in., B. & B	2.25	17.50	
18 to 24 in., B. & B	3.50	30.00	
	5.00	42.50	D'
flexilis, 30'-40'	:		er Pine
Evergreen. Dark bluish green fol	_		у.
18 to 24 in., B. & B	3.25 4.00	27.50	
montana mughus, 2½'-3'	4	Mugh	o Pine
Evergreen. Forms a round-topp rock planting and foundation wo		np. Uset	ul for
9 to 12 in., B. & B	2.50	22.50	
12 to 15 in., B. & B	3.50	30.00	
15 to 18 in., B. & B	4.50 6.00	37.50 55.00	325.00
nigra austriaca, 60'-70'		Austria	n Pine
Evergreen. Rich, dark green. Vi Good for background. Thrives at			grower.
18 to 24 in., B. & B	3.25	27.50	210.00
2 to 2½ ft., B. & B	4.00	32.50	300.00
2½ to 3 ft., B. & B	5.50 6.25	45.00 55.00	425.00
	_	n Yello	w Pine
Rugged picturesque outline when		n reno	, 11110
18 to 24 in., B. & B	2.25		
2 to 3 ft., B. & B	3.25		
3 to 4 ft., B. & B	4.50		

PINUS—continued	Each	Per 10	Per 100
resinosa, 60'-70'		R	ed Pine
Dark green stiff needles, vigorous			
18 to 24 in., B. & B	3.00	27.50	
2 to 3 ft., B. & B	4.00 5.50	37.50	
rigida, 40'-50'		Pit	ch Pine
Evergreen. Irregular, picturesque poor soil and seashore planting;			for dry,
5 to 6 ft., B. & B 6 to 8 ft., B. & B	5.50 7.25	45.00 62.50	
strobus, 80'-100'		Wh	ite Pine
Evergreen. Probably our most ada Very picturesque when old.	aptable	and use:	ful pine.
2 to 2½ ft., B. & B	3.50	30.00	
3 to 4 ft., B. & B	6.00 9.00	50.00 80.00	
5 to 6 ft., B. & B	13.00	120.00	
sylvestris, 25'-30'		Scot	ch Pine
Evergreen. A rapid-growing, has when young. Good for windbreak		tree, e	specially
18 to 24 in., B. & B	2.25	17.50	125.00
2 to 2½ ft., B. & B	2.75 3.50	22.50 30.00	175.00 250.00
3 to 4 ft., B. & B	5.00	45.00	
thunbergii	Japan	ese Bla	ck Pine
Evergreen. A large growing tree foliage and long needles; good f			
2 to 2½ ft., B. & B	3.50	30.00	
2½ to 3 ft., B. & B	4.50 5.50	37.50 50.00	_
umbraculifera (tanyosho)	Japan	ese Tal	ole Pine
Odd shape, short stocky stems wit light green. Handsome and usefu	h flatte: l dwarf	ned top.	Needles en.
9 to 12 in., B. & B	3.00 4.50	27.50 40.00	_
PLATANUS occidentalis	4.5-	4	
American Plane Tree or	Amer	ican Sy	rcamore
6 to 8 ft	2.25	18.50	—
8 to 10 ft	3.25	26.00	
10 to 12 ft., 1½ to 1¾ in	4.00 5.50	32.50 45.00	_
orientalis, 70'-80'			ne Tree
A good tree for park and street uly; withstands smoky city condit	ions.	ws rath	er quick-
See picture page	_		
			Per 1000
5 to 6 ft	13.00	85.00	600.00 850.00
8 to 10 ft	21.00	170.00	1300.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in 4.00	32.50	300.00	2100.00
10 to 12 ft., 1½ to 1¾ in 5.00 10 to 12 ft., 1¾ to 2 in 6.25	42.50 55.00	325.00 450.00	
12 to 14 ft., 2 to 2½ in 8.00	67.50		



Lon

	<u>.</u>		
Lombardy Poplars, the type grown at Princetor from the ground up	. Note h	ow evenly	branched
	Each	Per 10	Per 100
POPULUS bolleana, 50'-60'	В	olleana	Poplar
Leaves white underneath; similar Lombardy Poplar.	colum	nar chai	acter to
4 to 6 ft	1.25	10.00	85.00
6 to 8 ft	1.75	15.00	100.00
8 to 10 ft 8 to 10 ft., 1½ to ½ in	2.25	17.50	150.00 175.00
10 to 12 ft., 1½ to 1¾ in	3.50	22.50 27.50	1/3.00
monilifera, 75'-90'	C	Carolina	Poplar
A rapid grower; succeeds even in seashore.	n dry	places a	nd near
6 to 8 ft	-75	5.00	35.00
8 to 10 ft	1.00	7.50	50.00
8 to 10 ft., 1½ to 1½ in	1.25	8.50	70.00
10 to 11 ft., 1½ to 1¾ in	1.50		
nigra italica, 60′-80′	Lo	mbardy	Poplar
Tall spire-like character; valued f screens.	or land	dscape w	ork and
Each	Per 10	Per 100	Per 1000
6 to 8 ft	6.00	40.00	350.00
8 to 10 ft	8.50	60.00	400.00
10 to 12 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in 1.75	12.50	85.00	700.00
11 to 13 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2.25	17.50	125.00 185.00	1100.00
12 to 14 ft., 13/4 to 2 in 3.00 12 to 14 ft., 2 to 21/2 in 3.50	25.00 30.00	260.00	1500.00
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in 4.50	40.00		
simoni, 25'-30'			Poplar
Hardy small fastigate tree with g	good fo	liage.	
	Each	Per 10	Per 100
8 to 9 ft	1.75	15.00	125.00
9 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	22.50	_
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	30.00	
10 to 13 ft., 13/4 to 2 in	4.50	37.50	
11 to 14 ft., 2½ to 2½ in	5.50	45.00	

	Each	Per 10	Per 100
POTENTILLA fruticosa, 3'-4'	Shru	bby Cin	quefoil
Blooms profusely, yellow, June-S able and useful shrub.		er. Very	
12 to 18 in. 18 to 24 in. 2 to 2½ ft.	.55 .65 .90	4.00 5.00 7.00	35.00 40.00 50.00
PRUNUS glandulosa, 5'-6'		vering A	
Flowers double, May; very show White varieties.			
18 to 24 in	.60	5.00	40.00
2 to 2½ ft	·75 1.00	6.50 8.50	55.00 75.00
maritima, 9'-10'			ı Plum
Small white flowers, April. Fruit			plendid
subject for sandy soils or near se	.75	6.00	
2 to 3 ft	1.00	7.50	·
padus, 30'-40'	uropea	n Bird	Cherry
Decorative flowering tree; has lor white flowers, black fruit.			emes of
3 to 4 ft	1.00	7.50 10.00	
	1.25	10.00	
persica (See Amygdalus Persica)			t 101
—pissardi, 12'-15'		urplelea:	
Valued chiefly because of purpli pruned every year for best color		age; sno	oura be
2 to 3 ft		8.00	60.00
3 to 4 ft	1.25	10.00	
4 to 5 ft	1.50 1.75	12.50 15.00	
tomentosa, 6'-7'		anking	Cherry
Fruits are light red. Flowers white Very showy.			
2 to 3 ft	.75		_
3 to 4 ft	1.00	8.50	
triloba plena, 7'-8'	_	ible Flg	Plum
Double pink flowers, April-May. I			
18 to 24 in		6.00	
2 to 3 ft	1.00	8.00	_
3 to 4 ft	1.25	10.00	
subhirtella pendula, 12'-15'	-	Tanan	Cherry
A most beautiful and graceful t blossoms in early Spring.			
Grafted low and trained to stake.			
3 to 4 ft	5.25 6.25	45.00 55.00	
5 to 6 ft	7.00	62.50	_
6 to 7 ft	8.00		
Grafted high, on standards.	2 72	22.22	
3 to 4 ft. stems, 1 yr. heads 4 to 5 ft. stems, 1 yr. heads	3.50 4.50	30.00 37.50	
5 to 6 ft. stems, 1 yr. heads,	T-7-		
extra 5 to 6 ft. stems, 2 yr. heads,	5.50	45.00	
extra	6.50	55.00	

JAPANESE CHERRIES

We offer the following list of the choicest imported varieties. These are of upright habit and very desirable for landscape work. In addition to the list named we have lesser quantities of several other varieties as well as some larger sizes which we will be glad to quote on request.

	Each	Per 10	Per 100
2 to 3 ft	4.50	40.00	
3 to 4 ft	5.00	45.00	
4 to 5 ft	6.50		
5 to 6 ft	8.50		
niyo (hisakura), double pink			
nes H. Veitch (fugenzo), double	pink		

Ich Jan Amanogawa, semi-double soft pink Mikurana Gaeshi, double blush

Rosea Superba, double rose

Japonica Waterer

Nadens, double pink

Sargenti

Sekizan, double old rose

PSEUDOTSUGA douglasi, 70'-80	′	Dougl	as Fir
Evergreen. Very hardy; dark blu fers well drained situation.	iish-green	colorin	g. Pre-
2 to 2½ ft., B. & B	5.00 6.00	42.50 50.00	
3 to 4 ft., B. & B	7.25 8.50	62.50	=
PTELEA trifoliata, 10'-12'		Ho	p Tree
Has clusters of fruit that look as	nd smell	-	s.
4 to 6 ft	.70 1.10	6.00 8.50	_
PYRACANTHA coccinea lalandi	, 9'-12'		
	_	een Fir	
Evergreen. A beautiful broad-leav clusters of orange berries in the I the North.	ed everg Fall. Need	reen wit ls protec	h large tion in
3 year old plants	2.25	17.50	150.00
QUERCUS alba, 100'		Whit	e Oak
Best planted in Spring. The most in growth but makes magnificent	rugged o	ak of al	l, slow
4 to 6 ft	3.50	30.00	
6 to 8 ft	5.50 7.25	45.00	
coccinea, 75'-90'		Scarle	t Oak
Most striking Autumn colors; tal cut leaves.	l, stately	grower,	deeply
6 to 8 ft	3.50	30.00	_
8 to 10 ft	4.50 6.25		_
10 to 11 ft., 1½ to 1¾ in	8.00		
10 to 12 ft., $1\frac{3}{4}$ to 2 in 10 to 12 ft., 2 to $2\frac{1}{4}$ in	9.00 10.75		

QUERCUS—continued	Each	Per 10	Per 100
macrocarpa, 75'-80'		Mossyc	np Oak
Vigorous grower of picturesque corky branches.	appeara	nce owin	g to its
4 to 6 ft	2.75	25.00	
6 to 8 ft	3.50	30.00	
8 to 10 ft	5.00	40.00 50.00	
10 to 12 ft., 1½ to 1¾ in	5.75 6.75		
palustris, 75'-90'			in Oak
Takes most kindly to cultivation is very adaptable. Particularly good Autumn effects.			
5 to 6 ft	3.25	26.00	210.00
6 to 8 ft	3.50	30.00	260.00
8 to 10 ft	4.50	37.50 50.00	325.00
9 to 11 ft., 1½ to 1¾ in	5.75 6.75	60.00	
9 to 11 ft., 13/4 to 2 in	8.00	67.50	
11 to 12 ft., 2 to 2 ¹ / ₄ in	10.00	90.00	
phellos, 60'-80'			w Oak
Leaves long and entire, like t green color until late in Autum		ow; reta	in their
4 to 6 ft	2.75		
6 to 8 ft	3.50	Classi	
prinus		Chestn	ut Oak
8 to 10 ft	5.50 7.25		_
ruhra ar'-00'	75	D	ad Oal-
rubra, 75'-90'			ed Oak
rubra, 75'-90' Comparatively quick growth; 1 greens and reds.			
Comparatively quick growth; i			
Comparatively quick growth; rgreens and reds. 6 to 8 ft	rich Aut	umn colo	
Comparatively quick growth; r greens and reds. 6 to 8 ft	4.00 5.00 6.00	32.50	oring in
Comparatively quick growth; r greens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25	umn colo	
Comparatively quick growth; r greens and reds. 6 to 8 ft	4.00 5.00 6.00	32.50	oring in
Comparatively quick growth; r greens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00	32.50	oring in
Comparatively quick growth; regreens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00	32.50	oring in
Comparatively quick growth; regreens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA	32.50 32.50 ARIS) mon Bu	oring in
Comparatively quick growth; regreens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com	ARIS) mon Bulable back	ekthorn
Comparatively quick growth; regreens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu	32.50 32.50 ARIS) mon Bu	oring in
Comparatively quick growth; regreens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu	ARIS) mon Burable bac	ckthorn kground
Comparatively quick growth; regreens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu	ARIS) mon Bue able bac 6.50	ckthorn kground
Comparatively quick growth; r greens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu .60 .75 Gl	ARIS) mon Burable bac 6.50 ossy Burable 3.50	ckthorn kground
Comparatively quick growth; regreens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu .60 .75 Gl	ARIS) mon Burable bac 5.00 6.50 ossy Burable 3.50 4.00	ekthorn kground 40.00 ekthorn 25.00 35.00
Comparatively quick growth; r greens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu .60 .75 Gl	32.50 32.50	ckthorn kground 40.00 ckthorn 25.00
Comparatively quick growth; regreens and reds. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1¾ to 1¾ in. 9 to 11 ft., 1¾ to 2 in. 11 to 12 ft., 2 to 2¼ in. RETINOSPORA (See CHAMA RHAMNUS cathartica, 9′-10′ Dark green leaves, black berri shrub. 2 to 3 ft. 3 to 4 ft. frangula, 8′-9′ Berries red, changing to black. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. RHODODENDRON carolinianus.	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu .60 .75 Gl. .50 .60 .75 1.00	32.50 32.50 32.50 ARIS) mon Burable bac 5.00 6.50 ossy Buc 3.50 4.00 5.00 7.00	ckthorn kground 40.00 ckthorn 25.00 40.00
Comparatively quick growth; regreens and reds. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1¾ to 1¾ in. 9 to 11 ft., 1¾ to 2 in. 11 to 12 ft., 2 to 2¼ in. RETINOSPORA (See CHAMA RHAMNUS cathartica, 9′-10′ Dark green leaves, black berrishrub. 2 to 3 ft. 3 to 4 ft. frangula, 8′-9′ Berries red, changing to black. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. RHODODENDRON carolinianus	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu .60 .75 Gl. .50 .60 .75 1.00	32.50 32.50	ckthorn kground 40.00 ckthorn 25.00 40.00
Comparatively quick growth; regreens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu .60 .75 Gl .50 .60 .75 1.00 cm, 4'-6' Carolina	32.50 32.50	ckthorn 40.00 ckthorn 25.00 35.00 40.00 dendron
Comparatively quick growth; regreens and reds. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft., 1½ to 1½ in. 9 to 11 ft., 1½ to 1¾ to 1¾ in. 9 to 11 ft., 1¾ to 2 in. 11 to 12 ft., 2 to 2¼ in. RETINOSPORA (See CHAMA RHAMNUS cathartica, 9′-10′ Dark green leaves, black berrishrub. 2 to 3 ft. 3 to 4 ft. frangula, 8′-9′ Berries red, changing to black. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. RHODODENDRON carolinianum. Nursery Grown. Bright pink flowers. May-June.	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu .60 .75 60 .75 1.00 cm, 4'-6' Carolina Best in 6	32.50 32.50	ckthorn kground 40.00 ckthorn 25.00 35.00 40.00 clendron ces.
Comparatively quick growth; regreens and reds. 6 to 8 ft	4.00 5.00 6.00 7.25 8.50 10.00 ECYPA Com es. Valu .60 .75 Gl .50 .60 .75 1.00 tm, 4'-6' Carolina Best in (4.50	32.50 32.50	ckthorn 40.00 ckthorn 25.00 35.00 40.00 dendron

RHODODENDRON—continued	l Each	Per 10	Per 100
	Catawba		
Nursery Grown.			
Large rosy purple flowers. May Prefers half-shade.	-June. De	ep green	leaves.
15 to 18 in., B. & B. 18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B.	4.50 5.25 6.00 7.25	37.50 45.00 50.00	325.00 425.00 ——
maximum, 8'-12'	Rosebay	Rhodod	lendron
Nursery Grown.			
Evergreen. Beautiful light pink in May-June. Large, handsome masses.	flowers foliage, 1	freely p most effe	roduced ective in
18 to 24 in., B. & B. 2 to 2½ ft., B. & B. 2½ to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	4.00 5.00 6.25 7.25 9.00	32.50 45.00 55.00 62.50	300.00 400.00 500.00
Grown in Nursery One Year.			
18 to 24 in., B. & B. 2 to 3 ft., B. & B. 3 to 4 ft., B. & B. 4 to 5 ft., B. & B.	2.50 3.75 5.00 6.50	22.50 35.00 45.00 55.00	175.00 300.00 400.00 500.00
mucronulatum, 6'	Korean	Rhodod	lendron
Violet pink flowers very early. leaves in Fall.	Handson	ne scarle	t tinted
12 to 15 in., B. & B	6.00 7.50 10.00	=	\equiv
HYBRID RHODODENDRON	S. 3'-8'		
Album elegans. Blush pink to		all.	
Candidissima. White. Caractacus. A good bright red. Catawbiense album. White. Charles Bagley. Deep scarlet. Everestianum. Rosy lilac, yello throat. F. L. Ames (Amphion). Pink w center. General Grant. Red. Ignatius Sargent. President Lincoln. Red. Roseum elegans. Pink. Roseum superbum. Deep pink.	white \\ \begin{pmatrix} 1 \\ 1 \\ 2 \end{pmatrix}	NAM HYB 5 to 18 in ½ to 2 ft 2 to 2½ ft	RIDS 6.50 8.00
RHODOTYPOS kerrioides, 4'-5			Kerria
Fresh green foliage, pure white	flowers,	May-Jui	ne. Shin-

Fresh green foliage, pure white flowers, May-June. Shining black bead-like berries all Winter. Also called Jetbead.

12 to 18 in	.55	4.00	25.00
18 to 24 in	.70	5.00	35.00
2 to 3 ft	.80	6.00	40.00
2 to 4 ft	.00	7.00	

ROSA—continued	Each	Per 10	Per 100
setigera, 5'-6'		Prairie	Rose
Deep rose flower, June-July. Vigor	rous gr	ower.	
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.7 <i>5</i> 1.00		
spinosissima, 3'-4'		Scotcl	ı Rose
A dainty grower, but compact; soft thorns; attractive small folia			
15 to 18 in	.75	6.50	60.00
	1.00	8.50	
2 to 3 ft	1.35		
moyesi, 6'	C . 1		s Rose
Large blood red flowers, beautiful a fine bushy specimen.			ps into
2 year	1.25		
wichuraiana, white	_	Aemoria	l Rose
18 to 24 in	.60 ·75	5.00 6.50	
2 to 3 tt	•13	0.50	
. CLIMBING ROSES or R	RAMBI	LERS	
90c. each 7.50 ten	50.0	o hundr	ed
Albertine. Semi-double, pale pink.			
Aviateur Bleriot. Yellow.			
American Beauty Climbing. Red.			
Christine Wright. Clear pink.			
Emily Gray. Yellow.			
Silver Moon. Yellowish white.			
8oc. each 6.oo ten	40.0	o hundr	ed
American Pillar. Single deep pink,			
Dorothy Perkins. Pink.			
Dr. Van Fleet. Shell pink.			
Excelsa. Red.			
Gardenia. Yellow.			
Hiawatha. Single Red.			
Yellow Rambler. Yellow.			
DIIDIIC - 1- materia	P1	D.	. 1
		ing Ras	
18 to 24 in	.55	4.00	35.00
18 to 24 in	·55 .65	4.00 5.00	35.00
18 to 24 in	.55 .65 INKG	4.00 5.00 O)	35.00 40.00
18 to 24 in	.55 .65 INKG Ion W	4.00 5.00 O)	35.00 40.00 Willow
18 to 24 in. 2 to 3 ft. SALISBURIA adiantifolia (See Gl SALIX babylonica, 50'-60' Baby Particularly appropriate for water long pendulous branches. 6 to 8 ft.	.55 .65 INKGO lon W rside p	4.00 5.00 D) eeping V lanting v	35.00 40.00 Willow
18 to 24 in. 2 to 3 ft. SALISBURIA adiantifolia (See Gl SALIX babylonica, 50'-60' Baby Particularly appropriate for water long pendulous branches. 6 to 8 ft. 8 to 10 ft.	.55 .65 INKGO lon W rside p	4.00 5.00 D) eeping V lanting v	35.00 40.00 Willow
18 to 24 in. 2 to 3 ft. SALISBURIA adiantifolia (See Gi SALIX babylonica, 50'-60' Baby Particularly appropriate for water long pendulous branches. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft.	.55 .65 INKGO lon W rside p 2.00 2.75 3.50	4.00 5.00 D) eeping V lanting v	35.00 40.00 Willow
18 to 24 in. 2 to 3 ft. SALISBURIA adiantifolia (See GI SALIX babylonica, 50'-60' Baby Particularly appropriate for wate long pendulous branches. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 10 to 12 ft., 2 to 2½ in.	.55 .65 INKGO lon W rside p 2.00 2.75 3.50 4.50	4.00 5.00 O) eeping Valanting V 17.50 22.50 30.00	35.00 40.00 Willow with its
18 to 24 in. 2 to 3 ft. SALISBURIA adiantifolia (See GI SALIX babylonica, 50'-60' Baby Particularly appropriate for watelong pendulous branches. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 10 to 12 ft., 2 to 2½ in. blanda (dolorosa), 40'-50' Wiscon	.55 .65 INKGO lon W rside p 2.00 2.75 3.50 4.50	4.00 5.00 O) eeping Valanting V 17.50 22.50 30.00	35.00 40.00 Willow with its
18 to 24 in. 2 to 3 ft. SALISBURIA adiantifolia (See GI SALIX babylonica, 50'-60' Baby Particularly appropriate for wate long pendulous branches. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 10 to 12 ft., 2 to 2½ in.	.55 .65 INKGO lon W rside p 2.00 2.75 3.50 4.50	4.00 5.00 O) eeping Valanting V 17.50 22.50 30.00	35.00 40.00 Willow with its
18 to 24 in. 2 to 3 ft. SALISBURIA adiantifolia (See GI SALIX babylonica, 50'-60' Baby Particularly appropriate for watelong pendulous branches. 6 to 8 ft. 8 to 10 ft. 10 to 12 ft. 10 to 12 ft., 2 to 2½ in. blanda (dolorosa), 40'-50' Wiscon Very hardy.	.55 .65 INKGO lon W rside p 2.00 2.75 3.50 4.50	4.00 5.00 D) eeping Valanting V 17.50 22.50 30.00 eeping V	35.00 40.00 Willow with its



Viburnum plicatum. Always a favorite, thes plants, every one bushy and well	e Japanese formed. See	Snowball page 69	s are real
SALIX—continued	Each	Per 10	Per 100
caprea (bush form), 15'-20'		Pussy	Willow
Very desirable for Spring effects well as wet places.	. Will do	well or	n dry as
2 to 3 ft	.55	4.00	35.00
3 to 4 ft	.65 .70	5.00 6.00	40.00
elegantissima, 60'-70' Thu	•		Willow
Vigorous upright grower; best f			
6 to 8 ft	2.00	15.00	
8 to 10 ft	2.50	20.00	
10 to 12 ft	3.25	27.50	
10 to 12 ft., 2 to 2½ in	4.00	32.50	
pentandra, 20'-30'		Laurel	
Shining rich dark green leaves a background; valuable for seasho	re planti	ng.	
3 to 4 ft	.75	6.00 8.00	40.00 60.00
4 to 6 ft	1.25		85.00
vitellina aurea, 25'-30' R	ussian C		_
4 to 6 ft			
—britzensis, 20'-25'			
Particularly good when used with			
4 to 6 ft	_	7.50	-
•	eping G		-
Weeping habit, similar to ball branches.			
8 to 10 ft	2.75	21.00	
10 to 12 ft	3.50		
SAMBUCUS canadensis, 8'-9'	An	nerican	Elder
Useful for swampy places; fragi	rant flow	ers, Jun	e-July.
2 to 3 ft	.50	4.00	25.00
3 to 4 ft	.60	5.00 6.00	35.00 40.00
4 to 5 ft	.75	0.00	40.00

SAMBUCU3—continued	Each	Per 10	Per 100
-acutiloba, 8'-9'	Cutleaf F	American	Elder
Leaves intricately cut.			
2 to 3 ft	6:	1.00	25.00
3 to 4 ft	03	4.00 5.00	10.00
4 to 5 ft	70 80	6.00	50.00
	Golden .		
		American	Lider
Has conspicuous yellow foliag			
2 to 3 ft			35.00
3 to 4 ft	75	5.00	
pubens, 7'-8'		Scarlet	Elder
Flowers in April-May. Bright	red fruit	s ripen in	n June.
Very attractive.			
2 to 3 ft	55	4.00	
3 to 4 ft		6.00	
4 to 5 ft	90	7.00	
racemosa, 8'-10'	Euro	pean Red	l Elder
2 to 3 ft	55		
SASSAFRAS variifolium, 40'-5		ımon Sa	ssafras
Handsome light green foliag			
transplants best in Spring.	c, striking	Autumm	colol;
4 to 5 ft., nursery grown	. 2.00		
5 to 6 ft., nursery grown	. 3.00		
6 to 8 ft., nursery grown	. 4.00		
SOPHORA japonica, 30'-40'	Chin	ese Scho	lartree
White flowers in late Summer			
Winter. Also called Pagoda Tr	ee.	6	
2 to 3 ft	. 1.75		
3 to 4 ft	. 2.75		
SORBARIA aitchisoni, 4'-5'	Kashmi	r False S	Spiraea
Graceful, compound foliage; f	Howers crea	amy white	e, July-
September.			
18 to 24 in	55	4.00	35.00
2 to 3 ft		5.00	40.00
3 to 4 ft		7.00	
4 to 5 ft	. 1.10		
sorbifolia, 4'-5'	Ura	1 False S	Spiraea
Fluffy heads of white flowers	, June-Aug	ust.	
18 to 24 in			
2 to 3 ft		5.00	
3 to 4 ft		6.00	
4 to 5 ft			
SORBUS americana, 25'-30'		Mountai	in Ash
A valuable tree with orange so	arlet berri	es.	
3 to 4 ft	. 1.35	11.00	
4 to 5 ft	. 1.65	12.00	
aucuparia, 25'-30'	European	Mounta	in Ash
A valuable tree on a small la			
quite striking.			
4 to 5 ft		6.00	40.00
5 to 6 ft		10.00	75.00
6 to 8 ft		15.00	100.00
8 to 10 ft	-	17.50	150.00
10 to 12 ft	. 3.25	27.50	225.00
—pendula			
5 to 6 ft. stems, 2 yr	. 4.00	35.00	

	Each	Per 10	Per 100
SPIRAEA arguta, 5'-6'	G	arland S	Spiraea
Small light green leaves; very fre lar to, but more vigorous than thu	e flowe inbergi.	ring, Ma	y, Simi-
12 to 18 in	.50 .60	3.50 4.00	25.00
billiardi, 5'-6'	В	illiard S	Spiraea
Bright pink fluffy flower spikes, for dry places.			
18 to 24 in	.40	2.50	20.00
2 to 3 ft	.50	3.50	30.00
3 to 4 ft	.60	4.00	35.00
bumalda, 3'			Spiraea
Light pink flower, July-September. shrub.	A good	dwarf '	'facing"
15 to 18 in	.45	3.50	25.00
18 to 24 in	·55	4.00 6.00	35.00 40.00
2½ to 3 ft	.7 <i>5</i> .90	7.50	60.00
3 to 3½ ft	1.10	8.50	
-anthony waterer, 3'	W	aterer S	Spiraea
Deeper rose pink than preceding;			_
Summer.	, crj 11		6
	Per 10	Per 100 I	Per 1000
12 to 18 in	2.50	20.00	140.00
15 to 18 in	3.50	25.00	170.00
18 to 24 in	4.00	35.00	250.00
2 to $2\frac{1}{2}$ ft	7.00 8.50	40.00 60.00	350.00
	_	ortune S	Columns.
fortunei (callosa rosea), 4' Pink flowering; more vigorous form			•
Pink nowering; more vigorous for	Each		
12 to 18 in	·35	Per 10 2.50	20.00
18 to 24 in	.50	3.50	25.00
2 to 3 ft	.6 ₅	4.00	35.00
3 to 4 ft	.70	6.00	
-froebeli, 4'	F	roebel S	Spiraea
Smaller, but more vigorous than p	recedin	g.	
18 to 24 in	.50	3.50	25.00
2 to 3 ft	.65	4.00	35.00
3 to 4 ft	.80	6.00	40.00
henryi, 6'-8']	Henry S	Spiraea
A rather new variety, not widely k	nown.		
18 to 24 in	.55	4.00	
2 to 3 ft	.65	5.00	
3 to 4 ft	.70	6.00	50.00
japonica (callosa alba), 3' White, June-July. Purplish-green f		oanese S when yo	-
12 to 15 in	.40	3.00	25.00
15 to 18 in	.50	4.00	30.00
18 to 24 in	.60	5.00	40.00
latifolia (salicifolia)	Ме	eadow S	Spiraea
White flowers.			
18 to 24 in	.40	3.00	
2 to 3 ft	.50	4.00	25.00
3 to 4 ft	.60	4.50	35.00

SPIRAEA—continued	Each	Per 10	Per 100
nipponica rotundifolia, 8'-9'	Big N	Vippon	Spiraca
White, June. Good dark green lea Fall.			
2 to 3 ft	.65 .75	=	_
opulifolia (See PHYSOCARPUS prunifolia, 7'-8'	opulif		lwreath
White, May. Free-flowering; handso foliage, turning orange in Autumn.		rk green	shining
2 to 3 ft	.50	4.00	25.00
3 to 4 ft	.60 .75	5.00 6.00	35.00 40.00
reevesiana, 7'-8'	I	Reeves	Spiraea
Pure white, May-June. Graceful, leaves until late.	arching	, habit;	retains
18 to 24 in	.45	3.50	25.00
2 to 3 ft	.60 .70	4.00 5.00	35.00 40.00
	•	-	
			Spiraea
Double pure white. May-June. Relate.			
2 to 3 ft	.70 .90	5.00 7.00	40.00
sorbifolia (See SORBARIA sorbi	-	7.00	00.00
thunbergi, 4'-5'		inberg	Spiraea
Slender, arching branches clothed	with r	oure-wh	ite flow-
ers, April-May. Small, feathery, lig			
able for seaside planting.			
			Per 1000
18 to 24 in	4.50 6.00	35.00 40.00	250.00 350.00
2½ to 3 ft	7.00	60.00	400.00
3 to 4 ft 1.10	8.50		600.00
tomentosa, 3'-4'		H:	ardhack
Woolly, rose-pink flowers, July-Sep ish underside. Good in masses for		. Leaves	
	Each	Per 10	Per 100
12 to 18 in	-45	2.50	20.00
18 to 24 in	٠55	3.50	25.00
2 to 3 ft	.65	4.00	
vanhouttei, 8'-9'			Spiraea
White, May-June. Graceful habit. I ing and very adaptable.	Extrem	ely free	Hower-
18 to 24 in	.45	3.50	25.00
2 to 3 ft	.65 .80	4.00 5.00	30.00
wilsoni, 6'-8'			Spiraea
Flowers pure white, June. Arching	brancl	hes.	оричен
3 to 4 ft	.90	7.50 9.50	
4 to 5 ft	1.10		ddernut
Flowers white, May-June. Fragrant			
18 to 24 in	1.10	8.50	
2 to 3 ft	1.25	10.00	
3 to 4 ft		10.00	

and the state of t	Each	Per 10	Per 100
STEPHANANDRA flexuosa, 5'-6'			
	Cutleaf	Stephar	iandra
Graceful, compact habit; handsom	ne folia	ge,	
18 to 24 in	.65	4.00	35.00
2 to 3 ft	.80	6.00	40.00
3 to 4 ft	1.00	7.50	60.00
STRANVAESIA davidiana, 4'-6'			
Evergreen. These are handsome leaves and small white flowers. Sc	shrubs arlet fr	with 1	ustrous
2 year grafts	1.50	12.50	100.00
STYRAX japonica, 12'-15'	Japa	inese Sn	owbell
White, bell-shaped, pendant flower handsome specimen.	ers, Jun	e-July. N	1akes a
18 to 24 in	.50	4.00	35.00
2 to 3 ft	.75	6.00	50.00
3 to 4 ft	1.00	8.50	70.00
4 to 5 ft	1.25 1.50	10.00 12.50	85.00
6 to 8 ft	1.75	15.00	
obassia, 20'-25'		_	overball
		grant Sn	
An unusual small tree with attra branches covered with quickly dis mentosum.			
2 to 3 ft	2.50	20.00	
SYMPHORICARPOS chenaulti			
This is a very beautiful hybrid or	iginatir	ng at the	Arnold
Arboretum.			
18 to 24 in	.75	5.00	
2 to 3 ft	1.00	7.50	-
racemosus, 5'-6'		" Sno	wberry
Conspicuous, white berries, attract able, but best in half shady moist			t adapt
18 to 24 in	.50	4.00	25.00
2 to 3 ft	.65	5.00	35.00
3 to 4 ft	.75	6.00	45.00
vulgaris, 4'-5'		Cor	alberry
Coral red berries persisting thr for shade, and bank planting.	oughou		
18 to 24 in			
10 to 24 iiii	4.5	2 00	20.01
2 to 3 ft	.45 .60	3.00 4.00	
2 to 3 ft	.45 .60 .70	3.00 4.00 5.00	25.00
	.60 .70	4.00 5.00	25.00 35.00
3 to 4 ft	.60 .70 usis), 8	4.00 5.00 '-9' Chines	25.00 35.00 e Lilao
3 to 4 ft	.60 .70 usis), 8' Violet	4.00 5.00 '-9' Chines flowers	25.00 35.00 e Lilao n May
3 to 4 ft	.60 .70 usis), 86 Violet	4.00 5.00 7-9' Chines flowers i	25.00 35.00 e Lilao n May
3 to 4 ft	.60 .70 usis), 8' Violet .65 .80	4.00 5.00 7-9' Chines flowers i	25.00 35.00 e Lilao n May 40.00 55.00
3 to 4 ft	.60 .70 usis), 86 Violet .65 .80	4.00 5.00 7-9' Chines flowers i	25.00 35.00 e Lilao n May 40.00 55.00
3 to 4 ft. SYRINGA chinensis (rothomagen Slender branches, graceful habit. Free flowering. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 ft. —saugeana, 8'-9'	.60 .70 usis), 86 Violet .65 .80 1.00 1.25	4.00 5.00 7-9' Chines flowers i	25.00 35.00 e Lilao n May 40.00 55.00 70.00
3 to 4 ft. SYRINGA chinensis (rothomagen Slender branches, graceful habit. Free flowering. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 ft.	.60 .70 usis), 86 Violet .65 .80 1.00 1.25	4.00 5.00 7-9' Chines flowers i 5.00 6.50 8.50	25.00 35.00 e Lilao n May 40.00 55.00 70.00
3 to 4 ft. SYRINGA chinensis (rothomagen Slender branches, graceful habit. Free flowering. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 ft. —saugeana, 8'-9'	.60 .70 usis), 86 Violet .65 .80 1.00 1.25	4.00 5.00 7-9' Chines flowers in 5.00 6.50 8.50 Chinese	25.00 35.00 e Lilao n May 40.00 55.00
3 to 4 ft. SYRINGA chinensis (rothomagen Slender branches, graceful habit. Free flowering. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 ft. —saugeana, 8'-9' Deep purple flowers.	.60 .70 usis), 8' Violet .65 .80 1.00 1.25	4.00 5.00 7-9' Chines flowers i 5.00 6.50 8.50	40.00 55.00 70.00
3 to 4 ft. SYRINGA chinensis (rothomagen Slender branches, graceful habit. Free flowering. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 ft. —saugeana, 8'-9' Deep purple flowers. 18 to 24 in.	.60 .70 usis), 8' Violet .65 .80 1.00 1.25 Purple	4.00 5.00 f-9' Chines flowers if 5.00 6.50 8.50 Chinese	25.00 35.00 e Lilao n May. 40.00 55.00 70.00

SYRINGA—continued	Each	Per 10	Per 100
japonica, 18'-20'	Japan	ese Tre	e Lilac
Loose bunches creamy white flo some foliage; grows into well-sh	owers, Ju naped spe	ne-July. cimen.	Hand-
18 to 24 in	-55	4.00	35.00
2 to 3 ft	-75	6.00	50.00
3 to 4 ft	1.00	7.50	70.00
4 to 5 ft	1.25	10.00	
	1.50		T '1
josikaea, 9'-10' Violet flowers. June. Good shinir	ng dark g		
18 to 24 in	-	5.00	40.00
2 to 3 ft	.75		
3 to 4 ft	1.00	7.00	60.00
4 to 5 ft	1.25	9.00	
persica, g'-10'	Persiai	n Purple	e Lilac
Blooms freely, lilac, May-June.			
18 to 24 in		5.00	
2 to 3 ft	.85	7.00	
persica alba, g'-10'	Persia	n Whit	e Lilac
2 to 3 ft	1.20	10.00	
villosa, 7'-8'		Lat	e Lilac
Pale pinkish-lilac, June. Fragran	t; bushy,	compac	t habit.
18 to 24 in	.65	5.00 6.00	40.00
2 to 3 ft	.75	6.00	50.00
3 to 4 ft	1.00	7.50	60.00
vulgaris, 12'-15' Blooms in early May.	Commo	n Purpl	e Lilac
18 to 24 in	4.7	3.50	25.00
2 to 3 ft	.45 .65	5.00	35.00
3 to 4 ft	.80	6.50	50.00
4 to 5 ft	1.10	8.50	
—alba, 12'-15'	Commo	n White	e Lilac
18 to 24 in	.75	6.00	50.00
2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.25	10.00	75.00
FRENCH LILACS_NAMI	ED VA	RIETIE	2.5

FRENCH LILACS—NAMED VARIETIES

These are all grown from cuttings and are on their own roots, which is the best way Lilacs can be grown, as they will not sucker. It is the most expensive way to grow them, but our prices compare favorably with the cheap, grafted stock. These named Lilacs generally grow from 6 to 12 ft. in height, depending on the variety and locality.

		Per 10	Per 100
18 to 24 in	.90	7.00	50.00
2 to 3 ft	1.10	9.00	70.00
3 to 4 ft	1.50	12.50	100.00

Alphonse Lavalle, double light purple. Charles Joly, semi-double, red mauve. Charles The Tenth, reddish purple single. Ludwig Spaeth, single reddish purple. Marie Le Graye, single white.

Michel Buchner, double lilac.

Mme. Casimir Perrier, double white.

Mme. Lemoine, double white.

President Grevy, double blue.

Rubra de Marly, single light blue.

Wm. Robinson, double violet pink.

	Each	Per 10	Per 100
TAMARIX africana, 12'-14'	Af	rican T	amarix
Pink, April-May. Has feathery gra Very effective near water; thrives	y-green at seash	foliage. ore.	
18 to 24 in	·3 <i>5</i>	2.50	20.00
2 to 3 ft	.50	3.50	25.00
3 to 4 ft	.60	4.00	35.00
gallica, 8'-9' Light pink, May-June, blue-green		ench T	amarix
18 to 24 in	·3 <i>5</i>	2.50	
2 to 3 ft	.50	3.50	
3 to 4 ft	.60	4.00	
	Commo		• • .
Symmetrical pyramid, thick tru spongy bark. Best in swampy place	es.		brown
3 to 4 ft., B. & B	3.25	17.50 26.00	
		20.03	
TAXUS baccata adpressa erecta,		En alia	1. V
Evergreen. Compact, upright ha	hortleaf		
leaves crowded on branches.	ibit. Sti	n, dark	green
12 to 15 in., B. & B	2.25	18.50	
15 to 18 in., B. & B	2.25 3.25		
—compacta, 3'-4'	0 0		
Slow growth and of neat compact leaves.	habit. S	hort dee	p green
12 to 15 in., B. & B	2.25		
15 to 18 in., B. & B	3.25		
-repandens, 18"-24" Sp	reading	Englis	sh Yew
Evergreen. Spreading, horizontal			
green leaves Valuable for low pla	anting		
12 to 15 in., B. & B	3.25	27.50	225.00 325.00
15 to 18 in., B. & B	4.00	35.00	325.00
18 to 24 in., B. & B	6.00		
canadensis, 2'-2 ¹ / ₂ '			la Yew
Evergreen. Spreading habit. Bronshade; good for underplanting.			Prefers
12 to 15 in., B. & B		27.50	
		37.50	3.7
cuspidata, 4'-5' Spro Evergreen. Rich, deep green lea habit. Valuable in foundation pi hardy.		reading,	bushy
12 to 15 ft., B. & B	3.25	27.50	225.00
15 to 18 in., B. & B	4.50	37.50	325.00
18 to 24 in., B. & B	6.25	55.00	500.00
2 to 2½ ft., B. & B	8.50	75.00	
		r	3.7
	pright .		e rew
Evergreen. The upright type of Ta			
15 to 18 in., B. & B	4.00 5.50	35.00 50.00	
18 to 24 in., B. & B	8.00	75.00	
· · · · · · · · · · · · · · · · · · ·	Dwarf ,		e Vew
Evergreen. Broad, thick leaves, bla			
ing and irregular, spreading habit			
12 to 15 in., B. & B	4.50	37.50	325.00
15 to 18 in., B. & B	5.75	50.00	
18 in., B. & B	8.00		

PRINCETON NORS	EKIES		03
	Each	Per 10	Per 100
THUJA lobbi atrovirens			
Rich shining, deep green, fleshy l	leaves.		
2 to 2½ ft., B. & B		35.00	
$2\frac{1}{2}$ to 3 ft., B. & B	5.00		—
occidentalis, 15'-30'		ean Arb	
Evergreen. Slender pyramid wi Winter coloring. Good accent pla			
18 to 24 in., B. & B	1.50	12.50	85.00
2 to 2½ ft., B. & B	2.00	17.50	125.00
2½ to 3 ft., B. & B	3.00 4.50	26.00 37.50	225.00 300.00
4 to 5 ft B. & B	6.00	55.00	500.00
5 to 6 ft., B. & B	8.50	75.00	_
—compacta, 2 ¹ / ₂ '-4'	Parso	ons Arb	orvitae
Evergreen. Almost globe-shaped. formal or foundation planting.	Bright g	green. Us	seful in
9 to 12 in., B. & B	1.75	12.50	85.00
12 to 15 in., B. & B	2.00	17.50	125.00
18 to 24 in., B. & B	2.50 3.00	22.50 27.50	175.00
2 to 2½ ft., B. & B.	4.00		
, ,		len Arb	
A broad pyramid with golden great 18 to 24 in., B. & B			
2 to 2½ ft., B. & B	2.75 3.50	22.50 30.00	175.00 250.00
2½ to 3 ft., B. & B.	5.00	45.00	
—elegantissima, 10'-15' Go	ldentip	ped Arb	orvitae
Evergreen. Branches tipped with green.	yellow	. Rich, l	lustrous
18 to 24 in., B. & B	3.00	27.50	225.00
2 to 2½ ft., B. & B	4.00	32.50	300.00
2½ to 3 ft., B. & B	5.00	45.00	
3 to 4 ft., B. & B	6.00		
		mb Arb	
Evergreen. Has heather-like lea close texture. Forms low, broad purple Winter coloring.			
12 to 15 in., B. & B	1.25	10.00	85.00
15 to 18 in., B. & B	1.50		125.00
18 to 24 in., B. & B	2.25		175.00
2 to 2½ ft., B. & B	2.75	25.00	
—globosa, 2½'-3'		obe Arb	
Evergreen. Useful in formal shaped.	work. N	aturally	globe-
10 to 12 in., B. & B	1.50		85.00
12 to 15 in., B. & B	2.00	17.50	125.00
15 to 18 in., B. & B	2.75	21.00	175.00
10 со 24 пп., в. се в	2 2 5	20.00	210.00
	3.25	26.00	210.00
—hoveyi, 3'-4'	Но	vey Arb	orvitae
Evergreen. Oval in shape, nea Bright green foliage.	Но	vey Arb	orvitae
Evergreen. Oval in shape, nea Bright green foliage. 12 to 15 in., B. & B	Honarly as	vey Arb broad a	oorvitae is high.
Evergreen. Oval in shape, nea Bright green foliage. 12 to 15 in., B. & B.	Horarly as	vey Arb broad a 15.00 18.50	oorvitae as high. 110.00 150.00
Evergreen. Oval in shape, nea Bright green foliage. 12 to 15 in., B. & B	Honarly as	vey Arb broad a	oorvitae is high.



Thuja pyramidalis. Another lot showing produce perfect plants. The best Pyramidal	how right Arborvita	methods of	f culture ever had.
THUJA—continued	Each	Per 10	Per 100
—lutea, 10'-15'	eo. Peat	ody Arb	orvitae
Evergreen. Conspicuous golden outline.		-	
15 to 18 in., B. & B	2.50	21.00	175.00
18 to 24 in., B. & B	3.00	26.00	225.00
2 to 2½ ft., B. & B	3.50	30.00	275.00
2½ to 3 ft., B. & B 3 to 4 ft., B. & B	5.00 6.00	45.00	_
plicata, 10'-20'	N	Ioss Arb	orvitae
Evergreen. Rich, deep blue-gr branchlets give pleasing effect in pyramid.	een fol	iage. Sho	rt, stiff
18 to 24 in., B. & B	2.50	21.00	175.00
2 to 2½ ft., B. & B	3.00	26.00	210.00
2½ to 3 ft., B. & B	3.50	30.00	260.00
3 to 4 ft., B. & B	5.00 7.50	45.00	400.00
—pyramidalis, 15'-30'	-	idal Arb	
Evergreen. Retains bright green ter. Narrow columnar shape; formal planting.			
18 to 24 in., B. & B	2.50	21.00	175.00
2 to 2½ ft., B. & B	3.00	26.00	210.00
2½ to 3 ft., B. & B	3.50	30.00	260.00
4 to 5 ft., B. & B	5.00 7.50	45.00 70.00	375.00 600.00
5 to 6 ft., B. & B.	10.00	95.00	
-rosenthali, 6'-10'		thal Arb	
Evergreen. Dense, rugged, colur			_
15 to 18 in., B. & B	3.00	25.00	225.00
18 to 24 in., B. & B	3.50	30.00	250.00
2 to 2/2 Iti, D. C. D	4.50		

Evergreen. Dense, ruggea, corum	nai tom	1. 510W	grower.
15 to 18 in., B. & B	3.00	25.00	225.00
18 to 24 in., B. & B	3.50	30.00	250.00
2 to 2½ ft., B. & B	4.50		
2½ to 3 ft., B. & B	5.50		

THUJA—continued	Each	Per 10	Per 100
—umbraculifera, 2'-3'	Umbre	ella Arbo	orvitae
Particularly good—low mushroo	m shape	form wi	th rich
green foliage. Very hardy.			
12 to 15 in., B. & B	2.50	21.00	175.00
15 to 18 in., B. & B	3.00	26.00	210.00
18 to 24 in., B. & B	4.00	32.50	
-vervaeneana, 8'-12'		ene Arb	orvitae
Evergreen. Variegated with gr bronzy in Winter. Broadly pyrar		yellow :	foliage,
18 to 24 in., B. & B	2.75	22.50	175.00
2 to 2½ ft., B. & B	3.50	30.00	250.00
$2\frac{1}{2}$ to 3 ft., B. & B	4.50 6.00	40.00 55.00	
3½ to 4 ft., B. & B	8.00	72.50	
—wareana, 12'-15'		ian Arb	orvitae
Evergreen. Light green, fleshy midal, rugged in appearance.		Broadly	
12 to 15 in., B. & B	1.75	12.50	85.00
18 to 24 in., B. & B	2.00	17.50 21.00	125.00 175.00
2 to 2½ ft., B. & B	3.50	30.00	250.00
2½ to 3 ft., B. & B	4.50	37.50	350.00
3 to 3½ ft., B. & B	6.25		
standishi, 15'-20' Evergreen.	Stand	lish Arb	orvitae
2 to 2½ ft., B. & B	4.50	40.00	
2½ to 3 ft., B. & B	5.50	50.00	
3 to $3\frac{1}{2}$ ft., B. & B	6.50	60.00	
orientalis (biota), 20'-25'	Oriei	ıtal Arb	orvitae
Evergreen. Rather stiff, column			t green
foliage, bronze in Winter; a go	od accen	t plant.	
18 to 24 in., B. & B	2.00	17.50	125.00
2 to 2½ ft., B. & B	3.00 4.00	25.00 32.50	200.00
3 to 4 ft., B. & B	5.00	45.00	400.00
4 to 5 ft., B. & B	7.00	62.50	
-aurea conspicua (biota), 7'-8'	Gold S	pire Arb	orvitae
Golden yellow in Spring, bronz tinctive.			
18 to 24 in., B. & B	3.50	30.00	250.00
2 to 2½ ft., B. & B	5.00	45.00	375.00
-aurea nana (biota), 2 ¹ / ₂ '-3'			
Berckm	ans Gol	den Arb	orvitae
A gem for dwarf planting; co warm golden yellow foliage. Es			
work and edging.	. ,		
9 to 12 in., B. & B	2.00	17.50	125.00
12 to 15 in., B. & B	3.00	27.50	225.00
15 to 18 in., B. & B	4.00	35.00	300.00
	5.00	45.00	•.
-compacta (biota), 3'-4'		bold Arb	
Forms a compact oval-shaped s fresh green color.		Good p	ersistent
12 to 15 in., B. & B	2.50	22.50	
15 to 18 in., B. & B	3.50	30.00	
21 to 24 in., B. & B	4.00 4.50	32.50 37. <u>5</u> 0	
21 со 24 пп., в. сс в	4.50	37.30	



Budded Elms at Princeton. Part of a three-yea have also a beautiful lot of vase shape to			
THUJA (biota)—continued	Each	Per 10	Per 100
-elegantissima (biota), 7'-8' Yello	w Colu	ımn Arl	orvitae
Assumes a rich, deep golden bronz	e color	in Wint	er. Com-
pact, columnar.			
15 to 18 in., B. & B	2.25	18.50	175.00
18 to 24 in., B. & B	3.50	30.00	250.00
2 to 2½ ft., B. & B	4.50	40.00	375.00
2½ to 3 ft., B. & B	6.00	55.00	450.00
3 to 3½ ft., B. & B	7.50	70.00	
—pyramidalis aurea (biota)			
Somewhat similar to elegantissima.			
15 to 18 in., B. & B	2.50	20.00	
18 to 24 in., B. & B	4.00	35.00	
-rosedale (biota), 3'-4'	Re	osedale	Hybrid
Fine foliage; soft texture.			
12 to 15 in., B. & B	1.75	15.00	125.00
15 to 18 in., B. & B	2.25	20.00	175.00
* * *	vergol	den Arl	orvitae
18 to 24 in., B. & B	3.50	30.00	
2 to 2½ ft., B. & B	5.00	45.00	
2½ to 3 ft., B. & B	6.00		
TILIA americana, 75'-90'	Ar	nerican	Linden
Grows rather quickly, forming as			
grant yellow flowers.	порен	nead.	143 114-
6 to 8 ft	3.00	25.00	225.00
8 to 10 ft	3.50	30.00	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 9 to 11 ft., $1\frac{1}{2}$ to 2 in	4.00	35.00	
9 to 11 ft., 1/2 to 2 m	5.00	45.00	
vulgaris, 70'-90' European	n Sma	ll Leaf	Linden
In late June the fragrant flowers	are no	oticeable	; grows
symmetrical and compact.			
4 to 6 ft	3.25	27.50	
6 to 8 ft	3.50	30.00	

	Each	Per 10	Der 100
TSUGA canadensis, 75'-90'		ınada H	
Evergreen. Most graceful and a horizontal branches making effectively as either aligned hedge or in	tive sha	dow effec	
ful as either clipped hedge or in	_		0.50.00
2 to 2½ ft., B. & B	4.50 6.00	40.00 55.00	350.00 450.00
3 to 3½ ft., B. & B	7.50	70.00	600.00
$3\frac{1}{2}$ to 4 ft., B. & B	9.00	82.50	750.00
4 to 5 ft., B. & B	12.00	100.00	
caroliniana	Car	olina H	emlock
Evergreen. One of our choicest n	ative ev	ergreens;	slower
in growth than above.			
2 to 2½ ft., B. & B	5.50		
2½ to 3 ft., B. & B	7.2 <i>5</i> 9.00		
4 to 5 ft., B. & B	13.50		
ULMUS americana, 80'-100'		America	an Elm
Stateliness and dignity are here			
in growth, this typical American	tree soc	n assume	es regal
proportions and commands resupon it.	spect of	all wh	o look
4 to 6 ft	1.25	10.00	85.00
6 to 8 ft	1.75 2.25	15.00 17.50	100.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	3.25	27.50	130.00
9 to 11 ft., 1½ to 1¾ in	4.00	32.50	300.00
10 to 12 ft., 13/4 to 2 in	6.00	55.00	500.00
11 to 12 ft., 2 to 2 ¹ / ₄ in	7.50	70.00	650.00
-Moline, 80'-100'		Molin	ne Elm
A remarkable new variety of e and large handsome deep grain f			
6 to 8 ft	2.50	22.50	175.00
8 to 9 ft	3.25 4.00	27.50	225.00
10 to 12 ft., 1½ to 1¾ in	5.00	35.00 42.50	
10 to 12 ft., 13/4 to 2 in	5.75		
11 to 12 ft., 2 to 2 ¹ / ₄ in	7.25	· —	
12 to 13 in., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	9.00		
—Vase shape			
This is the typical spreading elm for its splendid characteristics.	Large	foliage,	
clean stem, quick growth and un 6 to 8 ft		_	177.00
8 to 9 ft	2.50 3.25	22.50 27.50	175.00 225.00
9 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in	4.00	35.00	
10 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00		
VACCINIUM corymbosum, 5'-6'	Highl	oush Blu	ieberry
18 to 24 in	1.25	10.00	75.00
2 to 3 ft	1.50	12.50	100.00
3 to 4 ft	2.00	15.00	135.00
VIBURNUM americanum (oxyco	nerican	8'-9' Cranber	rybush
Bright scarlet berries in large			
Winter.			_
			40.00
18 to 24 in	.7 <i>5</i>	5.00 7.50	40.00 60.00
18 to 24 in	.75	5.00	

VIBURNUM—continued	Each	Per 10	Per 100
carlesi, 4'	Frag	rant Vib	urnum
One of the most desirable semi-	dwarf t	Howering	shrubs
with wonderfully fragrant flo	wer clı	isters of	white
shaded with pink. Foliage nice gr	een.		
12 to 15 in	3.00	25.00	
15 to 18 in	3.50	30.00	
cassinoides, 5'-6'		Witl	ie-Rod
White, June-July. Berries pink,	changin		
Rich Autumn coloring; splendid	for m	assing an	d near
water.	-		d near
18 to 24 in	.75	7.00	60.00
2 to 3 ft	1.00	8.50	70.00
3 to 4 ft	1.25	10.00	85.00
dentatum, 10'-12'		Λ	-Wood
· · · · · · · · · · · · · · · · · · ·	1 1 4		
White, May-June. Berries blue-be purple and red; thrives in wet so		utumn c	oloring
2 to 3 ft	.70	5.00	35.00
3 to 4 ft	.90	7.50	50.00
4 to 5 ft	1.10	8.50	70.00
5 to 6 ft	1.35	10.00	, o.oo
,	9,		
dilatatum, 8'-9'	Lin	den Vib	urnum
White, May-June. Scarlet showy b	perries r	ersisting.	Hand-
some and valuable.			
18 to 24 in	1.00	8.00	60.00
2 to 3 ft	1.25	10.00	
	_		
lantana, 15'-18'	- V	Vayfarin	g Tree
White, May-June. Handsome, dark			
White, May-June. Handsome, dark Berries red, changing to black.	green,	wrinkled	leaves.
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in	green,	wrinkled 6.00	leaves.
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in	.75 1.00	wrinkled 6.00 8.00	1eaves. 50.00 60.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.75 1.00 1.20	wrinkled 6.00	leaves.
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.75 1.00 1.20 1.40	6.00 8.00 10.00	50.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.75 1.00 1.20 1.40	wrinkled 6.00 8.00	50.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.75 1.00 1.20 1.40	6.00 8.00 10.00	50.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le	75 1.00 1.20 1.40 eleaf Waves.	6.00 8.00 10.00	50.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le	75 1.00 1.20 1.40 eleaf Waves.	6.00 8.00 10.00	50.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft.	75 1.00 1.20 1.40 eleaf Waves. -75	6.00 8.00 10.00 Vayfaring	50.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le	75 1.00 1.20 1.40 eleaf Waves.	6.00 8.00 10.00 	50.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	75 1.00 1.20 1.40 eleaf Waves. -75	6.00 8.00 10.00 	50.00 60.00 75.00 —— g Tree ——
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20'	.75 1.00 1.20 1.40 eleaf W aves. .75 1.00 1.25	6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00	\$0.00 60.00 75.00 g Tree yberry
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	75 1.00 1.20 1.40 eleaf W aves. -75 1.00 1.25	6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00	\$0.00 60.00 75.00 g Tree yberry
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrinkl Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 1entago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir	.75 1.00 1.20 1.40 eleaf W aves. .75 1.00 1.25	wrinkled 6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00 Nanngaves. Blu	50.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 1entago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in.	75 1.00 1.20 1.40 eleaf W aves. -75 1.00 1.25	6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00 Nanniaves. Blu	\$0.00 60.00 75.00 g Tree yberry
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in. 2 to 3 ft. 2 to 3 ft.	75 1.00 1.20 1.40 eleaf W aves. .75 1.00 1.25 ning leag. .65	6.00 8.00 10.00 Wayfaring 6.00 8.00 10.00 Nann; aves. Blu	\$0.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.75 1.00 1.20 1.40 eleaf W aves. .75 1.00 1.25 nning leag. .65 .90	6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00 Nanniaves. Blu	g Tree yberry e-black 40.00 60.00 70.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in. 2 to 3 ft. 2 to 3 ft.	75 1.00 1.20 1.40 eleaf W aves. .75 1.00 1.25 ning leag. .65	6.00 8.00 10.00 Wayfaring 6.00 8.00 10.00 Nann; aves. Blu 5.00 7.00 8.50	\$0.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	75 1.00 1.20 1.40 eleaf Waves. -75 1.00 1.25 ning leag. .65 .90	6.00 8.00 10.00 Wayfaring 6.00 8.00 10.00 Nann; aves. Blu 5.00 7.00 8.50	\$50.00 60.00 75.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. molle, 10'-12'	75 1.00 1.20 1.40 eleaf Waves. -75 1.00 1.25 ning leag. .65 .90 1.10	6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00 Nann; aves. Blu 5.00 7.00 8.50 10.00 cky Vib	So.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	75 1.00 1.20 1.40 eleaf Waves. -75 1.00 1.25 ning leag. .65 .90 1.10	6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00 Nann; aves. Blu 5.00 7.00 8.50 10.00 cky Vib	So.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. molle, 10'-12' Larger, darker green leaves, bu	75 1.00 1.20 1.40 eleaf Waves. -75 1.00 1.25 ning leag. .65 .90 1.10	6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00 Nann; aves. Blu 5.00 7.00 8.50 10.00 cky Vib	So.00
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrinki Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. molle, 10'-12' Larger, darker green leaves, bu "dentatum." 2 to 3 ft. 3 to 4 ft.	75 1.00 1.20 1.40 eleaf Waves75 1.00 1.25 ning leag65 .90 1.10 1.25 Kentutt other	6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00 Nanny aves. Blu 5.00 7.00 8.50 10.00 cky Vib- wise sim	So.00 So.0
White, May-June. Handsome, dark Berries red, changing to black. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —rugosum, 15'-18' Wrink! Has larger and more wrinkled le 18 to 24 in. 2 to 3 ft. 3 to 4 ft. lentago, 18'-20' White, May-June. Handsome, shi fruits. Splendid shrub for massir 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. molle, 10'-12' Larger, darker green leaves, bu "dentatum." 2 to 3 ft.	75 1.00 1.20 1.40 eleaf Waves. 75 1.00 1.25 ning leage. 65 90 1.10 1.25 Kentu	6.00 8.00 10.00 Vayfaring 6.00 8.00 10.00 Nanniaves. Blu 5.00 7.00 8.50 10.00 cky Vibi	So.00 So.0

VIBURNUM—continued	Each	Per 10	Per 100
opulus, 9'-10'	uropean	Cranbe	rrybush
18 to 24 in	.60	5.00	40.00
2 to 3 ft	1.00	8.00	60.00
3 to 4 ft	1.25	10.00	75.00
—nanum, 18"-24"		Cranbe:	•
Useful for edging or facing sh	rub. Rare	ely flowe	rs. Very
compact. 4 to 6 in	.30	2.50	
6 to 9 in	.6 <i>5</i>	<u>5</u> .00	
9 to 12 in	·75	6.00	
12 to 15 in			
-sterile, 9'-10'		nmon S	
Has showy, round head of whit			
18 to 24 in	.65 .80	40.00	35.00
3 to 4 ft	1.10	0	70.00
prunifolium, 10'-12'		B1	ackhaw
Pure white flowers. April-June.	Blue-bla		
ries. Sturdy habit; handsome sl	hrub.		
18 to 24 in	1.00	8.00	60.00
2 to 2½ ft	1.20	10.00	75.00
2½ to 3 ft	1.50	12.00	. —
rhytidophyllum, 6'-8'		rleaf Vi	
Evergreen. Large, oblong leave beneath; a bold, handsome shru		reen abo	ve, gray
15 to 18 in., B. & B	1.25	10.00	75.00
18 to 24 in., B. & B	2.25	17.50	
2 to 2½ ft., B. & B	3.50	30.00	
2½ to 3 ft., B. & B	4.50	37.50	
3 to 4 ft., B. & B XX	7.00	67.50	
sieboldi (japonicum), 9'-10'	Sie	bold Vi	burnum
White, May-June. Berries pink,			k. Hand-
some, large, dark green leaves. 18 to 24 in	_		* 0.00
2 to 3 ft	.75 1.00	6.50 8.00	50.00 60.00
	D 11		
tomentosum, 7'-8'		lefile Vi	
Flat heads of white flowers, J Good foliage.	une. Berr	ies red t	o black.
18 to 24 in	.70	5.00	40.00
2 to 3 ft	.90	7.00	50.00
3 to 4 ft	1.10	8.50	70.00
—plicatum, 7'-8'	Jap	anese S	nowball
Showy white flowers in balls,	June. H	andsome	foliage
with purple autumn coloring.			
12 to 18 in	.70	6.00	40.00
18 to 24 in	.85	7.50 8.50	60.00
3 to 4 ft	1.00 1.25	8.50	75.00
4 to 5 ft	1.50	13.50	
VINCA minor		inkle or	Maretta
	h Per 10		
, "	35 2.50		120.00
J F	2.50	13.00	120.00



Weigelas. This block shows type of to They are all stocky well branched shr especially at	ubs an	d offere	and nana d at price	variegata. s that are
		Each	Per 10	Per 100
VITEX agnus castus, 4'-5'			Cha	ste-Tree
Dainty shrub, lilac flowers. green, star-shaped leaves, pr	efers		Septemb	er. Gray-
18 to 24 in		.65 .75	5.00 6.00	
· ·	• • •	./3	0.00	
macrophylla, 3'-4'		c 1	1 0	
A great improvement on the attractive.		, fine l		ers, very
18 to 24 in		.7 <i>5</i> .90	6.50 7.50	
· ·	• • •	.90		337 - : 1 -
WEIGELA amabilis, 7'-8'			Kose	Weigela
Light Pink.		*0	7.00	2 00
2 to 3 ft		.50 .75	5.00 6.50	
4 to 5 ft		1.00	8.00	
candida, 7'-8'			White	Weigela
Large, pure white flowers.				
2 to 3 ft		.65	5.00	
3 to 4 ft		.7 <i>5</i>	6.00 7.50	40.00 50.00
desboisi, 6'-7'	• • •			Weigela
· ·			CSDOIS	Weigera
Deep rose pink, flowers prof	-	.65	5.00	35.00
3 to 4 ft		.80	6.50	
4 to 5 ft		1.00	7.50	
Eva Rathke, 4'-5'	R	ed Flo	owered	Weigela
Carmine, June-August. Most	florif	erous.		
				Per 1000
18 to 24 in	.55	4.00	•	
2 to 3 ft	.65 1.00		٠.	0.5
J - 2 T - 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		,.50	,	4

WEIGELA—continued	Each	Per 10	Der 100
floribunda, 7'-8'		imson W	
Crimson, June. Free flowering.			
18 to 24 in	.60	4.00	25.00
2 to 3 ft	.70	5.00	35.00
3 to 4 ft	.90	7.00	50.00
4 to 5 ft	1.00	7.50	
lavalle, 7'-8' Bright Crimson.	imson	Flwd. V	Veigela
2 to 3 ft	.60	4.00	35.00
3 to 4 ft	.75	6.50	50.00
4 to 5 ft	1.00	7.50	
		Leaf V	
Pale pink flowers; variegated legrowth.	eaves;	dwarf, o	ompact
		Per 100 I	
18 to 24 in	3.50 5.00		200.00
2 to 3 ft	7.00		250.00 350.00
4 to 5 ft 1.00	8.50		500.00
rosea, 7'-8'		Pink V	Veigela
Showy, pink flowers freely progrower.	duced.	June. V	igorous
2 to 3 ft	3.50	25.00	200.00
3 to 4 ft	4.00	35.00	250.00
4 to 5 ft	6.00	50.00	
WISTERIA multijuga, grafted, 40		luster W	listeria
Blue and white varieties. Has long			
May and shows to best advantag trees or open trellises.	ge when	trained	on old
12 to 18 in	Each	Per 10 8.00	Per 100

sinensis grafted (from good fig. I			
This is by far the best stock to cause they will really bloom.	plant	in wiste:	rias be-
18 to 24 in	1.00	7.00	60.00
2 to 3 ft	1.20	10.00	75.00
YUCCA filamentosa, 2'-3'		Adam's	
Evergreen. Long lance-like leav grows up quickly in June-July. I ers and general appearance give	Numero tropic	us cream al effect.	y flow-
for massing with either evergreen 2 year trsp., B. & B	is or sh -45	rubbery.	
	C+-		owroot
ZANTHORHIZA apiifolia, 2'-3' Good ground cover. Will succee		dry, san	
banks, etc. Small purplish flowers	s, May-		
10 to 12 in	.50	4.00	25.00
12 to 15 in	.60	5.00	35.00

FRUIT DEPARTMENT

Graded according to Horticultural Standards, 1923, of the American Association of Nurserymen. Caliper taken two inches above bud.

APPLES

Standards and Crabs

	Each	Per 10	Per 100	
1 in. and up—7 ft. and upXX	1.75	15.00		
7/8 to 1 in.—6 ft. and upX	1.00	8.50		
11/16 to 1/8 in. 5 ft. and upA	-75	6.00		
9/16 to 11/16 in. —4 ft. and upM	-55	4.00		
$7/16$ to $9/16$ in.— $3\frac{1}{2}$ ft. and upB	.45	2.50		

SUMMER

Gravenstein Yellow Transp. Williams Early Red

AUTUMN

Duchess
Fall Pippin
Grimes Golden
McIntosh
Wolf River

WINTER

Baldwin Wealthy
Golden Russet Spitzenburg
Lobo Staymans Winesap
R. I. Greening Stark
Northern Spy York Imperial
Rome Beauty Winter Banana

Crab Apples-Hyslop, Transcendent.

DWARF APPLES

1 in. and up—6 ft. and upXX	1.50	12.50	
3/4 to 1 in.—5 ft. and upX	1.25	10.00	
5/8 to 3/4 in.—4 ft. and upA	.90	7.00	
$\frac{1}{2}$ to $\frac{5}{8}$ in.—3 ft. and up	.70	5.00	

Dwarf Apples—Baldwin, Delicious, Stayman Winesap, Yellow Transparent, Wealthy, Rome Beauty, McIntosh.

CHERRIES (Sour)

7/8 to 1 in.—4 ft. and upX		15.00	
$11/16$ to $\frac{7}{8}$ in.— $\frac{3^{1}}{2}$ ft. and upA	1.35	10.00	
5/8 to 11/16 in.—3 ft. and upM	1.00	8.50	

Sour Cherries-Early Richmond, Montmorency.

CHERRIES (Sweet)

0112111120 (0	,		
7/8 to 1 in.—5 ft. and upX	1.75	15.00	
11/16 to 1/8 in.—4 ft. and upA	1.35	10.00	
5/8 to 11/16 in.—31/2 ft. and upM	1.10	8.50	

Sweet Cherries—Black Tartarian, Napoleon, Windsor, Schmidt's Biggareau.

PEACHES

11/16 to 13/16 in.—5 ft. and upX	.65	5.00	
9/16 to 11/16 in.—4 ft. and upA	.55	4.00	
7/16 to $9/16$ in.—3 ft. and upM	.45	3.50	

Peaches—Belle of Georgia, Elberta, Early Elberta, Cumberland, Iron Mountain.

Golden Jubilee—A new and very desirable variety. Prices on request.

PEARS (Standard)

	Each	Per 10	Per 100
7/8 to 1 in.—6 ft. and upX	1.35	10.00	
11/16 to 1 in.—5 ft. and upA	.90	7.50	
9/16 to 11/16 in.—4 ft. and upM	.70	6.00	
7/16 to 9/16 in.—3½ ft. and upB	.65	5.00	40.00
Standard Pears—Bartlett, Clapps Fax	corite.	Duchess.	Kieffer

Standard Pears—Bartlett, Clapps Favorite, Duchess, Kieffer, Lawrence, Seckel, Sheldon.

PLUMS

(All Budded on Plum Roots)

1 in. and up—7 ft. and upXX	1.75		
7/8 to 1 in.—6 ft. and upX	1.50	12.50	
11/16 to 7/8 in.—5 ft. and upA	1.00	7.50	
9/16 to 11/16 in4 ft. and upM	.90	7.00	
m1 .1 1 m 11 m	1 1	- 1	_

Plums—Abundance, Bradshaw, Burbank, Imperial Green Gage, Wickson, Yellow Egg.


QUINCES

5/8 in. and up—3 ft. and upA	1.25	10.00	95.00
½ to ⅓ in.—2½ ft. and upN	1.00	7.50	70.00
$\frac{3}{8}$ to $\frac{1}{2}$ in.—2 ft. and upB	.75	5.00	40.00
Ouinces—Champion, Orange.			

NUTS

WALNUT, black

2 to 3 ft	1.35	11.00	
3 to 4 ft	1.75	15.00	
1 to 5 ft	2 25	18 50	



PLANTS SUITABLE FOR THE ROCK GARDEN

Evergreens

Botanical Name	Common Name
Azalea amoena-21/2 to 3 ft	
Azalea Hinodegiri-3 to 4 ft	
Calluna vulgaris-1 to 2 ft	·····Rock Cotoneaster
Cotoneaster horizontalis-11/2 to 2 ft.	Rock Spray
Cotoneaster microphylla-2 to 21/2 ft	Thyme Cotoneaster
Cotoneaster thymifolia-11/2 to 2 ft.	
Daphne cneorum-1 ft	Baby Wintercreeper
Euonymus radicans minimus-2 to 3	
Euonymus japonicus microphyllus .	
Juniperus chinensis sargenti-11/2 ft.	·····rousn Juniper
Juniperus communis cracovica-4 to	5 ft
Juniperus communis suecica-3 ft	Swedish Juniper
Juniperus horizontalis-1 to 11/2 ft.	Creeping Savin
Juniperus horizontalis doug 1 to 11/	2 ftWaukegan Juniper
Juniperus japonica-3 to 4 ft	Japanese Juniper
Juniperus sabina tamariscifolia-1 fi	t, i amarix Savin
Lonicera pileata-2 ft	Privet Honeysuckle
Mitchella repens-4 in	Partridge Berry
Pinus montana mughus-21/2 to 3 ft.	Mugho Pine
Retinospora obtusa grac. com4 to	5 ftFootball Cypress
Taxus baccata erecta—3 to 5 ft	Short Leaved English Yew
Taxus baccata repandens-11/2 to 2	ttSpreading English Yew
Taxus canadensis—2 to 21/2 ft	Canada Yew
Taxus cuspidata nana-2 to 3 ft	Dwarf Japanese Yew
Thuja occidentalis compacta-2 to 4	ftParson Arborvitae
Thuja occidentalis globosa-21/2 to 3	ftGlobe Arborvitae
Thuja occidentalis umbraculif 2 to	3 ftUmbrella Arborvitae
Thuja orientalis nana aurea-21/2 to	3 ftBerckmans Arborvitae

Deciduous Shrubs

Caryopteris incana-2 to 3 ftBlue Beard
Ceanothus americana-3 to 4 ftJersey Tea
Cytisus scoparius-4 to 5 ftScotch Broom
Deutzia gracilis-3 ftSlender Deutzia
Genista tinctoria-3 ft
Hypericum moserianum-2 ftGold Flower
Hypericum patulum grandifl.—21/2 ft
Hypericum patulum Henryi-2 to 3 ft Henry Hypericum
Jasminum nudiflorum-3 ft
Lonicera syringantha-3 to 5 ftLilac Honeysuckle
Lonicera spinosa alberti-2 ftAlbert Honeysuckle
Potentilla fruticosa-3 to 4 ftShrubby Cinquefoil
Rosa spinosissima—3 to 4 ftScotch Rose
Spiraea japonica-3 ftJapanese Spiraea
Viburnum opulus nanum-11/2 to 2 ftDwarf Cranberry Bush

GROUND COVERS For Shady Places

Euonymus radicans minimus	Baby Wintercreeper
Mitchella repens	
Hedera helix and varieties	
Pachysandra terminalis	.Japanese Spurge
Taxus canadensis	Canada Yew
Vinca minor	Myrtle

For Sunny Places

Calluna vulgaris and varieties	
Juniperus communis depressa	.Prostrate Juniper
Juniperus horizontalis	.Creeping Savin
Juniperus sargenti	
Juniperus tamariscifolia	
Pachysandra terminalis	.Japanese Spurge
Zanthorhiza apiifolia	. Yellow Root

PLANTS FOR SHADED SITUATIONS Deciduous Shrubs and Small Trees

Acanthopanax pentaphyllum-7 to 8 ft Five Leaf Aralia
Amelanchier canadensis-12 to 15 ft Downy Shadblow
Aronia arbutifolia-6 to 8 ftRed Chokeberry
Aronia melanocarpa-8 to 10 ftBlack Chokeberry
Azalea arborescens-10 to 12 ftSweet Azalea
Azalea vaseyi-5 to 6 ft

Deciduous Shrubs and Small Trees-Continued

Rotanical Name	Common Name
Azalea viscosa— 4 to 5 ft	Swamp Azalea
Benzoin aestivale-10 to 12 ft	
Calycanthus floridus-4 to 5 ft	
Ceanothus americanus	
Cephalanthus occidentalis-5 to 6 ft.	Buttonbush
Cercis canadensis-12 to 15 ft	·····American Redbud
Chionanthus virginica-15 to 18 ft	White Fringe
Clethra alnifolia-4 to 5 ft	·····Summersweet
Cornus alternifolia-15 to 18 ft	·····Pagoda Dogwood
Cornus amomum—8 to 9 ft	
Cornus florida-15 to 25 ft	
Cornus florida rubra-15 to 20 ft	Red Flowering Dogwood
Halesia tetraptera-12 to 15 ft	Great Silverbell
Hamamelis virginiana	
Hydrangea arborescens-4 to 5 ft	
Hydrangea quercifolia—3 to 4 ft	
Hypericum aureum-3 to 4 ft	
Ligustrum ibota regelianum-5 to 6 ft	
Ligustrum vulgare-10 to 12 ft	
Lonicera fragrantissima—6 to 8 ft	
Lonicera morrowi-7 to 8 ft	Morrow Honeysuckle
Lonicera tatarica—9 to 10 ft	Tartarian Honeysuckle
Myrica cerifera-4 to 5 ft	Waxmyrtle or Bayberry
Oxydendrum arboreum-25 to 30 ft	
Philadelphus—9 to 10 ft	Mockorange
Physocarpus opulifolius-9 to 10 ft.	
Rhodotypos kerrioides-4 to 5 ft	Jetbead
Rubus odoratus-5 to 6 ft	Flowering Raspberry
Symphoricarpos racemosus—5 to 6 ft.	
Symphoricarpos vulgaris-4 to 5 ft	Coralberry
Viburnum dentatum-10 to 12 ft	
Viburnum lentago-18 to 20 ft	
Viburnum molle—10 to 12 ft	Kentucky Viburnum

Evergreens

Andromeda floribunda—4 ft
Andromeda japonica—4 to 5 ft
Azalea amoena—3 to 4 ft
Azalea hinodegiri-3 to 4 ft
Buxus sempervirens-12 to 15 ftBoxwood
Ilex crenata microphylla-6 to 8 ftSmall Leaf Japanese Holly
Ilex glabra—5 to 6 ftInkberry
Juniperus canadensis—2½ to 3 ftCanada Juniper
Kalmia latifolia-5 to 7 ftMountain Laurel
Leucothoe—3 to 4 ft
Mahonia aquifolium-4 to 5 ftOregon Holly Grape
Pachysandra terminalis—6 to 8 inJapanese Spurge
Rhododendron carolinianum-5 to 6 ftCarolina Rhododendron
Rhododendron catawbiense-6 to 9 ftCatawba Rhododendron
Rhododendron maximum-8 to 12 ftRosebay Rhododendron
Taxus canadensis—2 to 21/2 ft
Taxus cuspidata—4 to 5 ftSpreading Japanese Yew
Taxus cuspidata nana (brevifolia)—
2 to 3 ft
Tsuga canadensis-75 to 90 ft
•

PLANTS FOR DRY SOILS Trees

Acer negundo-50 ftBoxelder	
Ailanthus glandulosa-50 to 60 ftTree of Heaven	ı
Betula populifolia-30 to 40 ftGray Birch	
Phellodendron chinense-50 to 60 ft Chinese Corktro	e€
Querous rubra—75 to 00 ft Red Oak	

Shrubs

Acanthopanax pentaphyllum-7 to 8 ftFive Leaf Aralia
Colutea arborescens—8 to 10 ftBladder Senna
Cornus paniculata—10 to 12 ftGray Dogwood
Hypericum kalmianum-4 to 5 ftKalm St. Johnswort
Lespedeza bicolor—5 to 6 ftBushclover
Myrica cerifera-4 to 5 ft
Prunus maritima—9 to 10 ftBeach Plum
Rhaninus cathartica—9 to 10 ftCommon Buckthorn
Rhus canadensis—4 to 5 ftFragrant Sumac
Rhus typhina—15 to 18 ftStaghorn Sumac
Ribes odoratum-7 to 8 ftGolden Currant
Robinia hispida—s to 6 ft Rose Acacia

Shrubs-Continued

Botanical Name	Common Name
Rosa setigera-5 to 6 ft	Prairie Rose
Symphoricarpos racemosus-5 to 6 ft	
Symphoricarpos vulgaris-4 to 5 ft	
Vaccinium corymbosum-5 to 6 ft	
Viburnum lantana-15 to 18 ft	Wayfaring Tree

Evergreens

Juniperus communis—2 to 2½ ft Juniperus communis depressa (prostrata)—	Common Juniper
1 to 1½ ft	Prostrate Juniper
Juniperus horizontalis (sabina prostrata)— 1 to 1½ ft	Creeping Savin
Juniperus sabina-6 to 7 ft	
Mahonia aquifolium—4 to 5 ft	
Pinus mentana mughus-21/2 to 3 ft	Mugho Pine
Pinus resinosa-50 to 60 ft	
Pinus rigida—40 to 50 ft	

PLANTS FOR WET AND MARSHY PLACES

Trees

Acer rubrum-50 to 75 ft	Red or Scarlet Maple
Betula nigra-50 to 60 ft	
Larix leptolepsis-50 to 60 ft	Japanese Larch
Liquidamber styraciflua-50 to 60 ft	Sweet Gum
Ouercus palustris-75 to 90 ft	Pin Oak
Salix babylenica-50 to 60 ft	Babylon Weeping Willow
Salix caprea—15 to 20 ft	
Ulmus americana-80 to 100 ft	

Shrubs

Evergreens

11 01 1		T 11
Ilex Glabra—5	to b ff	 Inkherry

DECIDUOUS PLANTS FOR BINDING AND COVERING SOIL ON STEEP BANKS

Acanthoponax pentaphyllum-7 to 8 ftFive Leaf Aralia	
Berberis thunbergi-4 to 5 ftJapanese Barberry	
Celastrus scandens-20 to 25 ft American Bittersweet	
Lonicera japonica-15 to 20 ft	
Lonicera tartarica-9 to 10 ft	
Lycium chinense-12 to 15 ft Matrimony-Vine	
Myrica cerifera-4 to 5 ft	
Rhus canadensis-4 to 5 ftFragrant Sumac	
Rhus glabra—10 to 12 ftSmooth Sumac	
Rhus typhina-15 to 18 ftStaghorn Sumac	
Rosa lucida-5 to 6 ftVirginia Rose	
Rosa rugosa—4 to 5 ftPed Rugosa Rose	
Rosa nitida-3 to 4 ftBristly Rose	
Rosa setigera-5 to 6 ftPrairie Rose	
Rosa wichuriana	
Sambucus canadensis-8 to 9 ft American Elder	
Spiraea tomentosa-3 to 4 ft	
Symphoricarpos racemosus-5 to 6 ft Snowberry	
Symphoricarpos vulgaris-4 to 5 ft Coralberry	

DECIDUOUS PLANTS FOR AUTUMN COLORING

Trees

Acer rubrum—50 to 75 ftRed or Scarlet Maple
Acer saccharum—50 to 75 ftSugar Maple
Cornus florida-15 to 25 ft White Flowering Dogwood
Crataegus cordata—12 to 15 ftWashington Hawthorn
Liquidamber styraciflua-50 to 60 ftSweet Gum
Quercus palustris-75 to 90 ftPin Oak

Shrubs

Rotanical Name	Common Name
Aronia arbutifolia-6 to 8 ft	
Aronia melanocarpa—8 to 10 ft	
Berberis thunbergi—4 to 5 ft	Japanese Barberry
Cornus alternifolia-15 to 18 ft	Pagoda Dogwood
Cornus paniculata—10 to 12 ft	Gray Dogwood
Euonymus alatus-9 to 10 ft	Winged Euonymus
Euonymus americanus-7 to 8 ft	Brook Euonymus
Oxydendrum aboreum-25 to 30 ft	Sourwood
Rhus canadensis—4 to 5 ft	Fragrant Sumac
Rhus copallina-12 to 13 ft	Shining Sumac
Rhus glabra—10 to 12 ft	Smooth Sumac
Vaccinium corymbosum-5 to 6 ft	Highbush Blueberry
Viburnum (all species)	

BERRY-BEARING TREES AND SHRUBS Red Berries

Aronia arbutifolia-6 to 8 ft	Red Chokeberry
Benzoin aestivale-10 to 12 ft	
Berberis thunbergi-4 to 5 ft	
Berberis vulgaris-7 to 8 ft	
Cornus florida—15 to 25 ft	White Flowering Dogwood
Cotoneaster horizontalis-1 to 11/2 ft	.Rock Cotoneaster
Crataegus coccinea-15 to 20 ft	.Thicket Hawthorn
Crataegus cordata—12 to 15 ft	
Crataegus crusgalli-15 ft	
Euonymus alatus—9 to 10 ft	
Euonymus bungeanus—12 to 14 ft	
Euonymus europaeus—12 to 14 ft	
Ilex verticillata-6 to 8 ft	Winterberry
Lonicera maacki-8 to 9 ft	.Amur Honeysuckle
Lonicera morrowi-7 to 8 ft	
Lonicera tatarica-9 to 10 ft	.Tartarian Honeysuckle
Photinia villosa	Redberried Photinia
Pyracantha coccinea lalandi	
Rosa blanda—4 to 5 ft	Meadow Rose
Rosa rubiginosa—5 to 6 ft	Sweetbrier
Rosa rugosa—4 to 5 ft	Red Rugosa Rose
Sambucus racemosa-8 to 10 ft	, European Red Elder
Sorbus aucuparia-25 to 30 ft	European Mountain Ash
Stranvaesia davidiana	
Viburnum americanum-8 to 9 ft	American Cranberrybush
Viburnum dilatatum-8 to 9 ft	
Viburnum opulus—9 to 10 ft	
-	•

White Berries

Cornus alba—8 to 10	ft	Coral Dogwood
Cornus stolonifera7		
Symphoricarpos racem	osus—5 to 6 ft	Snowberry

Yellow Berries

Elaeagnus	angustifolia-15 to 18 ftRussian-Olive
Elaeagnus	longipes-6 to 8 ftCherry Elaeagnus
Elaeagnus	umbellataAutumn Elaeagnus

Black Berries

Amelanchier canadensis-12 to 15 ft	.Siebold Viburnum
Aralia spinosa—18 to 20 ft	.Downy Shadblow
Aronia melanocarpa-8 to 10 ft	.Hercules Club
Ligustrum regelianum-5 to 6 ft	.Black Chokeberry
Ligustrum vulgare-10 to 12 ft	Regal Privet
Phellodendron	
Rhamnus cathartica—9 to 10 ft	
Rhodotypos kerrioides-4 to 5 ft	
Sambucus canadensis-8 to 9 ft	Jetbead
Viburnum acerifolium-4 to 5 ft	
Viburnum lantana-15 to 18 ft	
Viburnum plicatum-7 to 8 ft	
Viburnum prunifolium-10 to 12 ft	
Viburnum sieholdi-o to 10 ft	

Deep Blue-Black Berries

Ilex crenata microphylla-6 to 8 ft Small Leaf Japanese Holly
Ilex glabra—5 to 6 ftInkberry
Mahonia aquifolium-4 to 5 ftOregon Holly Grape
Vaccinium corymbosum-5 to 6 ft Highbush Blueberry
Viburnum cassinoides—5 to 6 ftWithe-Rod
Viburnum dentatum—10 to 12 ftArrow-Wood
Viburnum lentago—18 to 20 ftNannyberry
Viburnum molle—10 to 12 ftKentucky Viburnum

Blue Berries

Ampelopsis (several varieties)	Ivy
	Japanese Beautyberry
	(Mauve) Chinese Beauty Berry
Cornus amomum—8 to 9 ft	Silky Dogwood



PAGE

GENERAL INDEX OF BOTANICAL AND COMMON NAMES

PAGE


A	Cherry, Flowering 49-50 Chinese Scholar Tree 57 Chionanthus 18
Abelia 3 Abies 3	Chionanthus
Abies 3	Chokeberry 7-8
Acanthopanax 4	Cinquefoil 49
Actinidia 6	Chionantinus
Adam's Needle 71	Clethra 18
Aesculus 6	
Ailanthus	Coral Berry 60
Almond Flowering 49	Cork Tree
Althaea	Colutea 18 Coral Berry 60 Cork Tree 42 Cornus 18-20 Corylus 20 Cotoneaster 20-21 Crab Apples 72 Crab Apple, Flowering 40-41 Cranberry 07 Crataegus 21 Cryptomeria 22 Cucumber Tree 39 Currant, Flowering 53
Amelanchier 6	Cotoneaster20-21
Amorpha	Crab Apples 72
Amygdalus 7	Crab Apple, Flowering40-41
Andromeda 45	Cranberry 07
Apples 72	Cryptomeria 22
Aralia	Cucumber Tree 39
Arietolochia sipho 7	Currant, Flowering 53 Cydonia 22 Cypress 16-18
Aronia 7-8	Cydonia
Arrow-Wood 68	Cytisus
Ash	Cytisus
Abelia 3 Abies 3 Acanthopanax 4 4cer 4-6 Actinidia 6 Adam's Needle 71 Aesculus 6 Ailanthus 6 Akebia 6 Almond, Flowering 49 Althaea 28 Amelanchier 6 Amorpha 6 Ampelopsis 6-7 Amygdalus 7 Andromeda 45 Apples 72 Aralia 7 Arsistolochia sipho 7 Arsistolochia sipho 7 Aronia 7-8 Arrow-Wood 68 Ash 27 Azaleas 8-9	D
В	Daphne
	Davidia 22
Baccharis 9 Barberry 9-11 Bay Berry 41 Beach Plum 49 Beauty Berry 13 Beech 26 Benzoin 9 Berberis 9-11 Betula 11-12 Bignonia 12 Biota 65-66 Birch 11-12 Bittersweet 15	Desmodium
Bay Berry 41	Deutzia
Beach Plum 49	Diervilla 24
Beauty Berry	Diospyros 24
Benzoin 9	Dogwood18-20
Berberis 9-11	Dutchman's Pine 7
Betula11-12	butterman o Tipe
Bignonia	E
Birch11-12	Elaeagnus 24
Bittersweet 15	Elder56-57
Black Alder 30	Elaeagnus 24 Elder 56-57 Elm 67
Black Alder 30	Elder 56-57 Elm 67 Empress Tree 42 Elsholtzia 24
Black Alder 30	Empress Tree 42 Elsholtzia 24 Erica 24
Black Alder 30	Empress Tree 42 Elsholtzia 24 Erica 24 Euonymus 24-26
Black Alder 30	Empress Tree 42 Elsholtzia 24 Erica 24
Black Alder 30	Empress Tree 42 Elsholtzia 24 Erica 24 Euonymus 24-26 Exochorda 26
Black Alder 30	Empress Tree
Black Alder 30	Empress Tree
Black Alder 30	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buddleia 12 Buddleix 12	Empress Tree 42
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buddleia 12 Buddleix 12	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buddleia 12 Buddleix 12	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buddleia 12 Buddleix 12	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckhorn 51 Burningbush 25 Bushclover 35 Buttenfly Bush 15	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 15 Butterfly Bush 12 Buxus 12-13	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 15 Butterfly Bush 12 Buxus 12-13	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 15 Butterfly Bush 12 Buxus 12-13	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 15 Butterfly Bush 12 Buxus 12-13	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 15 Butterfly Bush 12 Buxus 12-13	Empress Tree 42 Elsholtzia 24 Erica 24 Exochorda 26 Exochorda 26 F Fagus 26 False Spiraea 57 Filbert 20 Fir 3 & 50 Firethorn 50 Forsythia 26-27 Fraxinus 27 Ginkgo 27 Glodengo 27 Golden Bell 26-27 Golden Chain 35 Golderrain 35 Golderflower 20
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 15 Butterfly Bush 12 Buxus 12-13	Empress Tree
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 15 Butterfly Bush 12 Buxus 12-13	Empress Tree 42 Elsholtzia 24 Erica 24 Exochorda 26 Exochorda 26 F Fagus 26 False Spiraea 57 Filbert 20 Fir 3 % 50 Firethorn 50 Forsythia 26-27 Fraxinus 27 Ginkgo 27 Gledisia 27 Golden Bell 26-27 Golden Chain 35 Gold Flower 35 Gold Flower 29 Groundsel Bush 9 Gymnocladus 27
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 15 Butterfly Bush 12 Buxus 12-13	Empress Tree 42 Elsholtzia 24 Elsholtzia 24 Erica 24 Euonymus 24-26 Exochorda 26 F F Fagus 26 False Spiraea 57 Filbert 20 Fir 3 50 Forsythia 26-27 Fraxinus 27 G Galax 27 Golden Bell 26-27 Golden Bell 26-27 Golden Chain 35 Gold Flower 29 Groundsel Bush 9 Gymnocladus 27 Grynocladus 27 Grynocladus 27 Grynocladus 27 Groundsel Bush 9 Gymnocladus 27
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 15 Butterfly Bush 12 Buxus 12-13	Empress Tree 42 Elsholtzia 24 Elsholtzia 24 Erica 24 Euonymus 24-26 Exochorda 26 F F Fagus 26 False Spiraea 57 Filbert 20 Fir 3 50 Forsythia 26-27 Fraxinus 27 G Galax 27 Golden Bell 26-27 Golden Bell 26-27 Golden Chain 35 Gold Flower 29 Groundsel Bush 9 Gymnocladus 27 Grynocladus 27 Grynocladus 27 Grynocladus 27 Groundsel Bush 9 Gymnocladus 27
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Bukthorn 51 Burningbush 25 Butholover 35 Buttenfly Bush 12 Buxus 12-13 C C Callura 13 Callura 13 Callura 13 Carpinus 13 Carpinus 13 Carpinus 13 Carpinus 14 Cedar 14 Cedar 14 Cedar 14	Empress Tree 42 Elsholtzia 24 Elsholtzia 24 Erica 24 Euonymus 24-26 Exochorda 26 F F Fagus 26 False Spiraea 57 Filbert 20 Fir 3 50 Forsythia 26-27 Fraxinus 27 G Galax 27 Golden Bell 26-27 Golden Bell 26-27 Golden Chain 35 Gold Flower 29 Groundsel Bush 9 Gymnocladus 27 Grynocladus 27 Grynocladus 27 Grynocladus 27 Groundsel Bush 9 Gymnocladus 27
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckhorn 51 Butrningbush 25 Butholover 35 Butterfly Bush 12 Buxus 12-13 C C Callicarpa 13 Callura 13 Carpinus 13 Carpinus 13 Carpinus 13 Carpinus 14 Catalpa 14 Catalpa 14 Catalpa 14 Catolpa 14 Catolpa 14 Capinus 14 Capinus 14 <	Empress Tree 42 Elsholtzia 24 Erica 24 Exochorda 26 Exochorda 26 F Fagus 26 False Spiraea 57 Filbert 20 Fir 3 % 50 Firethorn 50 Forsythia 26-27 Fraxinus 27 Galax 27 Gloder Geldetisia 27 Golden Bell 26-27 Golden Chain 35 Golder Flower 29 Groundsel Bush 9 Gymnocladus 27 H Hackberry 15 Halesia 27 Hardhack 59
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckhorn 51 Butrningbush 25 Butholover 35 Butterfly Bush 12 Buxus 12-13 C C Callicarpa 13 Callura 13 Carpinus 13 Carpinus 13 Carpinus 13 Carpinus 14 Catalpa 14 Catalpa 14 Catalpa 14 Catolpa 14 Catolpa 14 Capinus 14 Capinus 14 <	Empress Tree 42 Elsholtzia 24 Erica 24 Exochorda 26 Exochorda 26 Fagus 26 False Spiraea 57 Filbert 20 Fir 3 & 50 Firethorn 50 Forsythia 26-27 Fraxinus 27 Ginkgo 27 Gleditsia 27 Golden Bell 26-27 Golden Chain 35 Golder Chain 35 Goldersian Tree 35 Gold Flower 29 Groundsel Bush 9 Gymnocladus 27 Hackberry 15 Halesia 27 Hamamelis 27-28 Hardback 59 Hawthorn 21
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckhorn 51 Butrningbush 25 Butholover 35 Butterfly Bush 12 Buxus 12-13 C C Callicarpa 13 Callura 13 Carpinus 13 Carpinus 13 Carpinus 13 Carpinus 14 Catalpa 14 Catalpa 14 Catalpa 14 Catolpa 14 Catolpa 14 Capinus 14 Capinus 14 <	Empress Tree 42 Elsholtzia 24 Erica 24 Exochorda 26 Exochorda 26 Fagus 26 False Spiraea 57 Filbert 20 Fir 3 & 50 Firethorn 50 Forsythia 26-27 Fraxinus 27 Ginkgo 27 Gleditsia 27 Golden Bell 26-27 Golden Chain 35 Golder Flower 29 Groundsel Bush 9 Gymnocladus 27 Halesia 27 Halesia 27 Hamamelis 27-28 Hardhack 59 Haythorn 21 Hazel Nut 20
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckhorn 51 Butrningbush 25 Butholover 35 Butterfly Bush 12 Buxus 12-13 C C Callicarpa 13 Callura 13 Carpinus 13 Carpinus 13 Carpinus 13 Carpinus 14 Catalpa 14 Catalpa 14 Catalpa 14 Catolpa 14 Catolpa 14 Capinus 14 Capinus 14 <	Empress Tree 42 Elsholtzia 24 Erica 24 Exochorda 26 Exochorda 26 Fagus 26 False Spiraea 57 Filbert 20 Fir 3 & 50 Firethorn 50 Forsythia 26-27 Fraxinus 27 Ginkgo 27 Gleditsia 27 Golden Bell 26-27 Golden Chain 35 Golder Flower 29 Groundsel Bush 9 Gymnocladus 27 Halesia 27 Halesia 27 Hamamelis 27-28 Hardhack 59 Haythorn 21 Hazel Nut 20
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckhorn 51 Butrningbush 25 Butholover 35 Butterfly Bush 12 Buxus 12-13 C C Callicarpa 13 Callura 13 Carpinus 13 Carpinus 13 Carpinus 13 Carpinus 14 Catalpa 14 Catalpa 14 Catalpa 14 Catolpa 14 Catolpa 14 Capinus 14 Capinus 14 <	Empress Tree 42 Elsholtzia 24 Erica 24 Exochorda 26 Exochorda 26 Fagus 26 False Spiraea 57 Filbert 20 Fir 3 & 50 Firethorn 50 Forsythia 26-27 Fraxinus 27 Ginkgo 27 Gleditsia 27 Golden Bell 26-27 Golden Chain 35 Golder Flower 29 Groundsel Bush 9 Gymnocladus 27 Halesia 27 Halesia 27 Hamamelis 27-28 Hardhack 59 Haythorn 21 Hazel Nut 20
Black Alder 30 Black Haw 69 Bladder Senna 18 Bladder Nut 59 Bluebeard 14 Blue Berry 67 Blue Spiraea 14 Boston Ivy 7 Box Elder 4 Boxwood 12-13 Bridalwreath 59 Broom 22 Buddleia 12 Buckthorn 51 Burningbush 25 Bushclover 35 Butterfly Bush 12 Buxus 12-13 C Callicarpa 13 Calluna 13 Calycanthus 13 Caragana 13 Carpopteris 14 Catalpa 14 Ceanorhus 14 Cedar 14 & 33 Cedrus 14 Celtis 15	Empress Tree 42 Elsholtzia 24 Erica 24 Euonymus 24-26 Exochorda 26 F F Fagus 26 False Spiraea 57 Filbert 20 Fir 3 50 Firethorn 50 Forsythia 26-27 Fraxinus 27 G Galax 27 Golden Bell 26-27 Golden Bell 26-27 Golden Bell 26-27 Golden Chain 35 Golder Chain 35 Golder Flower 29 Groundsel Bush 9 Gymnocladus 27 Hackberry 15 Halesia 27 Handhack 59 Hardhack 59 Hawthorn 21 Hazel Nut 20 Hazel Nut 20 Heath 24 Heather 13

PAGE	* PAGE
Hibiscus 28	Ninebark 44
Holly29-30	Norway Maple 5
Holly Grape 41 Holly Osmanthus 41 Honey Locust 27	Nuts 73
Holly Osmanthus 41	Nyssa 41
Honey Locust 27	0
Honeysuckle37-38	
Hop Tree 50 Hop Hornbeam 41	Oak
Hop Hornbeam 41	Osmanthus 41
Hornbeam	Ostrya 41 Oxydendrum 41
Huckleberry 67	Oxydendidii 41
Hydrangea28-29	P
Hypericum	
11) perieum	Pachysandra
1	Pagoda Tree 57
	Paulownia
Ilex 29-30 Indian Currant 60 Indigo Bush 6	Pears
Indian Currant	Peaches 73
Indigofera 30	Peach, Flowering 7
Indigofera 30 Inkberry 29	Pea Tree
Itea 30	Pearl Bush 25
Ivy, English 28	Periwinkle 69
•, 3	Persimmon 24
J	Phellodendron 42
Japanese Maple 4-5	Philadelphus43-44
Japanese Snowball 69	Photinia 44
Japanese Maple 4-5 Japanese Snowball 69 Japanese Spurge 42	Physocarpus 44
Jasmine 30	Picea44-45
Jasminum 30	Pieris
Jersey Tea 14	Pine45-47
Jetbead 52	Pinus45-47
Judas Tree15-16	Plane Tree 47
June Berry 6	Platanus
Juniper30-34	
Juniperus30-34	Plums 73 Poplar 48
**	Poplar
K	Potentilla 49
Kalmia	Privet35-36
Katsura Tree	Prunus49-50
Kentucky Coffee Tree 27	Pseudotsuga 50
Kerria 34	Ptelea 50
Koelreuteria 34	Purple Fringe 53
	Purple Fringe
L	Purple Fringe 53
L Laburnum 35	Purple Fringe
L Laburnum	Purple Fringe
L Laburnum	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Ouercus 50-51
L Laburnum	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quince, Flowering 22
L Laburnum	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus Quince, Flowering 22
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus Quince, Flowering 22
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus 50-51 Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 55
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus 50-51 Quince, Flowering 22 Quinces 73 R R Reaspberry, Flowering 53 Redbud 15-16
L Laburnum 35 Larch 35 Larch 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 32
L Laburnum 35 Larch 35 Larch 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Linden 66 Lindera 9	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 32
L Laburnum 35 Larch 35 Larch 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Linden 66 Lindera 9	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus 50-51 Quince, Flowering 22 Quinces 73 R R Reaspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 35 Retinospora 16-18
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Linden 66 Lindera 9 Liquidambar 37 Litiodendron 37	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus 50-51 Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51
L Laburnum 35 Larch 35 Larch 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Locust 53-54	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus 50-51 Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 5 Retinospora 16-18 Rhamnus 51 Rhododendron 51-52
L Laburnum 35 Larch 35 Larch 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Liduc 60-61 Liduc 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Locust 38-54	Purple Fringe 53 Purple Leaf Plum 49 Purple Leaf Plum 49 Pyracantha 50 Q Q Quinces 50-51 Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 53 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhodotypos 52
L Laburnum 35 Larch 35 Larch 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Liduc 60-61 Liduc 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Locust 38-54	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhododendron 51-52 Rhododypos 52 Rhus 53
L Laburnum 35 Larch 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Locust 53-54 Lonicera 37-38 Lycium 38	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Quercus 50-51 Quince, Flowering 22 Quinces 73 R R Raspberry, Flowering 53 Redbud 15-16 Red Maple 33 Red Maple 36 Retinospora 16-18 Rhamnus 51 Rhododendron 51-52 Rhododendron 51-52 Rhus 53 Ribes 53
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Lidua 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Locust 53-54 Lonicera 37-38 Lycium 38 Lycium 38	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcada 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhodotypos 52 Rhus 53 Ribes 53 Robinia 53-54
L Laburnum 35 Larch 35 Larch 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Liduc 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Locust 53-54 Lonicera 37-38 Lycium 38 M Magnolia 39	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quinces 50-51 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhododypos 52 Rhus 53 Ribes 53 Robinia 53-54 Rockspray 22 Rosa 54-53
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Lilac 666 Lindera 9 Liquidambar 37 Liriodendron 37 Liriodendro	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quinces 50-51 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhododypos 52 Rhus 53 Ribes 53 Robinia 53-54 Rockspray 22 Rosa 54-53
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Liducthoe 66 Lildac 60-61 Linden 66 Lindera 9 Liquidambar 37 Liquidambar 37 Locust 53-54 Lonicera 37-38 Lycium 38 Lycium 38 Lycium 38 Magnolia 39 Mahonia 39 Maldenhair Tree 27	Purple Fringe 53 Purple Leaf Plum 49 Purple Leaf Plum 49 Pyracantha 50 Q 0 Quinces 50-51 Quince, Flowering 22 Quinces 73 R 8 Raspberry, Flowering 53 Redobud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhododendron 51-54 Ribes 53 Robinia 53-54 Rockspray 22 Rosa 54-55 Rose of Sharon 22 Rose Acacia 53
L Laburnum 35 Larch 35 Larix 35 Learch 35 Learch 36 Learix 36 Learch 36 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Lilac 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Liriodendron 37 Liriodendron 37 Liriodendron 38 Lycium 38 Lycium 38 Lycium 38 M Magnolia 39 Malaonia 39 Maladenhair Tree 27 Mallow Marvels 28	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhododendron 51-52 Rhododypos 52 Ribes 53 Robinia 53-54 Rockspray 22 Rose 65 Sharon 28 Rose 50 Sharon 28 Roses 54-56
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Liduambar 66 Linden 666 Lindera 9 Liquidambar 37 Liriodendron 37 Licust 53-54 Lonicera 37-38 Lycium 38 M Magnolia 39 Malagnolia 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39-41	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quinces 73 R R Raspberry, Flowering 55 Redbud 15-16 Redededar 33 Red Maple 5 Red Maple 5 Retinospora 16-18 Rhamnus 51-52 Rhododendron 51-52 Rhus 53 Ribes 53 Robinia 53-48 Rockspray 22 Rosa 54-55 Rose of Sharon 22 Rose Acacia 53 Rose Acacia 53 Rose Subus 54-55
L Laburnum 35 Larch 35 Larch 35 Larix 36 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Locust 53-54 Lycium 38 Lycium 38 Magnolia 39 Mahonia 39 Mahonia 39 Malonia 40 Malonia 4	Purple Fringe 53 Purple Leaf Plum 49 Purple Leaf Plum 49 Pyracantha 50 Q 0 Quinces 50-51 Quince, Flowering 22 Quinces 73 R 8 Raspberry, Flowering 53 Redobud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhododendron 51-54 Ribes 53 Robinia 53-54 Rockspray 22 Rosa 54-55 Rose of Sharon 22 Rose Acacia 53
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35-36 Lilae 60-60 Lilae 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Locust 53-54 Lonicera 37-38 Lycium 38 M Magnolia 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39-41 Maple 4-6 Marshmallow 28	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quinces 73 R R Raspberry, Flowering 55 Redbud 15-16 Redecedar 33 Red Maple 5 Setinospora 16-16 Rhamnus 51 Rhododeryos 51 Ribes 52 Ribes 52 Robinia 53-54 Rose of Sharon 26 Rose Acacia 52 Roses 54-55 Rubus 55 Rubsian Olive 24
L Laburnum 35 Larch 35 Larix 35 Leard Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Lidustrum 35-36 Lilac 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Locust 53-54 Lonicera 37-38 Lycium 38 Lycium 38 M Magnolia 39 Mahonia 39 Mahonia 39 Mahonia 39 Malonia	Purple Fringe 53 Purple Leaf Plum 49 Purple Leaf Plum 49 Pyracantha 50 Q Q Quinces 50-51 Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 53 Redbud 15-16 Redcedar 33 Red Maple 5 Retinospora 16-18 Rhamnus 51 Rhododendron 51-54 Ribes 52 Rokses 52 Rockspray 22 Rosa 54-53 Rose Of Sharon 22 Rose Acacia 53 Rose Acacia 53 Rose Acacia 53 Roses 54-53 Rubus 55 Russian Olive 24
L Laburnum 35 Larch 35 Larix 35 Learch 35 Learix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Lilac 60-61 Lilac 37 Liquidambar 37 Liquidambar 37 Liquidambar 37 Liquidendron 37 Liriodendron 37 Liriodendron 38 Lycium 38 M Magnolia 39 Mahonia 39 Mahonia 39 Malomar 28 Malus 39-41 Maple 4-6 Marshmallow 28 Matrimony Vine 38 Matrimony Vine 38 Matrix 35 Misself 31 Magnolia 39 Malarimony Vine 38 Matrimony Vine 38 Matrimony Vine 38 Mitchella 41	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Red Maple 3 Rhododypor 51-52 Rhodotypos 52 Rhus 53 Robinia 53-54 Rose 54-55 Rose of Sharon 22 Roses Acacia 53 Russian Olive 24 Salisburia 27
L Laburnum 35 Larch 35 Larix 35 Learch 35 Learix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Lilac 60-61 Lilac 66 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Liriodendron 37 Liriodendron 38 Lycium 38 M Magnolia 39 Mahonia 39 Mahonia 39 Malomarree 27 Mallow Marvels 28 Malus 39-41 Maple 46 Marshmallow 28 Matrimony Vine 38 Matrimony Vine 38 Matrimony Vine 38 Mitchella 41 Mockorange 43-44 Morus 41	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quinces 73 R R Raspberry, Flowering 53 Redbud 15-16 Redededar 33 Red Maple 5 Setinospora 16-18 Rhamnus 51 Rhododerpos 51 Ribes 52 Robinia 53-54 Rose of Sharon 26 Rose Acacia 52 Roses 54-53 Rubus 55 Russian Olive 24 Salisburia 27 Salix 55-56
L Laburnum 35 Larch 35 Larix 35 Learch 35 Learix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Lilac 60-61 Lilac 66 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Liriodendron 37 Liriodendron 38 Lycium 38 M Magnolia 39 Mahonia 39 Mahonia 39 Malomarree 27 Mallow Marvels 28 Malus 39-41 Maple 46 Marshmallow 28 Matrimony Vine 38 Matrimony Vine 38 Matrimony Vine 38 Mitchella 41 Mockorange 43-44 Morus 41	Purple Fringe 53 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 49 Pyracantha 50 Q 2 Quinces 50-51 Quinces 73 R Raspberry, Flowering 53 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhodotypos 52 Ribes 52 Robinia 53-54 Rose Acacia 32 Rose Acacia 32 Rose Acacia 32 Russian Olive 24 Salisburia 52 Sambucus 56-55
L Laburnum 35 Larch 35 Larix 35 Learch 35 Learix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Lilac 60-61 Lilac 66 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Liriodendron 37 Liriodendron 38 Lycium 38 M Magnolia 39 Mahonia 39 Mahonia 39 Malomarree 27 Mallow Marvels 28 Malus 39-41 Maple 46 Marshmallow 28 Matrimony Vine 38 Matrimony Vine 38 Matrimony Vine 38 Mitchella 41 Mockorange 43-44 Morus 41	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Red Maple 3 Red Maple 51 Rhamnus 51 Rhodotypos 52 Ribes 52 Robinia 53-74 Rose of Sharon 22 Rose Acacia 53 Roses Acacia 53 Rubus 55 Rubus 55 Salisburia 22 Salisburia 22 Sansafras 55-56 Sassafras 56
L Laburnum 35 Larch 35 Larix 35 Learch 35 Learix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Lilac 60-61 Lilac 66 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Liriodendron 37 Liriodendron 38 Lycium 38 M Magnolia 39 Mahonia 39 Mahonia 39 Malomarree 27 Mallow Marvels 28 Malus 39-41 Maple 46 Marshmallow 28 Matrimony Vine 38 Matrimony Vine 38 Matrimony Vine 38 Mitchella 41 Mockorange 43-44 Morus 41	Purple Fringe 53 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 49 Pyracantha 50 Q 20 Quinces 50-51 Quinces 73 R Raspberry, Flowering 53 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhodotypos 53 Rhodotypos 53 Ribes 53 Robinia 53-54 Rose Acacia 52 Rose Acacia 53 Rose Acacia 53 Rubsian Olive 2a Salisburia 22 Salisburia 55-7 Sambucus 56-7 Sasantus 56-7 Savin 33
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Libocedrus 35 Ligustrum 35-36 Lilae 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Licoust 53-54 Lycium 38 M Magnolia 39 Madonia 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39 Maidenhair 39	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhododypos 52 Ribes 53 Ribes 53 Robinia 53-74 Rose of Sharon 22 Rose Acacia 53 Roses Acacia 53 Rubus 55 Rubsian Olive 22 Salisburia 22 Salix 55-56 Sassafras 55 Savin 33 Scotch Broom 22
L Laburnum 35 Larch 35 Larix 35 Learch 35 Learch 35 Leard Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libucedrus 35 Libucedrus 35 Ligustrum 55-36 Lilac 60-61 Lilac 66-61 Lilac 37 Lilac 37 Lindera 9 Liquidambar 37 Liriodendron 37 Liriodendron 37 Liriodendron 38 Lycium 38 M Magnolia 39 Mahonia 39 Mahonia 39 Mahonia 39 Malow Marvels 28 Malus 39-41 Maple 46 Marshmallow 28 Matrimony Vine 38 Matrimony 41 Mockorange 43-44 Morus 41 Mountain Ash 57 Mountain Laurel 34 Mulberry, Weeping 41	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quince, Flowering 22 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Retinospora 16-18 Rhamnus 51 Rhododypos 52 Ribes 53 Ribes 53 Robinia 53-74 Rose of Sharon 22 Rose Acacia 53 Roses Acacia 53 Rubus 55 Rubsian Olive 22 Salisburia 22 Salix 55-56 Sassafras 55 Savin 33 Scotch Broom 22
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Libocedrus 35 Ligustrum 35-36 Lilae 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Licoust 53-54 Lycium 38 M Magnolia 39 Madonia 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39 Maidenhair 39	Purple Fringe 53 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 50 Quinces 50-51 Quinces 73 R 8 Raspberry, Flowering 53 Reddoud 15-16 Redcedar 33 Red Maple 5 Retinospora 16-18 Rhamnus 51 Rhododendron 51-52 Ribes 53 Rockspray 22 Rockspray 24 Rose Acacia 53 Rose of Sharon 22 Rubus 55 Rubus 55 Salisburia 22 Salix 55-56 Sambucus 56-57 Sassafras 55 Savin 33 Scotch Broom 22 Sandblow 6 S
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Lilac 60-61 Lilac 7 Lilac 7 Lindena 66 Lindera 9 Liquidambar 37 Liriodendron 37 Liriodendron 37 Liriodendron 37 Liriodendron 38 Lycium 38 M M Magnolia 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39-41 Maple 4-6 Marshmallow 28 Matrimony Vine 38 Matrimony Vine	Purple Fringe 53 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 50 Quinces 50-51 Quinces 73 R 8 Raspberry, Flowering 53 Reddoud 15-16 Redcedar 33 Red Maple 5 Retinospora 16-18 Rhamnus 51 Rhododendron 51-52 Ribes 53 Rockspray 22 Rockspray 24 Rose Acacia 53 Rose of Sharon 22 Rubus 55 Rubus 55 Salisburia 22 Salix 55-56 Sambucus 56-57 Sassafras 55 Savin 33 Scotch Broom 22 Sandblow 6 S
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Libocedrus 35 Libocedrus 35 Lidustrum 35-36 Lilae 60-61 Linden 66 Lindera 9 Liquidambar 37 Liriodendron 37 Licoust 53-54 Louicera 37-38 Lycium 38 M Magnolia 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39-41 Maple 4-6 Marshmallow 28 Matrimony Vine 38 Mitchella 41 Maple 4-6 Marshmallow 38 Mitchella 41 Mockorange 33-44 Morus 43-44 Morus 44 Morus 44 Mountain Ash 57 Mountain Laurel 34 Mulyrica 41 Myrica 41	Purple Fringe 53 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 49 Purple Leaf Plum 50 Quinces 50-51 Quinces 73 R 8 Raspberry, Flowering 53 Reddoud 15-16 Redcedar 33 Red Maple 5 Retinospora 16-18 Rhamnus 51 Rhododendron 51-52 Ribes 53 Rockspray 22 Rockspray 24 Rose Acacia 53 Rose of Sharon 22 Rubus 55 Rubus 55 Salisburia 22 Salix 55-56 Sambucus 56-57 Sassafras 55 Savin 33 Scotch Broom 22 Sandblow 6 S
L Laburnum 35 Larch 35 Larix 35 Lead Plant 6 Leiophyllum 35 Lespedeza 35 Leucothoe 35 Libocedrus 35 Ligustrum 35-36 Lilac 60-61 Lilac 60-61 Lilac 7 Lilac 7 Lindena 66 Lindera 9 Liquidambar 37 Liriodendron 37 Liriodendron 37 Liriodendron 37 Liriodendron 38 Lycium 38 M M Magnolia 39 Maidenhair Tree 27 Mallow Marvels 28 Malus 39-41 Maple 4-6 Marshmallow 28 Matrimony Vine 38 Matrimony Vine	Purple Fringe 53 Purple Leaf Plum 49 Pyracantha 50 Q Q Quercus 50-51 Quinces 73 R Raspberry, Flowering 55 Redbud 15-16 Redcedar 33 Red Maple 3 Red Maple 3 Red Maple 5 Rhododypor 51-52 Rhododypos 52 Ribes 53 Ribes 53 Robinia 53-74 Rose 45-55 Rose Acacia 53 Rose 54-55 Rubus 55-76 Salisburia 22 Salisburia 22 Sassafras 55-56 Sassafras 55 Savin 32 Scotch Broom 22 Shadblow 6 Silver Bell 22 Smoke Tree 53

PRINCETON NURSERIES

	PAGE		PAGE
Sorbaria	57	11	
Sorbus	57	~	,
Sour Gum	41	Ulmus	67
Sourwood	41	Umbrella Tree	14
Spice Bush	Q.		
Spiraea5	8-59	V	
Spruce4		Vaccinium	67
Spurge	42	Varnish Tree	34
St. Johnswort	29	Viburnum	
Stagger Bush	45	Vinca	69
Staphylea	59	Virginia Creeper	7
Stephanandra	60	Vitex	70
Stranyaesia	60	vicex	,0
Styrax	60		
Sugar Maple	5	\mathbf{W}	
Sumac	53	Wayfaring Tree	68
Summer Sweet	18	Wax Myrtle	£9
Sweet Bay	39	Weigela	
Sweet Gum	37	White Fringe	18
Sweet Pepper Bush	18	White Ash	27
Sweet Shrub	13	Willows	
Sweetspire	30	Winterberry	30
Sycamore	47	Witch Hazel	
Symphoricarpos	60	Wintercreeper	
Syringa		Withe-Rod	68
Syllinga	0-01	Wisteria	71
Т		Woodbine	
		Woodbine	. /
Tamarix	62	Y	
Taxodium	62	1	
Taxus	62	Yellowroot	71
Thuja6		Yellow Wood	18
Thorn	21	Yew	62
Tilia	66	Yucca	71
Tree of Heaven	6		
Trumpet Vine	12	7.	
Tsuga	67		
Tulip Tree	37	Zanthorhiza	71





LOCATION

Our Nurseries are located at Kingston, Middlesex County, New Jersey, three miles east of Princeton and just off the Lincoln Highway. We are exactly halfway between New York City and Philadelphia.

The nearest railroad stations are Princeton and Princeton Junction and we will be glad to meet you at either station.

Phone Monmouth Junction 242.

